

Bitdefender cvičení

vypracoval


Aleš Brázda

1 OBSAH


1	OBSAH	1
2	KOPÍROVÁNÍ POLITIKY	2
3	VYTVOŘENÍ INSTALAČNÍHO BALÍČKU	4
4	INSTALACE KLIENTA NA STANICI	6
5	PŘÍŘAZENÍ POLITIKY	8
6	ZABLOKOVÁNÍ INTERNETOVÉ STRÁNKY	10
7	VYUŽITÍ POWER USERA	13
8	ZABLOKOVÁNÍ POUŽÍVÁNÍ FLASHDISKU	15
9	NASTAVENÍ PRAVIDELNÉHO FULL SCANU	17

2 KOPÍROVÁNÍ POLITIKY

- 1) Přihlásíme se do Bitdefender GravityZone - <https://edr.teleinformatika.eu/>
- 2) Přepneme se do záložky Policies




- 3) V záložce Policies vybereme politiku Vzor a naklonujeme ji



The screenshot shows the Bitdefender GravityZone interface with the 'Policies' section selected. The 'Clone Policy' button is highlighted with a red box. Below it is a table listing existing policies:

Policy name	Created by	Modified on	Targets
☐ Default policy (default)	brazdaale		0
☒ Vzor	brazdaale	10 October 2022, 13:29:56	2
☐ SERVERY	bures@teleinformatika.eu	11 October 2022, 15:25:12	5
☐ TEST VYUKA	bures@teleinformatika.eu	11 October 2022, 15:23:36	17

4) Politiku pojmenujeme podle svého uživatelského jména a uložíme



Computers and Virtual Machines

Welcome, Aleš Brázda

Policy Details

Name: *

☒ Allow other users to change this policy

History

Created by: Aleš Brázda

Created on: N/A

Modified on: N/A


Inheritance Rules

Module	Section	Policy	
			+

Module **Section** **Inherit from** **Action**

3 VYTVOŘENÍ INSTALAČNÍHO BALÍČKU


1) Přepneme se do záložky Packages



2) Klikneme na Add

+ Add	Download	Send download links	Delete	Refresh
Name	Type	Language	Description	
☐				
☐ Security Server Virtual Appliance	Security Server		Security for Virtualized Environments Security Server	
☐ Vzor	BEST	English		
☐ TEST	BEST	English		
☐ SERVER	BEST	English		
☐ UCEBNY	BEST	English		
☐ MDM	BEST	English		

- 3) Pojmenujeme podle svého uživatelského jména. Zaklikáme moduly jako na obrázku. Zbytek necháme a dáme save.




- 4) Balíček se objeví v seznamu


+ Add Download Send download links Delete Refresh			
Name	Type	Language	Description
☐			
☐ Security Server Virtual Appliance	Security Server		Security for Virtualized Environments Security Server
☐ Vzor	BEST	English	
☐ TEST	BEST	English	
☐ SERVER	BEST	English	
☐ UCEBNY	BEST	English	
☐ MDM	BEST	English	
☐ petr.novak	BEST	English	

4 INSTALACE KLIENTA NA STANICI

1) Přepneme se do záložky Packages




2) Vybereme balíček, který jsme vytvořili. Klikneme na download a vybereme si na jaký systém budeme bitdefender instalovat.



The screenshot shows the Bitdefender GravityZone web interface with the 'Packages' tab selected. A red box highlights the 'Download' button and the list of available packages for download. The list includes:


Name	Type	Language
Windows Downloader		
Windows kit (32-bit)		
Windows kit (64-bit)		
Linux Downloader	BEST	English
Linux kit (32-bit)	BEST	English
Linux kit (64-bit)	BEST	English
macOS Downloader	BEST	English
macOS kit (Intel x86)	BEST	English
macOS kit (Apple M1)	BEST	English

- 3) Soubor poté rozbálíme, spustíme, potvrdíme instalaci. Konzoli poté můžeme otevřít přes rozbalení skrytých ikon.




5 PŘÍŘAZENÍ POLITIKY

1) Přepneme se do záložky Network



The screenshot shows the Bitdefender GravityZone interface. The left sidebar has the 'Network' tab selected and highlighted with a red box. The main area displays a table of network devices under the 'Computers and Virtual Machines' section. The table has columns for Name, OS version, IP, Last Seen, Label, and Users. The 'Active Directory' and 'Custom Groups' entries are visible.

2) Najdeme stanici, které chceme přiřadit politiku a klikneme na Assign Polici



The screenshot shows the Bitdefender GravityZone interface. The left sidebar has the 'Network' tab selected. The main area displays a table of network devices. The 'Assign Policy' button in the top toolbar is highlighted with a red box. The table lists various devices, including 'U34-01' through 'U34-14', with columns for Name, OS version, IP, Last Seen, Label, and Users. The 'U34-06' entry is selected with a blue checkmark.

3) V horním okně vybereme politiku, kterou chceme aplikovat a dáme Finish

< Back | Policy Assignment

☒ Assign the following policy template ☐ Inherit from above

Default policy


☐ Force policy inheritance to child groups ?

Target	Policy	Inherited from	Enforcement status
U34-03	TEST VYUKA	N/A	N/A

Finish Cancel


6 ZABLOKOVÁNÍ INTERNETOVÉ STRÁNKY

- 1) Otevřeme si naši politiku, přepneme se do záložky Network Protection a zapneme ji




The screenshot shows the Bitdefender management console interface. The left sidebar contains a list of modules: General, Antimalware, Sandbox Analyzer, Firewall, Network Protection (highlighted with a red box), Application Control, Device Control, Relay, Exchange Protection, and Incidents Sensor. The main content area displays the 'General Settings' for 'Network Protection'. A red box highlights the 'Network Protection' checkbox, which is checked. Below this, there are checkboxes for 'Scan SSL', 'Scan HTTP', and 'Scan RDP'. The 'Browser Search Advisor (legacy)' checkbox is also checked. At the bottom, there is a table with columns 'Type', 'Excluded Entity', 'Remarks', and 'Action'. The table is currently empty. The bottom of the console shows 'Save' and 'Cancel' buttons.

- 2) Přepneme se do záložky Content Control, kde zapneme Web Access Control a klikneme na Settings




The screenshot shows the Bitdefender interface with the left sidebar expanded. The 'Network Protection' section is selected, and 'Content Control' is highlighted. The 'Web Access Control' settings are displayed, showing options to 'Block', 'Schedule', or 'Allow' web access. The 'Allow' option is selected. Below this, there are sections for 'Application Blacklisting' and 'Data Protection'. The 'Save' button is visible at the bottom.

3) Klikneme na Exclusions



The screenshot shows the Bitdefender interface with the left sidebar expanded. The 'Network Protection' section is selected, and 'Content Control' is highlighted. The 'Web Access Control Settings' are displayed, with the 'Exclusions' tab selected. The 'Use Exclusions' checkbox is checked. Below this, there is a table for 'Web Address' with columns for 'Web Address', 'Permission', and 'Action'. The 'Save' button is visible at the bottom.

- 4) Zadáme adresu stránky, kterou chceme zablokovat.
Např. www.youtube.com nebo *.youtube.com . Vybereme Block a přidáme pluskem




The screenshot shows the 'Web Access Control Settings' page in the 'Exclusions' tab. The 'Use Exclusions' checkbox is checked. A table is partially visible with the following data:

Web Address	Permission	Action
www.youtube.com	Block	

A dropdown menu is open for the 'Block' permission, showing 'Block' and 'Allow' options. A red box highlights the 'Block' option. A red box also highlights the '+' button to add a new exclusion.

- 5) Po zadání uložíme Web Access Control Settings a poté uložíme celou politiku.



The screenshot shows the 'Web Access Control Settings' page in the 'Exclusions' tab. The 'Use Exclusions' checkbox is checked. A table is visible with the following data:


Web Address	Permission	Action
www.youtube.com	Block	⊗
*.youtube.com	Block	⊗

A red box highlights the table. A red box also highlights the 'Save' button at the bottom left.


- 6)

7 VYUŽITÍ POWER USERA


1) Otevřeme si naši politiku, přepneme se do záložky General – settings




2) Zapneme Power User a vymyslíme k němu heslo. Politiku poté uložíme.



3) V pravo dole rozbalíme skryté ikony, pravým klikeneme na bitdefender a přihlásíme se.




4) Vyskočí nám okno, kde můžeme dočasně zapínat nebo vypínat moduly na této stanici



8 ZABLOKOVÁNÍ POUŽÍVÁNÍ FLASHDISKU

1) Otevřeme si naši politiku, přepneme se do záložky Device Control – rules




The screenshot shows the Bitdefender Device Control Rules page. The left sidebar has a red box around the 'Device Control' menu item, with a sub-item 'Rules' also highlighted. The main area displays a table of device classes and their permissions.

Device Class	Description	Permission
Bluetooth	Bluetooth Devices	Blocked
CDROM Drive	CDROM Drives	Allowed
Floppy Disk Drive	Floppy Disk Drives	Allowed
IEEE 1284.4	IEEE 1284.4	Allowed
IEEE 1394	IEEE 1394	Allowed
Imaging	Imaging Devices	Allowed
Modem	Modems	Allowed
Tape Drive	Tape Drives	Allowed
Windows Portable	Windows Portable	Allowed
COM/LPT Ports	LPT/COM Ports	Allowed
SCSI Raid	SCSI Raid	Allowed
Printers	Printers	Allowed
Network Adapter	Network Adapters	Allowed
Wireless Network Adapter	Wireless Network Adapters	Blocked
Internal Storage	Internal Storage	Allowed
External Storage	External Storage	Allowed

Page 1 of 1, 20 items.

2) Zapneme Device Control a klikneme na External Storages



The screenshot shows the Bitdefender Device Control Rules page. The left sidebar has a red box around the 'Device Control' menu item. The main area displays a table of device classes and their permissions. The 'External Storage' row is highlighted with a red box.

Device Class	Description	Permission
Bluetooth	Bluetooth Devices	Blocked
CDROM Drive	CDROM Drives	Allowed
Floppy Disk Drive	Floppy Disk Drives	Allowed
IEEE 1284.4	IEEE 1284.4	Allowed
IEEE 1394	IEEE 1394	Allowed
Imaging	Imaging Devices	Allowed
Modem	Modems	Allowed
Tape Drive	Tape Drives	Allowed
Windows Portable	Windows Portable	Allowed
COM/LPT Ports	LPT/COM Ports	Allowed
SCSI Raid	SCSI Raid	Allowed
Printers	Printers	Allowed
Network Adapter	Network Adapters	Allowed
Wireless Network Adapter	Wireless Network Adapters	Blocked
Internal Storage	Internal Storage	Allowed
External Storage	External Storage	Allowed

Page 1 of 1, 20 items.

- 3) V tabulce vybereme u Permission Custom a u USB vybereme blocked. Uložíme a pak uložíme celou politiku

External Storage Rule

Permission: *

Custom

Description: *

External Storage

Custom Permissions


Firewire:	Allowed
ISA Plug & Play:	Allowed
PCI:	Allowed
PCMCIA:	Allowed
SCSI:	Allowed
SD Card:	Allowed
USB:	Blocked
Other	Allowed

Save


Cancel

9 NASTAVENÍ PRAVIDELNÉHO FULL SCANU

1) Otevřeme si naši politiku, přepneme se do záložky Antimalware - On-Demand



2) Ve scan Tasks klikneme na Add a na Full scan



3) Task pojmenujeme: Full Scan_uživatelské jméno. Vybereme čas, kdy chceme, aby proběhl první scan a dáme opakování po 7 dnech.

Edit task

General Options Target

Details

Task Name: Full Scan_ petr.novak

☒ Run the task with low priority

☐ Shut down computer when scan is finished

Scheduler

Start date and time : 01/06/2023 14 : 00

Recurrence

☒ Schedule task to run once every : 7 day(s)

☐ Run task every:

☐ Sun ☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐ Fri ☐ Sat

☐ If scheduled run time is missed, run task as soon as possible

☐ Skip if next scheduled scan is due to start in less than

1 day(s)

Save Cancel

4) Přepneme se do záložky Options, zvolíme custom a rozbalíme nabídku settings

Edit task

General Options Target

Scan options

☐ - Aggressive Custom - Administrator-defined settings

☐ - Normal

☐ - Permissive

☒ - Custom

Settings

File Types

Scan: All Files

Archives

☐ Scan inside archives

Enable scanning of archives according to the disk size and archive depth you specify here. Bitdefender scanning engines can scan all types of archives that may contain threats. For more details about the analyzed types of archives, refer to [this KB article](#).

Limit archive size to (MB): 10

Maximum archive depth (levels): 2

☒ Scan email archives

Enable scanning of email message files and email databases, including file formats such as .eml, .msg, .pst, .dbx, .mbx, .tbb and others. Note that email archive scanning is resource intensive and can impact system performance. For more details about the analyzed types of archives, refer to [this KB article](#).

Miscellaneous

Save Cancel

5) Zaklikáme settings stejně jak na obrázku:

Edit task
×

Scan:

All Files

Archives

☒ Scan inside archives

Enable scanning of archives according to the disk size and archive depth you specify here. Bitdefender scanning engines can scan all types of archives that may contain threats. For more details about the analyzed types of archives, refer to [this KB article](#).

Limit archive size to (MB):

10

Maximum archive depth (levels):

2

☒ Scan email archives

Enable scanning of email message files and email databases, including file formats such as .eml, .msg, .pst, .dbx, .mbx, .tbb and others. Note that email archive scanning is resource intensive and can impact system performance. For more details about the analyzed types of archives, refer to [this KB article](#).

Miscellaneous

☒ Scan boot sectors
☒ Scan registry
☒ Scan for rootkits
☒ Scan for keyloggers
☐ Scan network shares

☒ Scan memory
☒ Scan cookies
☐ Scan only new and changed files
☒ Scan for Potentially Unwanted Applications (PUA)
☒ Resume scan after product update

Actions ⓘ

Default action for infected files:

Disinfect

Alternative action:

Move to quarantine

Default action for suspect files:

Ignore

Alternative action:

Move to quarantine


Default action for rootkits:

Disinfect

Save

Cancel

6) Uložíme task a poté i celou politiku



Computers and Virtual Machines

Welcome, Aleš Brázda

General

Antimalware

On-Access

On-Execute

On-Demand

Hyper Detect

Advanced Anti-Exploit

Settings

Security Servers

Sandbox Analyzer

Firewall

Network Protection

Application Control

Device Control

Relay

Exchange Protection

Incidents Sensor

Scan Tasks

+ Add - Delete

Task Name	Task Type	Repeat Interval	First Run
Full Scan_petnovak	Full scan	7 days	01/06/2023 14:00

Scan Settings

Contextual Scan

External Devices Scan

Device Scanning


☒ CD/DVD media

☒ USB storage devices

☐ Do not scan devices with stored data more than (MB) 0

Save Cancel

7) Výsledky Scanů si můžeme prohlédnout, když se přepneme na Network, najdeme si naši stanici a rozklikneme si ji



Dashboard

Incidents

Blocklist

Custom Rules

Network

Application Inventory

Packages

Tasks

Policies

Configuration Profiles

Assignment Rules

Reports

Ransomware Activity

Quarantine

Computers and VMs

Exchange Protection

Accounts

User Activity

Computers and Virtual Machines

Active Directory

TELEINFORMATIKA.EU

Computers

Domain Controllers

Managed Service Accounts

PoCtace

Knihovna

Servisy

Studenti

Ucební

1

17

18

26

27

3

Tasks

Reports

Assign Policy

Go to container

Synchronize Active Directory

Delete

Refresh

Name	OS version	IP	Last Seen	Label
U34-01	Windows 10 Education	10.50.60.33	1 hour ago	N/A
U34-02	Windows 10 Education	10.50.60.34	1 hour ago	N/A
U34-03	Windows 10 Education	10.50.60.35	1 hour ago	N/A
U34-04	Windows 10 Education	10.50.60.36	1 hour ago	N/A
U34-05	Windows 10 Education	10.50.60.37	1 hour ago	N/A
U34-06	Windows 10 Education	10.50.60.38	1 hour ago	N/A
U34-07	Windows 10 Education	10.50.60.39	1 hour ago	N/A
U34-08	Windows 10 Education	10.50.60.40	1 hour ago	N/A
U34-09	Windows 10 Education	10.50.60.41	2 hours ago	N/A
U34-10	Windows 10 Education	10.50.60.42	2 hours ago	N/A
U34-11	Windows 10 Education	10.50.60.43	1 hour ago	N/A
U34-12	Windows 10 Education	10.50.60.44	2 hours ago	N/A
U34-13	Windows 10 Education	10.50.60.45	1 hour ago	N/A
U34-14	Windows 10 Education	10.50.60.46	1 hour ago	N/A
U34-15	Windows 10 Education	10.50.60.47	At 10:24, yesterday	N/A

8) Přepneme se na záložku Scan Logs a zde máme seznam všech scanů na této stanici.

< Back | U34-07

General Protection Policy **Scan Logs** Troubleshooting Users

Available scan logs

Viewing scan logs for: Endpoint Protection ▾

Type	Created
Device scan	05 January 2023, 09:21:11
FullScan	04 January 2023, 12:02:50
FullScan	16 December 2022, 08:23:26
FullScan	02 December 2022, 08:18:58
FullScan	25 November 2022, 08:24:30
FullScan	11 November 2022, 08:27:24
FullScan	31 October 2022, 09:05:47
FullScan	14 October 2022, 09:16:43
Full Scan	10 October 2022, 10:48:42

First Page ← Page 1 of 1 → Last Page 20 ▾