
Operators & Expressions Operators are rised to perform coherations on variables & values Types of coherators

Arithmethe operators: +, -, *, 1, *, -, + +

Assignment operators -> -, += Returns remainder



		60	OI Dragade
	Operator	Succester	Hy Precedence
()	Function wall	- D	Highest.
ſĴ	drag scilescript	1 to R	5 0
•	Lot member of stoucture	2.	w 1170 -
-> cot	Asrow (member of structure	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOFFECE
	V		10. h
cleases.	Logreal NO7	ary in the	13
bles-	Oher complement	RtoL	1
	Unay minus (negation)		1 3
++	Increment	9000000	10033
dence-	Decrement	() () A	
&	Address of	(+ (+) U	The state of the s
*	Inderection		
(type)	Cast	at firsty	John -
Cast	size of to withink	-ello dho	1 + 1
	DIA TOTAL		
-	Joint Marie Control	100 mining	
*		LtoR	12
•	Multipleation		
•	Multiplecation Devision		
*	Multiplecation Devision		
*	Multipleation Devision Nodulus		
*	Multiplecation Devision	LtoR	
*	Multiplecation Devision Nodulus Addition	LtoR	
*	Multiplecation Devision Nodulus Addition Suletxaction	LtoR	
* // // //	Multiplecation Devision Nodulus Addition Suletxaction Left shift Right shift	L to R	12
* // // // // // // // // // //	Multiplecation Devision Nodulus Addition Suletxaction Left shift Regist shift Relational Operator	L to R	11
* // // //	Multiplecation Devision Nodulus Addition Suletxaction Left shift Right shift	L to R	12
* // // // // // // // // // //	Multipleation Devisor Modulus Addition Suletxaction Jeff shiff Regist shift Relational Operator Jess than Jess than Jess than	L to R	11
* // // //	Multiplecation Devision Nodulus Aldetton Suletxaction Left Shift Reght shift Relational Operator Less than Less than or equal to Greater than	L to R	11
* // // //	Multipleation Devison Nodulus Addition Suletxaction Left shift Regist shift Relational Operator Less than	L to R	11

			- age		
- Fi	Equal to	L. to R			
1=:	Not equal to	20011	R. C.		
	The Hard of the first	The second second			
&	BStwese AND	700	7		
^	BHWESE XOR	LtoR	C		
	BStwese OR	LIOR	6		
22	Logeral AND		5.		
	Jogged OR	- hilling	3		
2:	Conditional	3 // 3/14	2		
	0.64	2 8 4 Oct	_		
= 3+=	Assegnment operators	D +n 1			
*=etc.	o operation of	K 10 L			
		*			
2	Comma	toR	MARIA.		
		-1012	0		
	Resultena Island	And Anna	9		
	Resulting data type after arithmeter				
1	esquelatten	640 0 10			
	$R = b + S \rightarrow ant$		t poyer		
;	= 5 + 1 -> Int	67	byte for float		
	= l+f -> float i-enteger c-character				
	= Stf -> float d-> long = C+1 -> snt				
	$= C + S \rightarrow Snt$				
	= l+d-> deulele				
	$= f + d \rightarrow deuble$				
	Ingrement & Degreenest Manta				
*	9ncrement & Decrement Operators a++, ++a → Increment operators a,a Decrement operators				
	These will operate on all data types				
	except booleans				
	which the same of				

att - ferst rise the value of a & then Greenment & f t+a - ferst Greenment the value & then rise & f For eg.

Jand value of γ gnt y = 7; gnt x = r + y * 8it = Assignment operatores.i. chas $a = {}^{6}B^{2}$ a + f = 3 a + f = 3 a + f = 3 a + f = 3 a + f = 3 a + f = 3Practice Set 2
What will be the nesult of the foll-expression float a = 7/4 * 9/2
By Associativity = 1 #9/2 1.75 * 9/2 oto ofa = 14.0,000 = 010 110.

```
if float a = 7/4.0 of # 9/2.0f;
                     = 1.75 *9/2
                        = 15.75/2
                          - 7.875
Worste a fava program to encrypt a grade ley adding 8 to 9t. Decrypt It to show the correct grade
package com company
hulebe class Encryptions
  P & vm (steifing [7 args) &

| Encryteen
| char grade = 'B';

grade = grade
| grade = (char)(grade + 8);

System. out. println (grade);
 11 Decryption
grade = (char) (grade - 8);
System-out-prentln(grade);
```