

Pesquise uma API que se identifique e faça uma chamada via terminal (GET e POST) e uma chamada via Postman (GET e POST).

Tire print e adicione na pasta ATIVIDADE.

Abra um Pull Request.




ATIVIDADE





40 MINUTOS

EXEMPLO PRINT POSTMAN



EXEMPLO PRINT TERMINAL

```
dariellycristinadesouzasantos — -zsh — 134×41
Last login: Fri Jun 16 13:14:08 on ttys000
darielly.santos@CRED-C02GV0DK0KPF ~ % curl -i -X POST https://jsonplaceholder.typicode.com/comments \
     -H 'Content-Type: application/json' \
     -d $'{
            "postId": 102,
            "name": "Darth Vaider",
            "email": "darth.vaider@imperio.com.br",
            "body": "i'm your father ( disponível online [...]"
[HTTP/2 201
date: Fri, 16 Jun 2023 16:16:35 GMT
content-type: application/json; charset=utf-8
content-length: 156
location: http://jsonplaceholder.typicode.com/comments/501
x-powered-by: Express
x-ratelimit-limit: 1000
x-ratelimit-remaining: 999
x-ratelimit-reset: 1686932242
vary: Origin, X-HTTP-Method-Override, Accept-Encoding
access-control-allow-credentials: true
cache-control: no-cache
pragma: no-cache
expires: -1
access-control-expose-headers: Location
x-content-type-options: nosniff
etag: W/"9c-1gIZz63v9JcQ3uRKWluDA+n6GMM"
via: 1.1 vegur
cf-cache-status: DYNAMIC
report-to: {"endpoints":[{"url":"https:\/\/a.nel.cloudflare.com\/report\/v3?s=1z1d%2FGQrg%2BPWzB%2BvCDykvrMFaQhBzgMhTg5cWEF5f%2FlpvC02
zJAlYgdDe5FfBvKduEgS3wgXWKb2JYIpzkmpZ1aViR1D9z5z3wGJ8IdsAAgBgAp7uHuzX3Z%2FTeHJ1%2F2%2B5n1XJVlbfYA0hNg2XPfn83uZ2Qug4K8tdE8%3D"}], "group
":"cf-nel", "max_age":604800}
nel: {"success_fraction":0, "report_to":"cf-nel", "max_age":604800}
server: cloudflare
cf-ray: 7d845badeee002f3-GRU
  "postId": 102,
  "name": "Darth Vaider",
  "email": "darth.vaider@imperio.com.br",
  "body": "i'm your father ( disponível online [...]",
  "id": 501
```