

```
In [1]: !pip install sqlalchemy==1.3.9
```

```
Collecting sqlalchemy==1.3.9
  Downloading SQLAlchemy-1.3.9.tar.gz (6.0 MB)
----- 0.0/6.0 MB ? eta -:-:--
----- 1.6/6.0 MB 9.4 MB/s eta 0:00:01
----- 4.2/6.0 MB 11.0 MB/s eta 0:00:01
----- 5.0/6.0 MB 8.2 MB/s eta 0:00:01
----- 6.0/6.0 MB 7.8 MB/s eta 0:00:00

Preparing metadata (setup.py): started
Preparing metadata (setup.py): finished with status 'done'
Building wheels for collected packages: sqlalchemy
  Building wheel for sqlalchemy (setup.py): started
  Building wheel for sqlalchemy (setup.py): finished with status 'done'
  Created wheel for sqlalchemy: filename=SQLAlchemy-1.3.9-cp312-cp312-win_amd64.whl size=1142950 sha256=3326460cda30fc341b456c7bdec422e78b0b592c8e01e487bfe3e1f134e56b38
  Stored in directory: c:\users\michael\appdata\local\pip\cache\wheels\b3\1c\42\0e26b8d512adc6bce10ff71a05229366b4ccec641cd3b42111
Successfully built sqlalchemy
Installing collected packages: sqlalchemy
  Attempting uninstall: sqlalchemy
    Found existing installation: SQLAlchemy 2.0.34
    Uninstalling SQLAlchemy-2.0.34:
      Successfully uninstalled SQLAlchemy-2.0.34
Successfully installed sqlalchemy-1.3.9
```

```
In [2]: !pip install ipython-sql
        !pip install ipython-sql prettytable
```

```

Collecting ipython-sql
  Using cached ipython_sql-0.5.0-py3-none-any.whl.metadata (17 kB)
Collecting prettytable (from ipython-sql)
  Using cached prettytable-3.16.0-py3-none-any.whl.metadata (33 kB)
Requirement already satisfied: ipython in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (8.27.0)
Collecting sqlalchemy>=2.0 (from ipython-sql)
  Downloading sqlalchemy-2.0.40-cp312-cp312-win_amd64.whl.metadata (9.9 kB)
Collecting sqlparse (from ipython-sql)
  Using cached sqlparse-0.5.3-py3-none-any.whl.metadata (3.9 kB)
Requirement already satisfied: six in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (1.16.0)
Requirement already satisfied: ipython-genutils in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (0.2.0)
Requirement already satisfied: greenlet>=1 in c:\users\michael\anaconda3a\lib\site-packages (from sqlalchemy>=2.0->ipython-sql) (3.0.1)
Requirement already satisfied: typing-extensions>=4.6.0 in c:\users\michael\anaconda3a\lib\site-packages (from sqlalchemy>=2.0->ipython-sql) (4.11.0)
Requirement already satisfied: decorator in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (5.1.1)
Requirement already satisfied: jedi>=0.16 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.19.1)
Requirement already satisfied: matplotlib-inline in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.1.6)
Requirement already satisfied: prompt-toolkit<3.1.0,>=3.0.41 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (3.0.43)
Requirement already satisfied: pygments>=2.4.0 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (2.15.1)
Requirement already satisfied: stack-data in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.2.0)
Requirement already satisfied: traitlets>=5.13.0 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (5.14.3)
Requirement already satisfied: colorama in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.4.6)
Requirement already satisfied: wcwidth in c:\users\michael\anaconda3a\lib\site-packages (from prettytable->ipython-sql) (0.2.5)
Requirement already satisfied: parso<0.9.0,>=0.8.3 in c:\users\michael\anaconda3a\lib\site-packages (from jedi>=0.16->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: executing in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: asttokens in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (2.0.5)
Requirement already satisfied: pure-eval in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (0.2.2)
Using cached ipython_sql-0.5.0-py3-none-any.whl (20 kB)
Downloading sqlalchemy-2.0.40-cp312-cp312-win_amd64.whl (2.1 MB)
----- 0.0/2.1 MB ? eta -:-:--
----- 2.1/2.1 MB 13.0 MB/s eta 0:00:01
----- 2.1/2.1 MB 9.8 MB/s eta 0:00:00
Using cached prettytable-3.16.0-py3-none-any.whl (33 kB)
Using cached sqlparse-0.5.3-py3-none-any.whl (44 kB)
Installing collected packages: sqlparse, sqlalchemy, prettytable, ipython-sql
  Attempting uninstall: sqlalchemy
    Found existing installation: SQLAlchemy 1.3.9
    Uninstalling SQLAlchemy-1.3.9:
      Successfully uninstalled SQLAlchemy-1.3.9

```

```

Successfully installed ipython-sql-0.5.0 prettytable-3.16.0 sqlalchemy-2.0.40 sq
lparse-0.5.3
Requirement already satisfied: ipython-sql in c:\users\michael\anaconda3a\lib\si
te-packages (0.5.0)
Requirement already satisfied: prettytable in c:\users\michael\anaconda3a\lib\si
te-packages (3.16.0)
Requirement already satisfied: ipython in c:\users\michael\anaconda3a\lib\site-p
ackages (from ipython-sql) (8.27.0)
Requirement already satisfied: sqlalchemy>=2.0 in c:\users\michael\anaconda3a\li
b\site-packages (from ipython-sql) (2.0.40)
Requirement already satisfied: sqlparse in c:\users\michael\anaconda3a\lib\site-
packages (from ipython-sql) (0.5.3)
Requirement already satisfied: six in c:\users\michael\anaconda3a\lib\site-packa
ges (from ipython-sql) (1.16.0)
Requirement already satisfied: ipython-genutils in c:\users\michael\anaconda3a\l
ib\site-packages (from ipython-sql) (0.2.0)
Requirement already satisfied: wcwidth in c:\users\michael\anaconda3a\lib\site-p
ackages (from prettytable) (0.2.5)
Requirement already satisfied: greenlet>=1 in c:\users\michael\anaconda3a\lib\si
te-packages (from sqlalchemy>=2.0->ipython-sql) (3.0.1)
Requirement already satisfied: typing-extensions>=4.6.0 in c:\users\michael\anac
onda3a\lib\site-packages (from sqlalchemy>=2.0->ipython-sql) (4.11.0)
Requirement already satisfied: decorator in c:\users\michael\anaconda3a\lib\sit
e-packages (from ipython->ipython-sql) (5.1.1)
Requirement already satisfied: jedi>=0.16 in c:\users\michael\anaconda3a\lib\sit
e-packages (from ipython->ipython-sql) (0.19.1)
Requirement already satisfied: matplotlib-inline in c:\users\michael\anaconda3a
\lib\site-packages (from ipython->ipython-sql) (0.1.6)
Requirement already satisfied: prompt-toolkit<3.1.0,>=3.0.41 in c:\users\michael
\anaconda3a\lib\site-packages (from ipython->ipython-sql) (3.0.43)
Requirement already satisfied: pygments>=2.4.0 in c:\users\michael\anaconda3a\li
b\site-packages (from ipython->ipython-sql) (2.15.1)
Requirement already satisfied: stack-data in c:\users\michael\anaconda3a\lib\sit
e-packages (from ipython->ipython-sql) (0.2.0)
Requirement already satisfied: traitlets>=5.13.0 in c:\users\michael\anaconda3a
\lib\site-packages (from ipython->ipython-sql) (5.14.3)
Requirement already satisfied: colorama in c:\users\michael\anaconda3a\lib\site-
packages (from ipython->ipython-sql) (0.4.6)
Requirement already satisfied: parso<0.9.0,>=0.8.3 in c:\users\michael\anaconda3
a\lib\site-packages (from jedi>=0.16->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: executing in c:\users\michael\anaconda3a\lib\sit
e-packages (from stack-data->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: asttokens in c:\users\michael\anaconda3a\lib\sit
e-packages (from stack-data->ipython->ipython-sql) (2.0.5)
Requirement already satisfied: pure-eval in c:\users\michael\anaconda3a\lib\sit
e-packages (from stack-data->ipython->ipython-sql) (0.2.2)

```

```
In [3]: %load_ext sql
```

```
In [4]: import csv, sqlite3
import prettytable
prettytable.DEFAULT = 'DEFAULT'

con = sqlite3.connect("my_data1.db")
cur = con.cursor()
```

```
In [5]: !pip install -q pandas
```

```
In [6]: import pandas as pd
df = pd.read_csv("https://cf-courses-data.s3.us.cloud-object-storage.appdomain.c
df.to_sql("SPACEXTBL", con, if_exists='replace', index=False, method="multi")
```

```
Out[6]: 101
```

```
In [7]: import pandas as pd
df = pd.read_csv("https://cf-courses-data.s3.us.cloud-object-storage.appdomain.c
df.to_sql("SPACEXTBL", con, if_exists='replace', index=False, method="multi")
```

```
Out[7]: 101
```

```
In [8]: %sql create table SPACEXTABLE as select * from SPACEXTBL where Date is not null
```

Traceback (most recent call last):

File "C:\Users\Michael\anaconda3\Lib\site-packages\sql\magic.py", line 196, in execute

```
conn = sql.connection.Connection.set(
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Michael\anaconda3\Lib\site-packages\sql\connection.py", line 82, in set

```
raise ConnectionError(
sql.connection.ConnectionError: Environment variable $DATABASE_URL not set, and
no connect string given.
```

Connection info needed in SQLAlchemy format, example:

```
postgresql://username:password@hostname/dbname
or an existing connection: dict_keys([])
```

```
In [9]: %sql SELECT COUNT(*) FROM SPACEXTABLE;
```

Traceback (most recent call last):

File "C:\Users\Michael\anaconda3\Lib\site-packages\sql\magic.py", line 196, in execute

```
conn = sql.connection.Connection.set(
    ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Michael\anaconda3\Lib\site-packages\sql\connection.py", line 82, in set

```
raise ConnectionError(
sql.connection.ConnectionError: Environment variable $DATABASE_URL not set, and
no connect string given.
```

Connection info needed in SQLAlchemy format, example:

```
postgresql://username:password@hostname/dbname
or an existing connection: dict_keys([])
```

```
In [13]: %sql CREATE TABLE SPACEXTABLE AS SELECT * FROM SPACEXTBL WHERE "Date" IS NOT NUI
```

```
%sql sqlite:///my_data1.db
```

```
%sql SELECT DISTINCT "Launch_Site" FROM SPACEXTABLE;
```

```
* sqlite:///my_data1.db
Done.
* sqlite:///my_data1.db
Done.
```

Out[13]: **Launch_Site**

```
CCAFS LC-40
VAFB SLC-4E
KSC LC-39A
CCAFS SLC-40
```

In [12]: `%sql SELECT name FROM sqlite_master WHERE type='table';`

```
* sqlite:///my_data1.db
Done.
```

Out[12]: **name**

```
SPACEXTBL
```

In [14]: `%sql SELECT * FROM SPACEXTABLE WHERE "Launch_Site" LIKE 'CCA%' LIMIT 5;`

```
* sqlite:///my_data1.db
Done.
```

Out[14]:

	Date	Time (UTC)	Booster_Version	Launch_Site	Payload	PAYLOAD_MASS_KG_
	2010-06-04	18:45:00	F9 v1.0 B0003	CCAFS LC-40	Dragon Spacecraft Qualification Unit	0
	2010-12-08	15:43:00	F9 v1.0 B0004	CCAFS LC-40	Dragon demo flight C1, two CubeSats, barrel of Brouere cheese	0
	2012-05-22	7:44:00	F9 v1.0 B0005	CCAFS LC-40	Dragon demo flight C2	525
	2012-10-08	0:35:00	F9 v1.0 B0006	CCAFS LC-40	SpaceX CRS-1	500
	2013-03-01	15:10:00	F9 v1.0 B0007	CCAFS LC-40	SpaceX CRS-2	677

In [16]: `%sql SELECT SUM("Payload_Mass_(kg)") AS total_payload_mass FROM SPACEXTABLE WHERE`

```
* sqlite:///my_data1.db
(sqlite3.OperationalError) no such column: kg
[SQL: SELECT SUM(Payload_Mass_(kg)) AS total_payload_mass FROM SPACEXTABLE WHERE
Mission_Outcome LIKE '%CRS%' ;]
(Background on this error at: https://sqlalche.me/e/20/e3q8)
```

In [17]: `%sql PRAGMA table_info(SPACEXTABLE);`

```
* sqlite:///my_data1.db
Done.
```

Out[17]:

cid	name	type	notnull	dflt_value	pk
0	Date	TEXT	0	None	0
1	Time (UTC)	TEXT	0	None	0
2	Booster_Version	TEXT	0	None	0
3	Launch_Site	TEXT	0	None	0
4	Payload	TEXT	0	None	0
5	PAYLOAD_MASS_KG_	INT	0	None	0
6	Orbit	TEXT	0	None	0
7	Customer	TEXT	0	None	0
8	Mission_Outcome	TEXT	0	None	0
9	Landing_Outcome	TEXT	0	None	0

In [18]: `%sql SELECT SUM("PAYLOAD_MASS_KG_") AS total_payload_mass
FROM SPACEXTABLE
WHERE "Mission_Outcome" LIKE '%CRS%';`

Cell In[18], line 2

```
FROM SPACEXTABLE
```

^

SyntaxError: invalid syntax

In [19]: `%sql SELECT SUM("PAYLOAD_MASS_KG_") AS total_payload_mass
FROM SPACEXTABLE
WHERE "Mission_Outcome" LIKE '%CRS%';`

Cell In[19], line 2

```
FROM SPACEXTABLE
```

^

SyntaxError: invalid syntax

In [20]: `%sql SELECT SUM("PAYLOAD_MASS_KG_") AS total_payload_mass
FROM SPACEXTABLE
WHERE "Mission_Outcome" LIKE '%CRS%';`

Cell In[20], line 2

```
FROM SPACEXTABLE
```

^

SyntaxError: invalid syntax

In [21]: `!pip install ipython-sql`

```
Requirement already satisfied: ipython-sql in c:\users\michael\anaconda3a\lib\site-packages (0.5.0)
Requirement already satisfied: prettytable in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (3.16.0)
Requirement already satisfied: ipython in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (8.27.0)
Requirement already satisfied: sqlalchemy>=2.0 in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (2.0.40)
Requirement already satisfied: sqlparse in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (0.5.3)
Requirement already satisfied: six in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (1.16.0)
Requirement already satisfied: ipython-genutils in c:\users\michael\anaconda3a\lib\site-packages (from ipython-sql) (0.2.0)
Requirement already satisfied: greenlet>=1 in c:\users\michael\anaconda3a\lib\site-packages (from sqlalchemy>=2.0->ipython-sql) (3.0.1)
Requirement already satisfied: typing-extensions>=4.6.0 in c:\users\michael\anaconda3a\lib\site-packages (from sqlalchemy>=2.0->ipython-sql) (4.11.0)
Requirement already satisfied: decorator in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (5.1.1)
Requirement already satisfied: jedi>=0.16 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.19.1)
Requirement already satisfied: matplotlib-inline in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.1.6)
Requirement already satisfied: prompt-toolkit<3.1.0,>=3.0.41 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (3.0.43)
Requirement already satisfied: pygments>=2.4.0 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (2.15.1)
Requirement already satisfied: stack-data in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.2.0)
Requirement already satisfied: traitlets>=5.13.0 in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (5.14.3)
Requirement already satisfied: colorama in c:\users\michael\anaconda3a\lib\site-packages (from ipython->ipython-sql) (0.4.6)
Requirement already satisfied: wcwidth in c:\users\michael\anaconda3a\lib\site-packages (from prettytable->ipython-sql) (0.2.5)
Requirement already satisfied: parso<0.9.0,>=0.8.3 in c:\users\michael\anaconda3a\lib\site-packages (from jedi>=0.16->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: executing in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (0.8.3)
Requirement already satisfied: asttokens in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (2.0.5)
Requirement already satisfied: pure-eval in c:\users\michael\anaconda3a\lib\site-packages (from stack-data->ipython->ipython-sql) (0.2.2)
```

In [22]: `%sql SELECT SUM("PAYLOAD_MASS_KG_") AS total_payload_mass
FROM SPACEXTABLE
WHERE "Mission_Outcome" LIKE '%CRS%';`

Cell In[22], line 2

FROM SPACEXTABLE

^

SyntaxError: invalid syntax

```
In [23]: %sql SELECT SUM("PAYLOAD_MASS__KG_") AS total_payload_mass
        FROM SPACEXTABLE
        WHERE "Mission_Outcome" LIKE '%CRS%';
```

Cell In[23], line 2

FROM SPACEXTABLE

^

SyntaxError: invalid syntax

```
In [24]: %load_ext sql
```

The sql extension is already loaded. To reload it, use:
%reload_ext sql

```
In [25]: %sql SELECT SUM("PAYLOAD_MASS__KG_") AS total_payload_mass
        FROM SPACEXTABLE
        WHERE "Mission_Outcome" LIKE '%CRS%';
```

Cell In[25], line 2

FROM SPACEXTABLE

^

SyntaxError: invalid syntax

```
In [26]: %sql SELECT SUM("PAYLOAD_MASS__KG_") AS total_payload_mass FROM SPACEXTABLE WHERE
        * sqlite:///my_data1.db
Done.
```

```
Out[26]: total_payload_mass
```

None

```
In [27]: %sql sqlite:///my_data1.db
```

```
In [30]: %sql SELECT SUM("PAYLOAD_MASS__KG_") AS total_payload_mass FROM SPACEXTABLE WHERE
        * sqlite:///my_data1.db
Done.
```

```
Out[30]: total_payload_mass
```

None

```
In [31]: %sql SELECT DISTINCT "Mission_Outcome" FROM SPACEXTABLE LIMIT 10;
```

* sqlite:///my_data1.db
Done.

```
Out[31]: Mission_Outcome
```

Success

Failure (in flight)

Success (payload status unclear)

Success


```
In [32]: %sql SELECT SUM("PAYLOAD_MASS_KG_") AS total_payload_mass
        FROM SPACEXTABLE
        WHERE LOWER("Mission_Outcome") LIKE '%crs%';
```

Cell In[32], line 2

FROM SPACEXTABLE

^

SyntaxError: invalid syntax

```
In [33]: %sql SELECT DISTINCT "Customer" FROM SPACEXTABLE LIMIT 10;
```

* sqlite:///my_data1.db

Done.

```
Out[33]:
```

Customer

SpaceX

NASA (COTS) NRO

NASA (COTS)

NASA (CRS)

MDA

SES

Thaicom

Orbcomm

AsiaSat

U.S. Air Force NASA NOAA

```
In [34]: %sql SELECT AVG("PAYLOAD_MASS_KG_") AS average_payload_mass FROM SPACEXTABLE WHERE
```

* sqlite:///my_data1.db

Done.

```
Out[34]:
```

average_payload_mass

2928.4

```
In [37]: %sql SELECT MIN("Date") AS first_successful_landing_date FROM SPACEXTABLE WHERE
```

* sqlite:///my_data1.db

Done.

```
Out[37]:
```

first_successful_landing_date

None

```
In [36]: %sql SELECT DISTINCT "Landing_Outcome" FROM SPACEXTABLE LIMIT 10;
```

* sqlite:///my_data1.db

Done.

Out[36]: **Landing_Outcome**

Failure (parachute)
 No attempt
 Uncontrolled (ocean)
 Controlled (ocean)
 Failure (drone ship)
 Precluded (drone ship)
 Success (ground pad)
 Success (drone ship)
 Success
 Failure

In [38]: `%sql SELECT MIN("Date") AS first_successful_landing_date FROM SPACEXTABLE WHERE`
`* sqlite:///my_data1.db`
 Done.

Out[38]: **first_successful_landing_date**
 2015-12-22

In [39]: `DISTINCT "Booster_Version" FROM SPACEXTABLE WHERE "Landing_Outcome" = 'Success`

Cell In[39], line 1
`DISTINCT "Booster_Version" FROM SPACEXTABLE WHERE "Landing_Outcome" = 'Success (drone ship)' AND "PAYLOAD_MASS_KG_" > 4000 AND "PAYLOAD_MASS_KG_" < 6000;`
 ^
SyntaxError: invalid syntax

In [40]: `%sql SELECT DISTINCT "Booster_Version" FROM SPACEXTABLE WHERE "Landing_Outcome"`
`* sqlite:///my_data1.db`
 Done.

Out[40]: **Booster_Version**
 F9 FT B1022
 F9 FT B1026
 F9 FT B1021.2
 F9 FT B1031.2

In [41]: `%sql SELECT "Mission_Outcome", COUNT(*) AS total_count FROM SPACEXTABLE WHERE "M`
`* sqlite:///my_data1.db`
 Done.

Out[41]: **Mission_Outcome** **total_count**

Failure (in flight)	1
Success	98

In [42]: `%sql SELECT "Booster_Version" FROM SPACEXTABLE WHERE "PAYLOAD_MASS__KG_" = (SELECT`
`* sqlite:///my_data1.db`
Done.

Out[42]: **Booster_Version**

F9 B5 B1048.4
F9 B5 B1049.4
F9 B5 B1051.3
F9 B5 B1056.4
F9 B5 B1048.5
F9 B5 B1051.4
F9 B5 B1049.5
F9 B5 B1060.2
F9 B5 B1058.3
F9 B5 B1051.6
F9 B5 B1060.3
F9 B5 B1049.7

In [43]: `%sql`
`SELECT`
`CASE`
`WHEN substr("Date", 6, 2) = '01' THEN 'January'`
`WHEN substr("Date", 6, 2) = '02' THEN 'February'`
`WHEN substr("Date", 6, 2) = '03' THEN 'March'`
`WHEN substr("Date", 6, 2) = '04' THEN 'April'`
`WHEN substr("Date", 6, 2) = '05' THEN 'May'`
`WHEN substr("Date", 6, 2) = '06' THEN 'June'`
`WHEN substr("Date", 6, 2) = '07' THEN 'July'`
`WHEN substr("Date", 6, 2) = '08' THEN 'August'`
`WHEN substr("Date", 6, 2) = '09' THEN 'September'`
`WHEN substr("Date", 6, 2) = '10' THEN 'October'`
`WHEN substr("Date", 6, 2) = '11' THEN 'November'`
`WHEN substr("Date", 6, 2) = '12' THEN 'December'`
`END AS month_name,`
`"Landing_Outcome",`
`"Booster_Version",`
`"Launch_Site"`
`FROM SPACEXTABLE`
`WHERE substr("Date", 0, 5) = '2015'`

```
AND "Landing_Outcome" LIKE '%Failure (drone ship)%';
```

Cell In[43], line 3

```
CASE
```

```
^
```

IndentationError: unexpected indent

```
In [44]: %sql SELECT CASE WHEN substr("Date", 6, 2) = '01' THEN 'January' WHEN substr("Date", 6, 2) = '04' THEN 'April'
* sqlite:///my_data1.db
Done.
```

```
Out[44]:
```

month_name	Landing_Outcome	Booster_Version	Launch_Site
January	Failure (drone ship)	F9 v1.1 B1012	CCAFS LC-40
April	Failure (drone ship)	F9 v1.1 B1015	CCAFS LC-40

```
In [45]: %sql SELECT "Landing_Outcome", COUNT(*) AS outcome_count FROM SPACEXTABLE WHERE
* sqlite:///my_data1.db
Done.
```

```
Out[45]:
```

Landing_Outcome	outcome_count
No attempt	10
Success (drone ship)	5
Failure (drone ship)	5
Success (ground pad)	3
Controlled (ocean)	3
Uncontrolled (ocean)	2
Failure (parachute)	2
Precluded (drone ship)	1

```
In [ ]:
```