_	
Started on	Monday, 16 October 2023, 7:53 AM
State	Finished
Completed on	Monday, 16 October 2023, 8:03 AM
Time taken	9 mins 48 secs
Marks	5.00/9.00
Grade	5.56 out of 10.00 (55.56 %)
4	

Question 1

Correct

Mark 1.00 out of 1.00

Given the following expression (all variables in integer) f = a + (b - (c + d)). At least, how many MIPS ins expression?

- A. 3
- O B. 4
- O C. 1
- O D. 2

Câu trả lời của ban là chính xác.

The correct answer is:

3

Question 2

Incorrect

Mark 0.00 out of 1.00

Choose a correct statement for the **sll** instruction:

- A. **sll** is encoded by I-format because there exists an immediate
- O B. All other answers are wrong
- O. We can shift the source register to the left up to 32 bits
- D. The result is always equal to the value of the source register multiply by 2ⁿ

Câu trả lời của bạn không chính xác.

The correct answer is:

All other answers are wrong

Hi! Here some our recommendations BLACKBOX:

Be as clear as possible

End the question in what la answer to be, e.g. 'connec

or you can just

Here are some

Write a function that rea

How to delete docs fr

Connec

Ask any coding question

Blackbox AI Chat is in beta and Blackbox is not liable for the conte icknowledge that you agree to agree to Blackbox's Terms and Pri

Question	3
----------	---

Correct

Mark 1.00 out of 1.00

Hi! Here some our recommendations BLACKBOX: Be as clear as possible A register stores a value of 0xCAFECA21; which instruction can we use to extract the last 16 bits? End the question in what Is answer to be, e.g. 'connec A. lui or you can just ○ B. or C. add Here are some D. andi

✓ Write a function that rea Câu trả lời của ban là chính xác. How to delete docs fr The correct answer is: andi Connec Question 4 Correct Mark 1.00 out of 1.00

Given the values of the registers \$s0 and \$s1 are 0xCAFECA21 and 0x40000000, respectively. What we can the address of 0x40000002 after executing sw \$s0, 0(\$s1)

- B. 0xCAFECA
- C. 0xCA21
- O. OxFE

Câu trả lời của bạn là chính xác.

The correct answer is:

0xCA

Question 5

Correct

Mark 1.00 out of 1.00

To assign value of 0x12345678 to the \$t0 register, which standard MIPS instructions should we execute?

- A. lui \$t0, 0x1234
 lli \$t0, 0x5678
- B. lui \$t0, 4660
 addi \$t0, \$t0, 22136
- Oc. addi \$t0, \$zero, 0x12345678
- D. All other answers are wrong

Câu trả lời của bạn là chính xác.

The correct answer is: lui \$t0, 4660 addi \$t0, \$t0, 22136



Question 6

Incorrect

Mark 0.00 out of 1.00

Given the following MIPS instruction

lhu \$s0, \$s0(\$s0)

Choose the correct statement:

- A. This is not a standard MIPS instruction
- B. The instruction causes a compiled error due to the same source and destination operands *
- O C. The instruction causes a runtime error due to the same source and destination operands
- O. All other answers are wrong

Câu trả lời của bạn không chính xác.

The correct answer is:

This is not a standard MIPS instruction

Hi! Here some our recommendations BLACKBOX:

Be as clear as possible

End the question in what la answer to be, e.g. 'connec

or you can just

Here are some

Write a function that rea

How to delete docs fr

Connec

Blackbox Al Chat is in beta and Blackbox is not liable for the contraction and Private to agree to Blackbox's Terms and Pri

Question 7

Incorrect

Mark 0.00 out of 1.00

Given the following MIPS sequence:

lw \$t0, 30(\$s3)

add \$s1, \$s2, \$t0

Assume that the \$s3 register stores a base address of an integer array; choose the correct statement

- A. The sequence causes a runtime error
- B. All other answers are wrong
- C. The sequence causes a compile error
- D. The value at word address 30 + \$s3 in the memory is copied to the register \$t0 *

Câu trả lời của bạn không chính xác.

The correct answer is:

The sequence causes a runtime error



Question 8

Incorrect

Mark 0.00 out of 1.00

Choose the correct statement in the context of standard MIPS instructions:

- A. lui moves an immediate to upper-half of a register *
- B. 1b moves one byte from a register to memory
- O. All other answers are wrong
- O. lhu moves 16-bit data from memory to both the upper and lower half of a register
- E. sb does the sign-extension operation

Câu trả lời của bạn không chính xác.

The correct answer is:

All other answers are wrong

Hi! Here some our recommendations BLACKBOX:

Be as clear as possible

End the question in what la answer to be, e.g. 'connec

or you can just

Here are some

Write a function that rea

How to delete docs fr

Connec

Blackbox Al Chat is in beta and Blackbox is not liable for the cont



Correc

Mark 1.00 out of 1.00

Which following standard MIPS instruction will assign value of 0 to the \$s0 register?

- A. ori \$s0, \$s0, 0
- B. add \$s0, \$s0, \$zero
- C. All other answers are correct
- D. lui \$s0, 0
 ✓

Câu trả lời của bạn là chính xác.

The correct answer is:

lui \$s0, 0

Hi! Here some our recommendations BLACKBOX:

Be as clear as possible

End the question in what la answer to be, e.g: 'connec

or you can just

Here are some

Write a function that rea

How to delete docs fr

Connec

BÁCH KHOA E-LEARNING



WEBSITE

HCMUT

MyBK

BKSI

CONTACT

- ♀ 268 Ly Thuong Kiet Street Ward 14, District 10, Ho Chi Minh City, Vietnam
- (028) 38 651 670 (028) 38 647 256 (Ext: 5258, 5234)
- elearning@hcmut.edu.vn

elackbox AI Chat is in beta and Blackbox is not liable for the contections that you agree to agree to Blackbox's Terms and Privilla.

Copyright 2007-2022 BKEL - Power by Moodle