

1 Opening the editor


Edit the currently loaded map directly during gameplay.

Press **F4** to switch to camera mode. Then press **Esc** to open the pause menu.


World options → Tools → Objekteditor → Open

This opens the Object Editor. Press **T** to switch to the Spline Editor for roads (page 8). Screenshots use German or mixed-language labels; this guide includes the relevant German names.


PAUSE MENU



WORLD OPTIONS



TOOLS: OPEN THE OBJECT EDITOR



2 Interface and objects

The information bar, tool panel and copy/place controls.

Objekt-Editor 0.7.4-pre
 Kein Objekt ausgewählt

Werkzeuge · hier ziehen

Katalog (P)

Kreuzung bauen

Neues Tile

Gelände bearbeiten

Karte neu laden ...

Spline-Verbindungen prüfen ...

Weniger Befehle

Links

WASD / QE	Kamera
Klick / Enter	Auswahl
I J K L	Verschieben
U / O	Höhe
N / M	Drehen
Strg+S	Speichern
T	Splines
Entf	Löschen / zurückholen
C	Kopieren und setzen
Strg+C / Strg+V	Kopieren / Einfügen
Tab	Nächster Treffer
Umschalt	Fein bewegen
Ziehen	Verschieben
Mausrad	Drehen
Umschalt+Rad	Höhe
Strg+R	Letztes Objekt setzen
V	Variante
Rücktaste	Zurücksetzen
P / X	Katalog / Objekte
Bild auf / ab	Gelände heben / senken
F	Gelände ebnen
[/]	Pinselfarbe
Esc	Schließen / Abbruch

Objekte kopieren / einsetzen

Kopieren (Strg+C)

Einfügen (Strg+V)

Letztes Objekt nochmals setzen (Strg+R)

Mehrfachsetzen: AUS

Einsetzen beenden (Esc)

Beschriftung bearbeiten ...

Information bar

Shows the active editing mode and current selection. “Kein Objekt ausgewählt” means no object is selected.

Tool panel

Provides access to the catalogue, junction builder, new tiles, terrain, map reload and connection checks. Drag the header “Werkzeuge · hier ziehen” to move the panel.

Command reference

“Alle Befehle” shows all keyboard shortcuts and mouse actions. “Weniger Befehle” collapses the list. In the screenshots, Strg means Ctrl and Umschalt means Shift.

Copying and placing objects

Select an object. **Ctrl+C** copies it; **Ctrl+V** activates placement. Click the desired position on the map.


Repeat placement

Ctrl+R places the last object again. “Mehrfachsetzen: AN” enables repeated placement of the same object. **Esc** ends placement.

Save: Ctrl+S. Save the changes you want to keep before reloading the map (“Karte neu laden ...”).

3 The asset catalogue

Open “Katalog (P)” in the tool panel, or press P.



Search and filter

The top tabs switch between **Splines & Junctions** (“Splines & Kreuzungen”), **Objects** (“Objekte”) and **Textures** (“Texturen”). Categories narrow the results. Search by name or file path; “Leeren” clears the search.

Preview and selection

Results appear as thumbnails on the left. Click an item to see a larger preview, its name and file path on the right. The buttons below the preview rotate it.


Select and browse

Click **“Auswählen”** (Select) or press **Enter** to use the highlighted item. “Zurück” and “Weiter” move between result pages. **Esc** closes the catalogue.

“Kreuzung bauen” opens the junction builder. “Alle Vorschauen prüfen” starts a check of the catalogue previews.

4 Building a junction

Design a junction, save it and place it on the map.



Shape and arms

Choose **“T-Kreuzung”** (T-junction) or **“Vierarmkreuzung”** (four-arm junction). Select **Arm A to D** to edit it; D is disabled for a T-junction. Adjust width, length, direction, bend and sidewalk width.

Textures and preview

“Asphalt wählen ...” and “Gehweg wählen ...” select road and sidewalk textures. If you selected a road in Spline mode first, “Breite / Textur vom gewählten Spline” copies its width and texture. The 3D preview is on the right; AI paths are shown in blue.

Toggle centre lines with “Mittellinien”. “Rückgängig” and “Wiederholen” undo and redo changes. “Projekt laden ...” opens an existing project. Click **“Speichern & einsetzen”** (Save & place) to save the junction and then place it on the map.

Texture crop controls: page 9. Terrain texture painting: page 10.

5 Adding map tiles

“Neues Tile” opens the map expansion window. Each tile measures 300 × 300 m.

Karte erweitern

Blickrichtung: Nord · Raster: 300 × 300 m

Nord ↑ · West ← · Ost → · Süd ↓

-20, 14 —	-19, 14 —	-18, 14 —	-17, 14 —	-16, 14 —
-20, 13 —	-19, 13 —	-18, 13 —	-17, 13 —	-16, 13 —
-20, 12 —	-19, 12 —	-18, 12 frei	-17, 12 frei	-16, 12 —
-20, 11 frei	-19, 11 frei	-18, 11 vorhanden	-17, 11 vorhanden	-16, 11 frei
-20, 10 vorhanden	-19, 10 vorhanden	-18, 10 vorhanden	-17, 10 vorhanden	-16, 10 vorhanden

← West

Nord ↑

Süd ↓

Ost →

Grün: eingetragen · Blau: Auswahl · Grau: frei

Pfeiltasten: Kartenausschnitt · Enter: anlegen · Esc: schließen

Neues Tile (-18, 12)

Randhöhen übernehmen

Eigene Höhe

Gelände übernimmt die Nachbar-Randhöhen
Randprofil weich über das neue Feld fortführen

Freies Nachbarfeld wählen. Grün = vorhanden, Blau = Auswahl.

Tile anlegen

Schließen

Choose a free neighbouring tile

Green marks existing tiles; “frei” marks free positions. Your selection is dark grey with an orange side marker. The on-screen legend still says “blue”. Each cell shows its coordinates. Use the direction buttons or arrow keys to move the map area.

Set the terrain height

“**Randhöhen übernehmen**” takes the edge heights of neighbouring tiles and smoothly extends their profiles across the new tile. “**Eigene Höhe**” lets you specify a height yourself.

Create the tile

Click “**Tile anlegen**” or press **Enter**. “Schließen” or **Esc** closes the window.

Choose a free position beside the existing map to add a connected area for building.

6 Editing the terrain

Change the ground shape or switch between heights and textures.

Gelände · hier ziehen

Links

Zurück zum Bauen

Neues Tile

Höhen

Texturen

Berg heben

Senke senken

Begradigen

Glätten

Höhe zeichnen

Fein glätten

Radius (m)

-

7.12

+

Stärke / Sek.

-

1.00

+

Weicher Rand (%)

-

50.00

+

Zielhöhe (m)

-

3.08

+

Tile-Schritt (m)

-

1.00

+

Höhe aufnehmen

Tile auswählen

Gewähltes Tile: (-18, 9)

Tile tiefer

Tile höher

Ganzes Tile auf Zielhöhe setzen

Übergang zu Nachbarn: 20 m

Rückgängig

Wiederholen

Speichern (Strg+S)

Karte neu laden ...

Spline-Verbindungen prüfen ...

Links halten und zeichnen · Mausrad: Pinselgröße · Strg+S: speichern

Height tools

Open “Gelände bearbeiten”. The “Höhen” tab provides tools to raise, lower, level and smooth the ground. “Texturen” switches to textures.

Brush settings

Radius: size of the affected area.

Stärke / Sek.: strength per second.

Weicher Rand: soft edge falloff.

Zielhöhe: target height for applicable tools.

Tile-Schritt: step size for whole tiles.

Pick a height or tile

“Höhe aufnehmen” samples an existing terrain height. “Tile auswählen” selects a map tile for the tile tools; its coordinates appear below.

Edit entire tiles

Raise or lower the tile, or set it to the target height.

“Übergang zu Nachbarn” controls the transition width towards neighbouring tiles.

Paint and save

Hold the **left mouse button** to paint. Hold **Shift** for finer adjustments. “Rückgängig” and “Wiederholen” undo and redo changes. Save with **Ctrl+S**.

“Zurück zum Bauen” returns to building mode.

The “Texturen” tab is explained in detail on page 10.

7 Checking spline connections

Find open ends and suspicious connections across the whole map.

Spline-Verbindungen · ganze Karte

Erneut prüfen
Marker: AN
Nur offene / auffällige Enden
Schließen

Rot: Fehler
Gelb: offen
Grau: ungeprüft
Grün: verbunden

102221 Splines · Enden: 116991 Fehler / 42292 offen / 0 ungeprüft / 45159 verbunden

Stand der letzten Prüfung – nach Änderungen erneut prüfen

FEHLER · ID 812251 · Start · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812251 · Ende · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812254 · Start · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812254 · Ende · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812255 · Start · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812255 · Ende · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812256 · Start · Tile (-43, 0)

Eigene ID mehrfach vergeben

FEHLER · ID 812256 · Ende · Tile (-43, 0)

Eigene ID mehrfach vergeben

Zurück
Seite 1 / 19911 · Zeile anklicken: zur Stelle
Weiter

Gelb kann ein absichtliches Ende sein. Es wird nichts automatisch verändert.

15 cm Endpunktteranz · Marker in der 3D-Ansicht · Esc schließt diese Liste

Red: an error, such as a duplicate ID. **Yellow:** an open end, which may be intentional. **Grey:** unchecked. **Green:** recognised as connected.


Each entry lists the spline ID, start or end, tile coordinates and the finding. **Click an entry to jump to that location.** “Zurück” and “Weiter” move between result pages.

“**Erneut prüfen**” runs the check again after edits. “**Marker: AN/AUS**” toggles markers in the 3D view. The filter “Nur offene / auffällige Enden” limits results to open or suspicious ends.

Endpoint tolerance: **15 cm**. The check does not change anything automatically. “Schließen” or **Esc** closes the list.

8 Switching to the Spline Editor

Edit roads and other splines instead of individual objects.



Press T to switch modes

In the Object Editor, press **T**. The information bar now reads “Spline-Editor”. “Keine Straße ausgewählt” means no road is selected.

Select a road

Click the road you want to edit. The information bar shows details of your selection. Basic controls and shared tools remain largely the same.

Additional road tools

The lower panel includes:

- Smooth edge: Rand glätten (F8)
- Smooth wider: Breiter glätten (Shift+F8)
- Fit to ground: An Boden anpassen (F6)
- Objects along the road: Objekte entlang der Straße
- Sidewalk along the road: Gehweg entlang der Straße

Press **T** again to return to the Object Editor.

A simple workflow

Select → Edit → Save → Check connections

Save the changes you want to keep with **Ctrl+S**. After reloading the map, inspect the edited areas. After changing roads, refresh the connection check using “Erneut prüfen”.

This quick guide covers getting started and the windows shown. Detailed instructions for the sidewalk, connection and road tools are outside the scope of this overview.

9 Adjusting junction textures

Editor 0.7.4-pre on openOMSI 0.2.20. These controls affect the road texture across all junction arms.

Control diagram in the current style (not a screenshot)

Ausschnitt U von			Ausschnitt U bis			Texturbreite (m)		
-	0.25	+	-	0.75	+	-	6.52	+
Step: 0.01			Step: 0.01			Step: 0.01		

Choose the step size

Click the value and type a number; comma and decimal point are accepted. Enter applies it. Plus/minus also applies a valid entry before changing it. The number of typed decimal places sets the step: 6.5 → 0.1; 6.52 → 0.01; 6 → 1. Up to four decimal places are supported.

Click a digit to select its place: in 6.52, clicking 6 selects steps of 1, clicking 5 selects 0.1, and clicking 2 selects 0.01. The selected digit is underlined. Use + or - to change the value. Each field remembers its own step.

What the fields do

Ausschnitt U von

Start of the horizontal texture crop. U = 0 is the left edge; U = 1 is one full image width.

Ausschnitt U bis

End of the crop. Example: 0.25 to 0.75 uses the middle half. A smaller end than start mirrors the crop; values outside 0 to 1 repeat the texture.

Texturbreite (m)

Width in metres covered by one repetition of the selected crop. Larger values stretch it wider; smaller values repeat it more often. The road width stays unchanged.

Limits: U from/to -16 to 16; the values must differ by at least 0.0001. Texture width: 0.25 to 100 m. Undo/Redo also covers these changes. Esc cancels a pending text entry; use Undo for changes already applied with +/- . Inspect the preview, then save or update the placed junction.

10 Painting terrain textures

Open "Gelände bearbeiten", then select "Texturen".



Choose a texture and layer

The arrows switch terrain texture layers. "Texturkatalog ..." opens texture selection. The current layer and texture name appear above these controls.

Paint or erase

Select "Malen" and hold the left mouse button over the terrain. "Radierer" removes the selected overlay layer. It is disabled on layer 0: painting the base texture removes overlaid paint instead.

Brush settings

"Radius (m)" sets brush size; the mouse wheel also changes it. "Stärke / Sek." controls how quickly paint is applied or erased. "Weicher Rand (%)" controls the soft transition at the edge.

Pick an existing texture

Click "Pipette: Textur aufnehmen", then click the terrain. The editor selects the sampled terrain texture layer.


Undo and save

Use "Rückgängig" / "Wiederholen" to revise brush strokes. Save with "Speichern (Strg+S)". "Zurück zum Bauen" returns to the building tools.

Tip: begin with a small brush and low strength. Terrain textures change the ground surface; they do not select the asphalt texture of a spline or junction.

11 Splines in the catalogue

Use "Splines & Kreuzungen" to find road profiles and junction components.



Filter and search

Choose categories such as "Spline-Profile", "Kreuzungen" or "Verkehrslogik". Search by name or file path and use the sorting controls to narrow the list.

Understand the preview

A traffic-logic preview represents paths, not necessarily a visible road model. Blue means road, green footpath, violet rail and yellow flight path. Read the preview description on the right.


Use the selection

Click "Auswählen" or press Enter. "Kreuzung bauen" opens the junction builder; its texture controls are explained on page 9.

12 Design, cursor and updates

Current guide: Editor 0.7.4-pre on openOMSI 0.2.20. The editor uses the existing in-game menu colours. Commands and field positions remain unchanged.

Style diagram - not an in-game screenshot



One bright cursor

Since 0.7.3-pre, a white system crosshair with a dark edge replaces the additional software marker. Mouse steering is suspended while the editor is open. This is intended to prevent overlapping pointers when selecting objects or opening panels.

Update an existing 0.7.2 / 0.7.3 preview

Close the editor. Extract the new package into the existing package folder and replace its files. Keep the source and target folders. Run the same build command again; the script applies the updates, runs the workspace tests, builds and installs.

Linux example (adjust the game path)

```
bash build-spline-editor.sh \  
./openomsi-source-0.2.20-editor-0.7.2-pre \  
/home/chris/Games/openOMSI-0.1.1541-linux-x64
```

The source folder may retain its 0.7.2-pre name. The game folder must contain openOMSI 0.2.20, even if its name is older. Back up your maps before editing.

Screenshots supplied for this guide show the current editor design. The opening-menu image retains its visible 0.2.16 label. Screenshots document the interface, not a complete functional test.