


PROJECT FOLDER



Name	Date modified	Type	Size
 DemoEarlyWarningTool	18/09/2026 4:31 am	KNIME Workflow ...	69 KB
 README	18/09/2026 4:46 am	Markdown Source...	1 KB
 student_performance_knime.csv	10/09/2026 12:59 pm	Excel.CSV	1 KB

GITBASH SCREENSHOTS

```
MINGW64:/d/DemoEarlyWarningTool

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool
$ pwd
/d/DemoEarlyWarningTool
ls
DemoEarlyWarningTool.knwf  README.md  student_performance_knime.csv

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool
$ git config --global user.name "Karl Gabriel R. Jarilla"
git config --global user.email "krjarilla@feualabang.edu.ph"

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool
$ git config --global user.name
git config --global user.email
Karl Gabriel R. Jarilla
krjarilla@feualabang.edu.ph

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool
$ git init
Initialized empty Git repository in D:/DemoEarlyWarningTool/.git/

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (master)
$ git branch -M main

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    DemoEarlyWarningTool.knwf
    README.md
    student_performance_knime.csv

nothing added to commit but untracked files present (use "git add" to track)
```

Initializes a new local Git repository in the DemoEarlyWarningTool directory, sets the global user configuration (name and email), renames the default branch to main, and displays the

initial untracked project files.

```
Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git add .

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git status
On branch main

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   DemoEarlyWarningTool.knwf
    new file:   README.md
    new file:   student_performance_knime.csv

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) b990fb1] Add KNIME workflow and project files
 3 files changed, 55 insertions(+)
 create mode 100644 DemoEarlyWarningTool.knwf
 create mode 100644 README.md
 create mode 100644 student_performance_knime.csv

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$
```

Stages all untracked files into the Git index using `git add .` and creates the first commit with the message "Add KNIME workflow and project files".

```
Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git commit -m "Add KNIME workflow and project files"
[main (root-commit) b990fb1] Add KNIME workflow and project files
 3 files changed, 55 insertions(+)
 create mode 100644 DemoEarlyWarningTool.knwf
 create mode 100644 README.md
 create mode 100644 student_performance_knime.csv

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git remote add origin https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git remote -v
origin https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git (fetch)
origin https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git (push)
```

Connects the local repository to a remote GitHub repository using the `git remote add origin` command and verifies the remote URL using `git remote -v`.

```

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git push -u origin main
To https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git'

hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git pull origin main --allow-unrelated-histories --no-rebase --no-edit
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (6/6), 1.87 KiB | 51.00 KiB/s, done.
From https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42
* branch            main      -> FETCH_HEAD
* [new branch]       main      -> origin/main
Auto-merging README.md
CONFLICT (add/add): Merge conflict in README.md
Automatic merge failed; fix conflicts and then commit the result.

```

Displays a failed git push attempt because the remote repository contained differing commits. A subsequent git pull using --allow-unrelated-histories is executed to merge the histories, which results in a merge conflict in the README.md file.

```

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main|MERGING)
$ git push -u origin main
To https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git
! [rejected]        main -> main (non-fast-forward)
error: failed to push some refs to 'https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git'

hint: Updates were rejected because the tip of your current branch is behind
hint: its remote counterpart. If you want to integrate the remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main|MERGING)
$ git checkout --ours README.md
git add README.md
git commit -m "Merge remote repository with KNIME project"
git push -u origin main
Updated 1 path from the index
[main 473a519] Merge remote repository with KNIME project
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 67.30 KiB | 22.43 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git
faeef2d..473a519 main -> main
branch 'main' set up to track 'origin/main'.

```

Resolves the README.md merge conflict by keeping the local version (git checkout --ours), commits the resolved merge to the repository, and successfully pushes the main branch to the remote origin.

```
Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ mkdir -p DemoEarlyWarningTool
git mv DemoEarlyWarningTool.knwf DemoEarlyWarningTool/
git mv student_performance_knime.csv DemoEarlyWarningTool/
git mv README.md DemoEarlyWarningTool/
git add .
git commit -m "Organize KNIME files into project folder"
git push
[main 96e71da] Organize KNIME files into project folder
3 files changed, 0 insertions(+), 0 deletions(-)
rename DemoEarlyWarningTool.knwf => DemoEarlyWarningTool/DemoEarlyWarningTool.knwf (100%)
rename README.md => DemoEarlyWarningTool/README.md (100%)
rename student_performance_knime.csv => DemoEarlyWarningTool/student_performance_knime.csv (100%)
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (1/1), done.
Writing objects: 100% (2/2), 284 bytes | 284.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/DarkBolt24/Jarilla-KarlGabriel-CS0065-AN42.git
473a519..96e71da main -> main
```

Creates a new subdirectory and uses git mv to move the existing project files into this new folder. The structural changes are then staged, committed as "Organize KNIME files into project folder", and pushed to the remote repository.

```
Gabby@LAPTOP-DUPPS5NU MINGW64 /d/DemoEarlyWarningTool (main)
$ git status
git add .
git commit -m "Update KNIME workflow"
git push
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
Everything up-to-date
```

Shows an attempt to add, commit, and push new updates ("Update KNIME workflow"), but the status outputs confirm that there are no new changes to commit and the remote repository is already up-to-date.