NAME : Manan Verma **SEMESTER:**4th

SECTION: 24_AIT_KRG-G1 **UID:**24BAI70008

SUBJECT CODE: 24CSH-298

FACULTY'S NAME: Mr Shalabh Bhatia

Lab Experiment 5

AIM

To understand and apply conditional logic in SQL by using the modulus operator (MOD / %) to analyze numerical data and classify employee salaries as odd or even, thereby improving data analysis and decision-making skills in SQL.

Objective of the Session

- To write and execute SQL queries that use the MOD (%) operator to check employee salaries and display odd and even salary values separately from an employee table.

Software Requirements

Database Management System:

Oracle Database Express Edition (Oracle XE)

PostgreSQL Database

Database Administration Tool / Client Tool:

Oracle SQL Developer (for Oracle XE)

pgAdmin (for PostgreSQL)

Experiment Question :

Write SQL queries to classify employee salaries as **odd or even** using the **MOD (%) operator**.The structure of the table is as follows:

Practical/Experiment steps:

1. Open **Oracle SQL Developer / pgAdmin**.
2. Create an **Employee table** with employee details.
3. Insert sample employee salary records.
4. Execute SQL queries using the **MOD (%) operator**.
5. Display employees having **even salaries**.
6. Display employees having **odd salaries**.
7. Verify the output.

CODE:

```
-- Create Table
CREATE TABLE Employee (
emp_id INT,
emp_name VARCHAR(50),
salary INT
);

-- Insert Sample Data
INSERT INTO Employee VALUES (1, ‘Manan’, 25000);
INSERT INTO Employee VALUES (2, ‘Rohan’, 30001);
INSERT INTO Employee VALUES (3, 'Prakharl', 40000);
INSERT INTO Employee VALUES (4, 'Shanaya', 35005);

-- Display Employees with Even Salaries
SELECT *
FROM Employee
WHERE MOD(salary,2) = 0;

-- Display Employees with Odd Salaries
SELECT *
```

FROM Employee
WHERE MOD(salary,2) = 1;

OUTPUT:




```sql
CREATE TABLE Employee (
    emp_id INT,
    emp_name VARCHAR(50),
    salary INT
);

INSERT INTO Employee VALUES (1, 'Manan', 25000);
INSERT INTO Employee VALUES (2, 'Rohan', 30001);
INSERT INTO Employee VALUES (3, 'Prakhar', 40000);
INSERT INTO Employee VALUES (4, 'Shanaya', 35005);

SELECT * from Employee

SELECT *
FROM Employee
WHERE MOD(salary,2) = 0;

SELECT *
FROM Employee
WHERE MOD(salary,2) = 1;
```



	emp_id integer	emp_name character varying (50)	salary integer
1	1	Manan	25000
2	2	Rohan	30001
3	3	Prakhar	40000
4	4	Shanaya	35005

Learning Outcome

1. Understand the use of the **MOD (%) operator** in SQL.
2. Apply **conditional logic** to analyze numerical data in a table.
3. Write SQL queries to **filter records based on conditions**.
4. Differentiate and display **odd and even salary values** from a database.