




The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar includes buttons for 'Execute', 'Format', 'Copy', 'Paste', 'Print', 'Find', 'Find Next', 'Find Previous', 'Stop', 'Refresh', 'Zoom In', 'Zoom Out', 'Zoom Reset', 'Full Screen', and 'Help'. The main window displays two tabs: 'SQLQuery1.sql - L...ELDP69\p4mte (66))*' and 'SQLQuery2.sql - L...ELDP69\p4mte (52))*'. The first tab is active, showing the following SQL commands:

```
CREATE DATABASE DB_Gimnasio;


USE DB_Gimnasio;

EXEC('CREATE SCHEMA ref');

CREATE TABLE ref.Socio (
    id INT PRIMARY KEY IDENTITY(1,1),
    nombre VARCHAR(100),
    fecha_registro DATE
)
```

The bottom status bar shows '195 %' and a 'Messages' pane with the text 'Commands completed successfully.'

1. Crear base de datos y tabla que queremos auditar. La tabla pertenece al esquema ref.




The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar includes buttons for 'Execute', 'Format', 'Copy', 'Paste', 'Print', 'Find', 'Find Next', 'Find Previous', 'Stop', 'Refresh', 'Zoom In', 'Zoom Out', 'Zoom Reset', 'Full Screen', and 'Help'. The main window displays two tabs: 'SQLQuery1.sql - L...ELDP69\p4mte (66))*' and 'SQLQuery2.sql - L...ELDP69\p4mte (52))*'. The first tab is active, showing the following SQL commands:

```
-- Primero crear directorio para logs si no existe (en C:\AuditLogs\Socios\), luego:
-- Crear Server Audit a nivel de servidor
CREATE SERVER AUDIT Audit_Socios
TO FILE (
    FILEPATH = 'C:\AuditLogs\Socios\',
    MAXSIZE = 20 MB,
    MAX_FILES = 20
)
WITH (
    ON_FAILURE = CONTINUE,
    QUEUE_DELAY = 1000
);
GO
```

The bottom status bar shows '133 %' and a 'Messages' pane with the text 'Commands completed successfully.' and 'Completion time: 2025-11-18T08:02:24.6897304-06:00'.

2. Crear auditoria a nivel de servidor llamada Audit_Socios, especificando la ruta donde guardar los logs auditados



The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar includes the 'Execute' button. The main window displays a T-SQL script in a query editor. The script is as follows:

```
WITH (
    ON_FAILURE = CONTINUE,
    QUEUE_DELAY = 1000
);
GO


-- Activar auditoría de servidor
ALTER SERVER AUDIT Audit_Socios WITH (STATE = ON);
PRINT 'Server Audit creado y activado';
GO
```

Below the query editor, the 'Messages' pane shows the output of the execution:

```
Server Audit creado y activado

Completion time: 2025-11-18T08:02:47.3680179-06:00
```

3. Activar la auditoria a nivel de servidor cambiando su estado a ON



The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar includes the 'Execute' button. The main window displays a T-SQL script in a query editor. The script is as follows:

```
USE DB_Gimnasio;
GO

CREATE DATABASE AUDIT SPECIFICATION Audit_DB_Socio
FOR SERVER AUDIT Audit_Socios
ADD (INSERT ON ref.Socio BY PUBLIC)
GO


-- Activar auditoría de base de datos
```

Below the query editor, the 'Messages' pane shows the output of the execution:

```
Commands completed successfully.

Completion time: 2025-11-18T08:03:34.2088595-06:00
```

4. Crear especificación a nivel base de datos de la auditoria a nivel de servidor. Declarar que las acciones que se van a auditar son los inserts.



The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar includes buttons for 'Execute', 'Format', 'Save', 'Print', 'Find', 'Find Next', 'Find Previous', 'Stop', 'Refresh', 'Zoom In', 'Zoom Out', 'Zoom Reset', 'Full Screen', and 'Help'. The main window displays two SQL queries in a tabbed editor. The first tab, 'SQLQuery1.sql - L...ELDP69\p4mte (66))', contains the following T-SQL code:

```
CREATE DATABASE AUDIT SPECIFICATION Audit_DB_Socio
FOR SERVER AUDIT Audit_Socios
    ADD (INSERT ON ref.Socio BY PUBLIC)
GO


-- Activar auditoría de base de datos
ALTER DATABASE AUDIT SPECIFICATION Audit_DB_Socio WITH (STATE = ON);
PRINT 'Database Audit Specification creada y activada';
GO
```

The second tab, 'SQLQuery2.sql - L...ELDP69\p4mte (52))', is currently selected and shows the same code as the first tab. Below the query editor, the 'Messages' pane displays the output of the execution:

```
Database Audit Specification creada y activada

Completion time: 2025-11-18T08:03:57.7290009-06:00
```

5. Activar especificación de auditoria cambiando su estado a ON



The screenshot shows the SQL Server Enterprise Manager interface. The top toolbar is the same as in the previous image. The main window displays two SQL queries in a tabbed editor. The first tab, 'SQLQuery1.sql - L...ELDP69\p4mte (66))', contains the following T-SQL code:

```
GO

-- Activar auditoría de base de datos
ALTER DATABASE AUDIT SPECIFICATION Audit_DB_Socio WITH (STATE = ON);
PRINT 'Database Audit Specification creada y activada';
GO
```

The second tab, 'SQLQuery2.sql - L...ELDP69\p4mte (52))', is currently selected and shows the following T-SQL code:

```
INSERT INTO ref.Socio (nombre, fecha_registro)
VALUES
    ('Juan Manuel Gonzalez River', '2024-01-15'),
    ('Camina Maria Morataya Velazquez', '2024-02-20');
```

Below the query editor, the 'Messages' pane displays the output of the execution:

```
(2 rows affected)
```

```
INSERT INTO ref.Socio (nombre, fecha_registro)
VALUES
('Kenia Melissa Ayala Santos', '2021-09-05'),
('Karla Maria Gomez Velazquez', '2024-01-26');
```

133 %

Messages

(2 rows affected)

Completion time: 2025-11-18T08:11:49.4650063-06:00

6. Hacer inserts de prueba para comprobar el funcionamiento de la auditoria

SQLQuery1.sql - LAP IOP-K1ELDP69\DB_Gimnasio (LAP IOP-K1ELDP69\p4mte (66)) - Microsoft SQL Server Management Studio

File Edit View Query Project Tools Window Help

DB_Gimnasio Execute

```
-- 6. Consulta de auditoria
SELECT
    event_time,
    action_id,
    succeeded,
    server_principal_name,
    database_name,
    schema_name, object_name,
    statement
FROM sys.fn_get_audit_file('C:\AuditLogs\Socios\*', DEFAULT, DEFAULT)
ORDER BY event_time DESC;
```

133 %

Results Messages

	event_time	action_id	succeeded	server_principal_name	database_name	schema_name	object_name	statement
1	2025-11-18 14:11:49.4502961	IN	1	LAPTOP-K1ELDP69\p4mte	DB_Gimnasio	ref	Socio	INSERT INTO ref.Socio (nombre, fecha_registro) ...
2	2025-11-18 14:07:50.9376440	IN	1	LAPTOP-K1ELDP69\p4mte	DB_Gimnasio	ref	Socio	INSERT INTO ref.Socio (nombre, fecha_registro) ...

7. Comprobamos que si se registraron las inserciones y que podemos ver qué se hizo, en qué base y en qué tabla. La consulta incluso da la sentencia sql que se ejecutó.