

1. Top 10 Entities

Total number of entities	44
Total number of links	56

Ranked by Incoming Links

Rank	Type	Value	Incoming links
1	IPv4 Address	69.36.145.33	5
2	IPv4 Address	209.112.114.33	4
3	IPv4 Address	96.45.80.1	3
4	IPv4 Address	43.247.170.1	2
5	IPv4 Address	208.91.112.55	2
6	IPv4 Address	209.112.113.33	2
7	IPv4 Address	46.31.236.1	2
8	NS Record	h4.nstld.com	1
9	NS Record	g4.nstld.com	1
10	NS Record	k4.nstld.com	1

Ranked by Outgoing Links

Rank	Type	Value	Outgoing links
1	Domain	infosys.com	19
2	NS Record	g4.nstld.com	5
3	NS Record	j4.nstld.com	5
4	NS Record	pdns1.ultradns.net	5
5	NS Record	f4.nstld.com	5
6	NS Record	k4.nstld.com	4
7	NS Record	l4.nstld.com	4
8	NS Record	a4.nstld.com	4
9	NS Record	h4.nstld.com	3
10	NS Record	pdns3.ultradns.org	2

Ranked by Total Links

Rank	Type	Value	Total links
1	Domain	infosys.com	19
2	NS Record	g4.nstld.com	6
3	NS Record	j4.nstld.com	6
4	NS Record	pdns1.ultradns.net	6
5	NS Record	f4.nstld.com	6
6	NS Record	k4.nstld.com	5
7	NS Record	l4.nstld.com	5
8	NS Record	a4.nstld.com	5
9	IPv4 Address	69.36.145.33	5
10	NS Record	h4.nstld.com	4

2. Entities by Type

Domains (1)

infosys.com

IPv4 Addresses (24)

101.36.145.33	192.35.51.33
192.41.162.33	192.42.93.33
192.48.79.33	192.5.6.33
192.52.178.33	192.54.112.33
199.7.68.1	204.106.108.1
204.74.108.1	204.74.108.33
208.91.112.55	209.112.113.33
209.112.114.33	209.112.82.33
236.74.108.1	241.112.114.33
43.247.170.1	46.31.236.1
69.36.145.33	69.36.158.33
69.36.177.33	96.45.80.1





















MX Records (7)


infosys.in.tmes.trendmicro.com	infosys04.in.tmes.trendmicro.com
infosyslimited.in.tmes.trendmicro.eu	kecgate01.infosys.com
kecgate04.infosys.com	kecgate05.infosys.com
sfogate01.infosys.com	

NS Records (12)

a4.nstld.com	f4.nstld.com
g4.nstld.com	h4.nstld.com
j4.nstld.com	k4.nstld.com
l4.nstld.com	pdns1.ultradns.net
pdns2.ultradns.net	pdns3.ultradns.org
udns1.cscdns.net	udns2.cscdns.uk

3. Entity Details

		Domain
		maltego.Domain
		infosys.com
Weight	0	
Domain Name	infosys.com	
WHOIS Info		
Outgoing (19)		
	MX Record	infosys.in.tmes.trendmicro.com
	MX Record	infosys04.in.tmes.trendmicro.com
	MX Record	infosyslimited.in.tmes.trendmicro.eu
	MX Record	kecgate01.infosys.com
	MX Record	kecgate04.infosys.com
	MX Record	kecgate05.infosys.com
	MX Record	sfogate01.infosys.com
	NS Record	a4.nstld.com
	NS Record	f4.nstld.com
	NS Record	g4.nstld.com
	NS Record	h4.nstld.com
	NS Record	j4.nstld.com
	NS Record	k4.nstld.com
	NS Record	l4.nstld.com
	NS Record	pdns1.ultradns.net
	NS Record	pdns2.ultradns.net
	NS Record	pdns3.ultradns.org
	NS Record	udns1.cscdns.net
	NS Record	udns2.cscdns.uk



NS Record

maltego.NSRecord

g4.nstld.com

Weight

2507

NS Record







g4.nstld.com


DNSDB JSON Output

```
{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```

DNSDB JSON Output

```
{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```

Incoming (1)		
	Domain	infosys.com
Outgoing (5)		
	IPv4 Address	192.42.93.33
	IPv4 Address	209.112.114.33
	IPv4 Address	241.112.114.33
	IPv4 Address	43.247.170.1
	IPv4 Address	69.36.145.33



NS Record

maltego.NSRecord

j4.nstld.com

Weight

2507

NS Record

j4.nstld.com


DNSDB JSON Output

{
 "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545,
 "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata":
 [
 "a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.",
 "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]
]
}

DNSDB JSON Output

{
 "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS",
 "bailiwick": "com.", "rdata": [
 "a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.",
 "k4.nstld.com.", "l4.nstld.com."]
]
}


Incoming (1)



Domain


infosys.com

Outgoing (5)



IPv4 Address

101.36.145.33




IPv4 Address

192.48.79.33



IPv4 Address

46.31.236.1



IPv4 Address

69.36.145.33



IPv4 Address

69.36.177.33



NS Record







maltego.NSRecord


pdns1.ultradns.net

Weight	371
NS Record	pdns1.ultradns.net
DNSDB JSON Output	<pre>{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}</pre>

DNSDB JSON Output

```
{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}
```

Incoming (1)		
	Domain	infosys.com
Outgoing (5)		
	IPv4 Address	204.106.108.1
	IPv4 Address	204.74.108.1
	IPv4 Address	204.74.108.33
	IPv4 Address	208.91.112.55
	IPv4 Address	236.74.108.1



NS Record

maltego.NSRecord

f4.nstld.com

Weight

2507

NS Record

f4.nstld.com

DNSDB JSON Output

```
{ "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."] }
```

DNSDB JSON Output

```
{ "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."] }
```

Incoming (1)



Domain

infosys.com

Outgoing (5)




IPv4 Address

192.35.51.33



IPv4 Address

209.112.114.33




IPv4 Address

209.112.82.33



IPv4 Address

46.31.236.1



IPv4 Address

69.36.145.33



NS Record






maltego.NSRecord


k4.nstld.com

Weight	2507
NS Record	k4.nstld.com
DNSDB JSON Output	<pre>{ "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."] }</pre>

DNSDB JSON Output

```
{ "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."] }
```

Incoming (1)		
	Domain	infosys.com
Outgoing (4)		
	IPv4 Address	192.52.178.33
	IPv4 Address	209.112.114.33
	IPv4 Address	43.247.170.1
	IPv4 Address	69.36.145.33



NS Record

maltego.NSRecord

i4.nstld.com

Weight

2507

NS Record

i4.nstld.com

DNSDB JSON Output

```
{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```

DNSDB JSON Output

```
{ "count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```


Incoming (1)



Domain

infosys.com

Outgoing (4)



IPv4 Address

192.41.162.33



IPv4 Address

209.112.113.33



IPv4 Address

209.112.114.33



IPv4 Address

96.45.80.1



NS Record






maltego.NSRecord

a4.nstld.com

Weight	2507
NS Record	a4.nstld.com
DNSDB JSON Output	<pre>{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}</pre>

DNSDB JSON Output

```
{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```

Incoming (1)		
	Domain	infosys.com
Outgoing (4)		
	IPv4 Address	192.5.6.33
	IPv4 Address	209.112.113.33
	IPv4 Address	69.36.158.33
	IPv4 Address	96.45.80.1



IPv4 Address

maltego.IPv4Address

69.36.145.33

Weight	264133
IP Address	69.36.145.33
Internal	false
DNSDB JSON Output	{"count": 531, "time_first": 1591975731, "time_last": 1591998204, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33", "69.36.145.33"]}

DNSDB JSON Output

{
 "count": 1947,
 "zone_time_first": 1366906461,
 "zone_time_last": 1593187325,
 "rrname": "j4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 441488149,
 "time_first": 1366833826,
 "time_last": 1593211995,
 "rrname": "j4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 2253550,
 "time_first": 1366225325,
 "time_last": 1592490348,
 "rrname": "j4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "nstld.com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 531,
 "time_first": 1591975731,
 "time_last": 1591998204,
 "rrname": "j4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "nstld.com.",
 "rdata": ["69.36.145.33", "69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 531,
 "time_first": 1591975731,
 "time_last": 1591998204,
 "rrname": "j4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "nstld.com.",
 "rdata": ["69.36.145.33", "69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 1487,
 "zone_time_first": 1366906461,
 "zone_time_last": 1496332947,
 "rrname": "k4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 180762201,
 "time_first": 1366833898,
 "time_last": 1496417278,
 "rrname": "k4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 860801,
 "time_first": 1366222830,
 "time_last": 1496766662,
 "rrname": "k4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "nstld.com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

{
 "count": 1933,
 "zone_time_first": 1367943261,
 "zone_time_last": 1593014527,
 "rrname": "h4.nstld.com.",
 "rrtype": "A",
 "bailiwick": "com.",
 "rdata": ["69.36.145.33"]
}

DNSDB JSON Output

```
{"count": 418847984, "time_first": 1367887213, "time_last": 1593091107, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 2336953, "time_first": 1367261034, "time_last": 1592490366, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 497, "time_first": 1591975731, "time_last": 1591998063, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.145.33", "69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 458, "zone_time_first": 1496419351, "zone_time_last": 1593014527, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 385866038, "time_first": 1496415955, "time_last": 1593091278, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 1613421, "time_first": 1496766782, "time_last": 1592490370, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 1146, "time_first": 1591975782, "time_last": 1591998063, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.145.33", "69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 1452, "zone_time_first": 1369930477, "zone_time_last": 1496332947, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33"]}
```






DNSDB JSON Output

```
{"count": 371789008, "time_first": 1369924231, "time_last": 1496417172, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.145.33"]}
```

DNSDB JSON Output

```
{"count": 776536, "time_first": 1369860776, "time_last": 1496766662, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.145.33"]}
```

Incoming (5)

	NS Record	f4.nstld.com
	NS Record	g4.nstld.com
	NS Record	h4.nstld.com
	NS Record	j4.nstld.com
	NS Record	k4.nstld.com



NS Record

maltego.NSRecord


h4.nstld.com

Weight	2507
NS Record	h4.nstld.com
DNSDB JSON Output	{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}




DNSDB JSON Output

```
{"count": 2507, "zone_time_first": 1304179755, "zone_time_last": 1521734545, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["a4.nstld.com.", "f4.nstld.com.", "g4.nstld.com.", "h4.nstld.com.", "j4.nstld.com.", "k4.nstld.com.", "l4.nstld.com."]}
```

Incoming (1)

 Domain	infosys.com
--	-------------

Outgoing (3)

 IPv4 Address	192.54.112.33
 IPv4 Address	69.36.145.33
 IPv4 Address	96.45.80.1



IPv4 Address

maltego.IPv4Address

209.112.114.33

Weight	488471
IP Address	209.112.114.33
Internal	false
DNSDB JSON Output	{"count": 780037, "time_first": 1367261034, "time_last": 1496766662, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33"]}

DNSDB JSON Output

```
{"count": 1475, "zone_time_first": 1367943261, "zone_time_last": 1496332947, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 305775052, "time_first": 1367887401, "time_last": 1496417726, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 780037, "time_first": 1367261034, "time_last": 1496766662, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 458, "zone_time_first": 1496419351, "zone_time_last": 1593014527, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 129594814, "time_first": 1496416761, "time_last": 1593091389, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 1548321, "time_first": 1496766782, "time_last": 1592490366, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 283, "time_first": 1591976355, "time_last": 1591997723, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33", "209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 1475, "zone_time_first": 1367943261, "zone_time_last": 1496332947, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 372143004, "time_first": 1367887096, "time_last": 1496417263, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 785930, "time_first": 1367260959, "time_last": 1496766662, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 481, "zone_time_first": 1367943261, "zone_time_last": 1593014527, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 393551357, "time_first": 1367886968, "time_last": 1593091278, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.114.33"]}
```





DNSDB JSON Output

```
{"count": 1637811, "time_first": 1367261034, "time_last": 1592490370, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33"]}
```

DNSDB JSON Output

```
{"count": 1128, "time_first": 1591975783, "time_last": 1591997641, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.114.33", "209.112.114.33"]}
```

Incoming (4)

	NS Record	f4.nstld.com
	NS Record	g4.nstld.com
	NS Record	k4.nstld.com
	NS Record	l4.nstld.com



NS Record

maltego.NSRecord


pdns3.ultradns.org

Weight	371
NS Record	pdns3.ultradns.org
DNSDB JSON Output	{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}



DNSDB JSON Output

```
{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}
```

Incoming (1)

	Domain	infosys.com
---	--------	-------------

Outgoing (2)

	IPv4 Address	199.7.68.1
	IPv4 Address	208.91.112.55



IPv4 Address

maltego.IPv4Address

96.45.80.1

Weight	88979883
IP Address	96.45.80.1
Internal	false
DNSDB JSON Output	{"count": 87504710, "time_first": 1592490382, "time_last": 1724668651, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["96.45.80.1"]}

DNSDB JSON Output

```
{"count": 1080, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 24015477, "time_first": 1593091463, "time_last": 1724651416, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 87504710, "time_first": 1592490382, "time_last": 1724668651, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 1081, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 5159856, "time_first": 1593091385, "time_last": 1724638006, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 80167051, "time_first": 1592490386, "time_last": 1724615199, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 1098, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```




DNSDB JSON Output


```
{"count": 33463295, "time_first": 1593091277, "time_last": 1724648121, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["96.45.80.1"]}
```

DNSDB JSON Output

```
{"count": 100743064, "time_first": 1592490057, "time_last": 1724646832, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["96.45.80.1"]}
```

Incoming (3)

	NS Record	a4.nstld.com
	NS Record	h4.nstld.com
	NS Record	l4.nstld.com



IPv4 Address

maltego.IPv4Address

43.247.170.1

Weight	84860265
IP Address	43.247.170.1
Internal	false
DNSDB JSON Output	{"count": 69834766, "time_first": 1592490379, "time_last": 1724635877, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["43.247.170.1"]}

DNSDB JSON Output

```
{"count": 1080, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 3507698, "time_first": 1593091496, "time_last": 1724667983, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 69834766, "time_first": 1592490379, "time_last": 1724635877, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 1083, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 31216316, "time_first": 1593091385, "time_last": 1724664750, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["43.247.170.1"]}
```

DNSDB JSON Output

```
{"count": 99885764, "time_first": 1592490057, "time_last": 1724636600, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["43.247.170.1"]}
```

Incoming (2)

	NS Record	g4.nstld.com
	NS Record	k4.nstld.com



IPv4 Address

maltego.IPv4Address

208.91.112.55

Weight	12
IP Address	208.91.112.55
Internal	false
DNSDB JSON Output	{"count": 11, "time_first": 1660135250, "time_last": 1660135449, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "ultradns.org.", "rdata": ["208.91.112.55"]}

DNSDB JSON Output

```
{"count": 11, "time_first": 1660135250, "time_last": 1660135449, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "ultradns.org.", "rdata": ["208.91.112.55"]}
```

DNSDB JSON Output

```
{"count": 13, "time_first": 1659288932, "time_last": 1659288942, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "ultradns.net.", "rdata": ["208.91.112.55"]}
```

Incoming (2)



NS Record

pdns1.ultradns.net



NS Record

pdns3.ultradns.org



IPv4 Address

maltego.IPv4Address

209.112.113.33

Weight	1178
IP Address	209.112.113.33
Internal	false
DNSDB JSON Output	{"count": 1290, "time_first": 1591975739, "time_last": 1591998106, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33", "209.112.113.33"]}

DNSDB JSON Output

```
{"count": 458, "zone_time_first": 1496419351, "zone_time_last": 1593014527, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 231403478, "time_first": 1496416761, "time_last": 1593091450, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 1513796, "time_first": 1496766782, "time_last": 1592490370, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 1290, "time_first": 1591975739, "time_last": 1591998106, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33", "209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 1290, "time_first": 1591975739, "time_last": 1591998106, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33", "209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 1945, "zone_time_first": 1366906461, "zone_time_last": 1593014527, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 770987327, "time_first": 1366832458, "time_last": 1593091275, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 2411560, "time_first": 1366222859, "time_last": 1592490370, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33"]}
```

DNSDB JSON Output

```
{"count": 1067, "time_first": 1591975820, "time_last": 1591997851, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["209.112.113.33", "209.112.113.33"]}
```

Incoming (2)



NS Record

a4.nstld.com

NS Record

l4.nstld.com



IPv4 Address

maltego.IPv4Address

46.31.236.1

Weight 90697587

IP Address 46.31.236.1

Internal false

DNSDB JSON Output {"count": 78923668, "time_first": 1592490379, "time_last": 1724666001, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["46.31.236.1"]}

DNSDB JSON Output

```
{"count": 1080, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 28, "zone_time_first": 1593273723, "zone_time_last": 1595606525, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 5566056, "time_first": 1593212047, "time_last": 1724656480, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 78923668, "time_first": 1592490379, "time_last": 1724666001, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 1084, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 30, "zone_time_first": 1593100926, "zone_time_last": 1595606525, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```


DNSDB JSON Output

```
{"count": 33447280, "time_first": 1593091385, "time_last": 1724648121, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["46.31.236.1"]}
```

DNSDB JSON Output

```
{"count": 102471507, "time_first": 1592490057, "time_last": 1724618014, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["46.31.236.1"]}
```

Incoming (2)

	NS Record	f4.nstld.com
	NS Record	j4.nstld.com



NS Record

maltego.NSRecord


pdns2.ultradns.net

Weight	371
NS Record	pdns2.ultradns.net
DNSDB JSON Output	<pre>{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}</pre>

DNSDB JSON Output

```
{"count": 371, "zone_time_first": 1272125541, "zone_time_last": 1304088023, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["pdns1.ultradns.net.", "pdns2.ultradns.net.", "pdns3.ultradns.org.", "pdns4.ultradns.org.", "pdns5.ultradns.info.", "pdns6.ultradns.co.uk."]}
```

Incoming (1)

	Domain	infosys.com
---	--------	-------------



IPv4 Address

maltego.IPv4Address

192.42.93.33

Weight	167769
IP Address	192.42.93.33
Internal	false
DNSDB JSON Output	<pre>{"count": 167769, "time_first": 1277348956, "time_last": 1367259058, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.42.93.33"]}</pre>

DNSDB JSON Output

```
{"count": 1109, "zone_time_first": 1272125541, "zone_time_last": 1367856919, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.42.93.33"]}
```


DNSDB JSON Output

```
{"count": 214979491, "time_first": 1277348823, "time_last": 1367887094, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.42.93.33"]}
```

DNSDB JSON Output

```
{"count": 167769, "time_first": 1277348956, "time_last": 1367259058, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.42.93.33"]}
```

Incoming (1)

	NS Record	g4.nstld.com
---	-----------	--------------



IPv4 Address

maltego.IPv4Address

241.112.114.33

Weight	2
IP Address	241.112.114.33
Internal	false
DNSDB JSON Output	{"count": 2, "time_first": 1444984934, "time_last": 1444984934, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["241.112.114.33"]}

DNSDB JSON Output

```
{"count": 2, "time_first": 1444984934, "time_last": 1444984934, "rrname": "g4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["241.112.114.33"]}
```

Incoming (1)



NS Record

g4.nstld.com



IPv4 Address

maltego.IPv4Address

69.36.177.33

Weight	3
IP Address	69.36.177.33
Internal	false
DNSDB JSON Output	{"count": 3, "time_first": 1444951087, "time_last": 1444981738, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.177.33"]}

DNSDB JSON Output

```
{"count": 3, "time_first": 1444951087, "time_last": 1444981738, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.177.33"]}
```

Incoming (1)



NS Record

j4.nstld.com



IPv4 Address

maltego.IPv4Address

192.48.79.33

Weight	159689
IP Address	192.48.79.33
Internal	false
DNSDB JSON Output	{"count": 159689, "time_first": 1277351074, "time_last": 1366221103, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.48.79.33"]}

DNSDB JSON Output

```
{"count": 1097, "zone_time_first": 1272125541, "zone_time_last": 1366820042, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.48.79.33"]}
```

DNSDB JSON Output

```
{"count": 145042614, "time_first": 1277348823, "time_last": 1366833839, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.48.79.33"]}
```

DNSDB JSON Output

```
{"count": 159689, "time_first": 1277351074, "time_last": 1366221103, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.48.79.33"]}
```

Incoming (1)



NS Record

j4.nstld.com



IPv4 Address

maltego.IPv4Address

101.36.145.33

Weight	2
IP Address	101.36.145.33
Internal	false
DNSDB JSON Output	{"count": 2, "time_first": 1444982249, "time_last": 1444982249, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["101.36.145.33"]}

DNSDB JSON Output

```
{"count": 2, "time_first": 1444982249, "time_last": 1444982249, "rrname": "j4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["101.36.145.33"]}
```

Incoming (1)



NS Record

j4.nstld.com



IPv4 Address

maltego.IPv4Address

192.54.112.33

Weight	163739
IP Address	192.54.112.33
Internal	false
DNSDB JSON Output	{"count": 163739, "time_first": 1277349979, "time_last": 1367259561, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.54.112.33"]}

DNSDB JSON Output

```
{"count": 1109, "zone_time_first": 1272125541, "zone_time_last": 1367856919, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.54.112.33"]}
```

DNSDB JSON Output

```
{"count": 148275762, "time_first": 1277348823, "time_last": 1367887212, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.54.112.33"]}
```

DNSDB JSON Output

```
{"count": 163739, "time_first": 1277349979, "time_last": 1367259561, "rrname": "h4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.54.112.33"]}
```

Incoming (1)



NS Record

h4.nstld.com



MX Record

maltego.MXRecord

kecgate04.infosys.com

Weight	1
MX Record	kecgate04.infosys.com
Priority	10
DNSDB JSON Output	{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}

DNSDB JSON Output

```
{"count": 97, "time_first": 1361534307, "time_last": 1361660397, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 413398, "time_first": 1277351312, "time_last": 1642518475, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 2450, "time_first": 1544422171, "time_last": 1546413337, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518688, "time_last": 1642518688, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com."]}
```


DNSDB JSON Output

```
{"count": 1, "time_first": 1642518940, "time_last": 1642518940, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "10 kecgate01.infosys.com.", "10 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}
```

Incoming (1)

 Domain	infosys.com
--	-------------



IPv4 Address

maltego.IPv4Address


204.74.108.33

Weight	6
IP Address	204.74.108.33
Internal	false
DNSDB JSON Output	{"count": 6, "time_first": 1444980134, "time_last": 1444991045, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.74.108.33"]}

DNSDB JSON Output

```
{"count": 6, "time_first": 1444980134, "time_last": 1444991045, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.74.108.33"]}
```

Incoming (1)

 NS Record	pdns1.ultradns.net
---	--------------------



MX Record

maltego.MXRecord

kecgate01.infosys.com

Weight	690
MX Record	kecgate01.infosys.com
Priority	10
DNSDB JSON Output	<pre>{"count": 690, "time_first": 1642519584, "time_last": 1642660847, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["10 kecgate01.infosys.com.", "10 kecgate05.infosys.com.", "5 infosyslimited.in.tmes.trendmicro.eu."]}</pre>

DNSDB JSON Output

```
{"count": 97, "time_first": 1361534307, "time_last": 1361660397, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 413398, "time_first": 1277351312, "time_last": 1642518475, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 2450, "time_first": 1544422171, "time_last": 1546413337, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518688, "time_last": 1642518688, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518940, "time_last": 1642518940, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "10 kecgate01.infosys.com.", "10 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 690, "time_first": 1642519584, "time_last": 1642660847, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["10 kecgate01.infosys.com.", "10 kecgate05.infosys.com.", "5 infosyslimited.in.tmes.trendmicro.eu."]}
```

Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

204.74.108.1

Weight	636642127
IP Address	204.74.108.1
Internal	false
DNSDB JSON Output	{"count": 636642127, "time_first": 1277348822, "time_last": 1724612455, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "ultradns.net.", "rdata": ["204.74.108.1"]}

DNSDB JSON Output

```
{"count": 1180, "zone_time_first": 1573487549, "zone_time_last": 1724194220, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.74.108.1"]}
```

DNSDB JSON Output

```
{"count": 2755, "zone_time_first": 1271175197, "zone_time_last": 1510160545, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.74.108.1"]}
```

DNSDB JSON Output

```
{"count": 2, "time_first": 1357801764, "time_last": 1357801764, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": ".", "rdata": ["204.74.108.1"]}
```

DNSDB JSON Output

```
{"count": 3815819769, "time_first": 1277348831, "time_last": 1724667592, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.74.108.1"]}
```

DNSDB JSON Output

```
{"count": 636642127, "time_first": 1277348822, "time_last": 1724612455, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "ultradns.net.", "rdata": ["204.74.108.1"]}
```

Incoming (1)



NS Record

pdns1.ultradns.net



MX Record

maltego.MXRecord

sfogate01.infosys.com

Weight	1
MX Record	sfogate01.infosys.com
Priority	5
DNSDB JSON Output	{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}

DNSDB JSON Output

```
{"count": 413398, "time_first": 1277351312, "time_last": 1642518475, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 2450, "time_first": 1544422171, "time_last": 1546413337, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518688, "time_last": 1642518688, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518940, "time_last": 1642518940, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "10 kecgate01.infosys.com.", "10 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}
```

Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

236.74.108.1

Weight	3
IP Address	236.74.108.1
Internal	false
DNSDB JSON Output	{"count": 3, "time_first": 1444985133, "time_last": 1444998012, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["236.74.108.1"]}

DNSDB JSON Output

```
{"count": 3, "time_first": 1444985133, "time_last": 1444998012, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["236.74.108.1"]}
```

Incoming (1)



NS Record

pdns1.ultradns.net



MX Record

maltego.MXRecord

kecgate05.infosys.com

Weight	690
MX Record	kecgate05.infosys.com
Priority	10
DNSDB JSON Output	{"count": 690, "time_first": 1642519584, "time_last": 1642660847, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["10 kecgate01.infosys.com.", "10 kecgate05.infosys.com.", "5 infosyslimited.in.tmes.trendmicro.eu."]}

DNSDB JSON Output

```
{"count": 97, "time_first": 1361534307, "time_last": 1361660397, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 413398, "time_first": 1277351312, "time_last": 1642518475, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518688, "time_last": 1642518688, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642518940, "time_last": 1642518940, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate04.infosys.com.", "5 kecgate05.infosys.com.", "10 kecgate01.infosys.com.", "10 sfogate01.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 1, "time_first": 1642519001, "time_last": 1642519001, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate05.infosys.com.", "5 sfogate01.infosys.com.", "10 kecgate01.infosys.com.", "10 kecgate04.infosys.com."]}
```

DNSDB JSON Output

```
{"count": 690, "time_first": 1642519584, "time_last": 1642660847, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["10 kecgate01.infosys.com.", "10 kecgate05.infosys.com.", "5 infosyslimited.in.tmes.trendmicro.eu."]}
```

Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

204.106.108.1

Weight	5
IP Address	204.106.108.1
Internal	false
DNSDB JSON Output	{"count": 5, "time_first": 1444975235, "time_last": 1444985234, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.106.108.1"]}

DNSDB JSON Output

```
{"count": 5, "time_first": 1444975235, "time_last": 1444985234, "rrname": "pdns1.ultradns.net.", "rrtype": "A", "bailiwick": "net.", "rdata": ["204.106.108.1"]}
```

Incoming (1)



NS Record

pdns1.ultradns.net



MX Record

maltego.MXRecord

infosys04.in.tmes.trendmicro.com

Weight	22248
MX Record	infosys04.in.tmes.trendmicro.com
Priority	5
DNSDB JSON Output	{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}

DNSDB JSON Output

```
{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}
```

Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

192.5.6.33

Weight	4707
IP Address	192.5.6.33
Internal	false
DNSDB JSON Output	{"count": 4707, "time_first": 1277352540, "time_last": 1284578167, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.5.6.33"]}

DNSDB JSON Output

```
{"count": 145, "zone_time_first": 1272125541, "zone_time_last": 1284567011, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.5.6.33"]}
```

DNSDB JSON Output

```
{"count": 8328120, "time_first": 1277348823, "time_last": 1284581022, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.5.6.33"]}
```

DNSDB JSON Output

```
{"count": 4707, "time_first": 1277352540, "time_last": 1284578167, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.5.6.33"]}
```

Incoming (1)



NS Record

a4.nstld.com



MX Record

maltego.MXRecord

infosys.in.tmes.trendmicro.com

Weight	22248
MX Record	infosys.in.tmes.trendmicro.com
Priority	5
DNSDB JSON Output	{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}

DNSDB JSON Output

```
{"count": 2450, "time_first": 1544422171, "time_last": 1546413337, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 kecgate04.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com."]}
```

DNSDB JSON Output

```
{"count": 22248, "time_first": 1546415439, "time_last": 1559211299, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 kecgate01.infosys.com.", "5 sfogate01.infosys.com.", "5 infosys.in.tmes.trendmicro.com.", "5 infosys04.in.tmes.trendmicro.com."]}
```


Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

69.36.158.33

Weight	163157
IP Address	69.36.158.33
Internal	false
DNSDB JSON Output	{"count": 163157, "time_first": 1284580763, "time_last": 1366221503, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.158.33"]}

DNSDB JSON Output

```
{"count": 952, "zone_time_first": 1284653425, "zone_time_last": 1366820042, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.158.33"]}
```

DNSDB JSON Output

```
{"count": 220858034, "time_first": 1284581021, "time_last": 1366832481, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["69.36.158.33"]}
```

DNSDB JSON Output

```
{"count": 163157, "time_first": 1284580763, "time_last": 1366221503, "rrname": "a4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["69.36.158.33"]}
```

Incoming (1)



NS Record

a4.nstld.com



MX Record

maltego.MXRecord

infosyslimited.in.tmes.trendmicro.eu

Weight	386248
MX Record	infosyslimited.in.tmes.trendmicro.eu
Priority	5
DNSDB JSON Output	{"count": 386248, "time_first": 1642661200, "time_last": 1724618588, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 infosyslimited.in.tmes.trendmicro.eu."]}

DNSDB JSON Output

```
{"count": 690, "time_first": 1642519584, "time_last": 1642660847, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["10 kecgate01.infosys.com.", "10 kecgate05.infosys.com.", "5 infosyslimited.in.tmes.trendmicro.eu."]}
```

DNSDB JSON Output

```
{"count": 386248, "time_first": 1642661200, "time_last": 1724618588, "rrname": "infosys.com.", "rrtype": "MX", "bailiwick": "infosys.com.", "rdata": ["5 infosyslimited.in.tmes.trendmicro.eu."]}
```

Incoming (1)



Domain

infosys.com



IPv4 Address

maltego.IPv4Address

192.52.178.33

Weight	160409
IP Address	192.52.178.33
Internal	false
DNSDB JSON Output	{"count": 160409, "time_first": 1277356935, "time_last": 1366221837, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.52.178.33"]}

DNSDB JSON Output

```
{"count": 1097, "zone_time_first": 1272125541, "zone_time_last": 1366820042, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.52.178.33"]}
```

DNSDB JSON Output

```
{"count": 102319145, "time_first": 1277348823, "time_last": 1366833915, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.52.178.33"]}
```

DNSDB JSON Output

```
{"count": 160409, "time_first": 1277356935, "time_last": 1366221837, "rrname": "k4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.52.178.33"]}
```

Incoming (1)



NS Record

k4.nstld.com



IPv4 Address

maltego.IPv4Address

199.7.68.1

Weight	489893031
IP Address	199.7.68.1
Internal	false
DNSDB JSON Output	{"count": 489893031, "time_first": 1277348822, "time_last": 1724612786, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "ultradns.org.", "rdata": ["199.7.68.1"]}

DNSDB JSON Output

```
{"count": 1182, "zone_time_first": 1575244020, "zone_time_last": 1724541601, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "org.", "rdata": ["199.7.68.1"]}
```

DNSDB JSON Output

```
{"count": 3581, "zone_time_first": 1275401003, "zone_time_last": 1587052852, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "org.", "rdata": ["199.7.68.1"]}
```

DNSDB JSON Output

```
{"count": 2, "time_first": 1358450051, "time_last": 1358450051, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": ".", "rdata": ["199.7.68.1"]}
```

DNSDB JSON Output

```
{"count": 352994341, "time_first": 1277349279, "time_last": 1724671261, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "org.", "rdata": ["199.7.68.1"]}
```

DNSDB JSON Output

```
{"count": 489893031, "time_first": 1277348822, "time_last": 1724612786, "rrname": "pdns3.ultradns.org.", "rrtype": "A", "bailiwick": "ultradns.org.", "rdata": ["199.7.68.1"]}
```

Incoming (1)



NS Record

pdns3.ultradns.org



IPv4 Address

maltego.IPv4Address

192.35.51.33

Weight	166808
IP Address	192.35.51.33
Internal	false
DNSDB JSON Output	{"count": 166808, "time_first": 1277350052, "time_last": 1367260662, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.35.51.33"]}

DNSDB JSON Output

```
{"count": 1109, "zone_time_first": 1272125541, "zone_time_last": 1367856919, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.35.51.33"]}
```

DNSDB JSON Output

```
{"count": 226707423, "time_first": 1277348823, "time_last": 1367886969, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.35.51.33"]}
```

DNSDB JSON Output

```
{"count": 166808, "time_first": 1277350052, "time_last": 1367260662, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.35.51.33"]}
```

Incoming (1)



NS Record

f4.nstld.com



IPv4 Address

maltego.IPv4Address

209.112.82.33

Weight	2
IP Address	209.112.82.33
Internal	false
DNSDB JSON Output	{"count": 2, "time_first": 1515729579, "time_last": 1515729579, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.82.33"]}

DNSDB JSON Output

```
{"count": 2, "time_first": 1515729579, "time_last": 1515729579, "rrname": "f4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["209.112.82.33"]}
```

Incoming (1)



NS Record

f4.nstld.com



NS Record

maltego.NSRecord

udns1.cscdns.net

Weight	194
NS Record	udns1.cscdns.net
DNSDB JSON Output	{"count": 194, "zone_time_first": 1576774954, "zone_time_last": 1595606525, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}

DNSDB JSON Output

```
{"count": 1080, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}
```

DNSDB JSON Output

```
{"count": 194, "zone_time_first": 1576774954, "zone_time_last": 1595606525, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}
```

Incoming (1)

 Domain	infosys.com
--	-------------



NS Record

maltego.NSRecord

udns2.cscdns.uk

Weight	194
NS Record	udns2.cscdns.uk
DNSDB JSON Output	{"count": 194, "zone_time_first": 1576774954, "zone_time_last": 1595606525, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}


DNSDB JSON Output

```
{"count": 1080, "zone_time_first": 1596667876, "zone_time_last": 1724453420, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}
```

DNSDB JSON Output

```
{"count": 194, "zone_time_first": 1576774954, "zone_time_last": 1595606525, "rrname": "infosys.com.", "rrtype": "NS", "bailiwick": "com.", "rdata": ["udns2.cscdns.uk.", "udns1.cscdns.net."]}
```

Incoming (1)

 Domain	infosys.com
--	-------------



IPv4 Address

maltego.IPv4Address

192.41.162.33

Weight	169699
IP Address	192.41.162.33
Internal	false
DNSDB JSON Output	{"count": 169699, "time_first": 1277352384, "time_last": 1367258914, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.41.162.33"]}

DNSDB JSON Output

```
{"count": 1109, "zone_time_first": 1272125541, "zone_time_last": 1367856919, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.41.162.33"]}
```

DNSDB JSON Output

```
{"count": 211845299, "time_first": 1277348823, "time_last": 1367887401, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "com.", "rdata": ["192.41.162.33"]}
```

DNSDB JSON Output

```
{"count": 169699, "time_first": 1277352384, "time_last": 1367258914, "rrname": "l4.nstld.com.", "rrtype": "A", "bailiwick": "nstld.com.", "rdata": ["192.41.162.33"]}
```

Incoming (1)



NS Record

l4.nstld.com