

CapaDePersistencia

Package in package 'Modelo de dominio'

CapaDePersistencia

Version 1.0 Phase 1.0 Proposed

leosa created on 12/07/2026. Last modified 12/07/2026

CapaDePersistencia diagram

Class diagram in package 'CapaDePersistencia'

CapaDePersistencia

Version 1.0

leosa created on 13/07/2026. Last modified 15/07/2026




Figure 1: CapaDePersistencia

BoletinRepository

Class in package 'CapaDePersistencia'

BoletinRepository

Version 1.0 Phase 1.0 Proposed

leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

← Generalization from BoletinRepository to RepositorioGenerico<T>

[Direction is 'Source -> Destination'.]

OPERATIONS

OPERATIONS
 actualizar (entidad : Entidad) : Optional<T> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 buscarEstudiantesSinBoletin (idEstudiante : int , idPeriodo : int) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 buscarPorEstudiante (idEstudiante : int) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 buscarPorEstudianteYPeriodo (idEstudiante : int , idPeriodo : int) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 consultarPorId (id : int) : Optional<T> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 eliminar (entidad : Entidad) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 guardar (entidad : Entidad) : T Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EstudianteAspiranteRepository

Class in package 'CapaDePersistencia'

EstudianteAspiranteRepository
 Version 1.0 Phase 1.0 Proposed
 leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS
 Generalization from EstudianteAspiranteRepository to RepositorioGenerico<T> [Direction is 'Source -> Destination'.]

OPERATIONS
 actualizar (entidad : Entidad) : Optional<T> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 consultarEstadoAspirante (estadoAprobacion : EstadoAprobacion) : void Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 consultarPorId (id : int) : Optional<T> Public [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

✦ eliminar (entidad : Entidad) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ guardar (entidad : Entidad) : T Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

EstudianteRepository

Class in package 'CapaDePersistencia'

EstudianteRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

⬅ Generalization from EstudianteRepository to RepositorioGenerico<T>
[Direction is 'Source -> Destination'.]

OPERATIONS

✦ actualizar (entidad : Entidad) : Optional<T> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ buscarEstudiantesPorAcudiente (idEstudiante : int) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ buscarPorEstado (estadoEstudiante : EstadoEstudiante) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ buscarPorGrado (idGrado : int) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ buscarPorGrupo (idGrupo : int) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ buscarSinGrupo () : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ consultarPorId (id : int) : Optional<T> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

✦ eliminar (entidad : Entidad) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

💎 guardar (entidad : Entidad) : T Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

GrupoRepository

Class in package 'CapaDePersistencia'

GrupoRepository
 Version 1.0 Phase 1.0 Proposed
 leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

↔ Generalization from GrupoRepository to RepositorioGenerico<T>
 [Direction is 'Source -> Destination'.]

OPERATIONS

💎 actualizar (entidad : Entidad) : Optional<T> Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 buscarPorGrado (idGrado : int) : void Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 buscarSinDirector () : void Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 consultarPorId (id : int) : Optional<T> Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 contarEstudiantesActivos (idGrupo : int) : void Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 eliminar (entidad : Entidad) : void Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 guardar (entidad : Entidad) : T Public
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

HorarioEntrevistasRepository

Class in package 'CapaDePersistencia'

HorarioEntrevistasRepository
 Version 1.0 Phase 1.0 Proposed
 leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

← Generalization from `HorarioEntrevistasRepository` to `RepositoryoGenerico<T>`

[Direction is 'Source -> Destination'.]

OPERATIONS

◆ `actualizar (entidad : Entidad) : Optional<T> Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `buscarDisponibles () : void Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `consultarPorId (id : int) : Optional<T> Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `eliminar (entidad : Entidad) : void Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `guardar (entidad : Entidad) : T Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

LogroEstudianteRepository

Class in package 'CapaDePersistencia'

LogroEstudianteRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

← Generalization from `LogroEstudianteRepository` to `RepositoryoGenerico<T>`

[Direction is 'Source -> Destination'.]

OPERATIONS

◆ `actualizar (entidad : Entidad) : Optional<T> Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `buscarPorBibliotecaYVentanaFecha (idBibliotecaLogro : int , fechaInicio : LocalDate , fechaFin : LocalDate) : void Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

◆ `buscarPorEstudiante (int : int) : void Public`

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS	
 buscarPorEstudianteYPeriodo (idEstudiante : int , idPeriodoAcademico : int) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 buscarPorLogroYVentanaFecha (idLogro : LocalDate , fechaInicio : LocalDate , fechaFin : int) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 consultarPorId (id : int) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 eliminar (entidad : Entidad) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 guardar (entidad : Entidad) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

LogroRepository

Class in package 'CapaDePersistencia'

LogroRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS	
 Generalization from LogroRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]

OPERATIONS	
 actualizar (entidad : Entidad) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 buscarPorCategoria (idCategoriaLogros : int) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 consultarPorId (id : int) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 eliminar (entidad : Entidad) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
 guardar (entidad : Entidad) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

ObservadorRepository

Class in package 'CapaDePersistencia'

ObservadorRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

← Generalization from ObservadorRepository to RepositorioGenerico<T>

[Direction is 'Source -> Destination'.]

OPERATIONS

actualizar (entidad : Entidad) : Optional<T> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

buscarObservacionesPorFecha (idObservacion : int , fecha : LocalDate) : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

buscarPorEstudiante (idEstudiante : int) : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

buscarPorEstudianteYPeriodo (idEstudiante : int , idPeriodo : int) : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

consultarPorId (id : int) : Optional<T> Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

eliminar (entidad : Entidad) : void Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

guardar (entidad : Entidad) : T Public

[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

PeriodoAcademicoRepository

Class in package 'CapaDePersistencia'

PeriodoAcademicoRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

← Generalization from PeriodoAcademicoRepository to RepositorioGenerico<T>

[Direction is 'Source -> Destination'.]

OPERATIONS

-  **actualizar (entidad : Entidad) : Optional<T> Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **buscarActivo () : void Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **buscarPorRangoFechas (fechaInicio : LocalDate , fechaFin : LocalDate0) : void Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **consultarPorId (id : int) : Optional<T> Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **eliminar (entidad : Entidad) : void Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **guardar (entidad : Entidad) : T Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

PreinscripcionRepository

Class in package 'CapaDePersistencia'

PreinscripcionRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

-  Generalization from PreinscripcionRepository to RepositorioGenerico<T>
 [Direction is 'Source -> Destination'.]

OPERATIONS

-  **actualizar (entidad : Entidad) : Optional<T> Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **buscarPorFecha (fecha : LocalDate) : void Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **consultarPorId (id : int) : Optional<T> Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
-  **eliminar (entidad : Entidad) : void Public**
 [Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS

💎 guardar (entidad : Entidad) : T Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

ReportesRepository

Class in package 'CapaDePersistencia'

ReportesRepository
Version 1.0 Phase 1.0 Proposed
leosa created on 15/07/2026. Last modified 15/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS

↔ Generalization from ReportesRepository to RepositorioGenerico<T>
[Direction is 'Source -> Destination'.]

OPERATIONS

💎 actualizar (entidad : Entidad) : Optional<T> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 buscarPorEstudiante (idEstudiante : int) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 buscarPorEstudianteYPeriodo (idEstudiante : int , idPeriodo : int) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 consultarPorId (id : int) : Optional<T> Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 eliminar (entidad : Entidad) : void Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

💎 guardar (entidad : Entidad) : T Public
[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

RepositorioGenerico<T>

Class in package 'CapaDePersistencia'

RepositorioGenerico<T>
Version 1.0 Phase 1.0 Proposed
leosa created on 13/07/2026. Last modified 13/07/2026

INCOMING STRUCTURAL RELATIONSHIPS

INCOMING STRUCTURAL RELATIONSHIPS	
⇒ Generalization from LogroEstudianteRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from ObservadorRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from GrupoRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from BoletinRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from UsuarioRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from PeriodoAcademicoRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from EstudianteAspiranteRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from HorarioEntrevistasRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from PreinscripcionRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from LogroRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from EstudianteRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]
⇒ Generalization from ReportesRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]

ATTRIBUTES	
♦ entidad : Class<T> Private	[Is static True. Containment is Not Specified.]

OPERATIONS	
♦ actualizar (entidad : Entidad) : Optional<T> Public	

OPERATIONS	
	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ consultarPorId (id : int) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ eliminar (entidad : Entidad) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ guardar (entidad : Entidad) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

UsuarioRepository

Class in package 'CapaDePersistencia'

UsuarioRepository
 Version 1.0 Phase 1.0 Proposed
 leosa created on 13/07/2026. Last modified 13/07/2026

OUTGOING STRUCTURAL RELATIONSHIPS	
 Generalization from UsuarioRepository to RepositorioGenerico<T>	[Direction is 'Source -> Destination'.]

OPERATIONS	
◆ actualizar (entidad : Entidad) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ buscarPorCorreo (usuario : Usuario) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ buscarPorNombreUsuario (nombreUsuario : String) : Optional Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ buscarPorRol (rol : Rol) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ consultarPorId (id : int) : Optional<T> Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ eliminar (entidad : Entidad) : void Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]
◆ guardar (entidad : Entidad) : T Public	[Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False.]

OPERATIONS