

Booking - API



User Manual Carrier Portal SITA

Versi 1.0 (28 January 2020)

PT Citilink Indonesia GMF Management Building, Lantai 3 Garuda Office Cengkareng, Pajang, Benda, Tangerang, Banten 15126 Telp.62-21 3590900, Email: info@citilink.co.id Copyright © Information System Technology Department



INTRODUCTION

The purpose of this document is to provide information on the steps in the booking process for input KTP (Kartu Tanda Penduduk) as mandatory Passenger Travel Document on flow booking through API. As a note, KTP must be input for all Passenger Type; Adult, Child, and Infant.



UpdatePassengerRequest (Adult and Child)

Here the steps to do input KTP for Adult and Child:

API V1 XML

PassengerTravelDocuments (PassengerTravelDocument[]) [1 item]		
- PassengerTravelDocument (PassengerTravelDocument)		
··· DocTypeCode (String): KTP		
··· IssuedByCode (String): ID		
DocSuffix (String)		
DocNumber (String): 32750406956034		
DOB (DateTime): 1990-04-16T00:00:00.0000000+07:00		
Gender (Enum): Male		
Nationality (String): ID		
ExpirationDate (DateTime): 2030-10-10T00:00:00.0000000+07:00		
□ ·· Names (BookingName[]) [1 item]		
⊟- BookingName (BookingName)		
FirstName (String): Sasa		
MiddleName (String)		
LastName (String): Test		
Suffix (String)		
Title (String): MR		
State (Enum): New		
BirthCountry (String)		
··· IssuedDate (DateTime): 1990-04-16T00:00:00.0000000+07:00		
State (Enum): New		

Field name	Descriptions
DocTypeCode	KTP
IssuedByCode	ID
DocNumber	KTP number
DOB	Date of Birthday
ExpirationDate	Expiry date of passenger KTP. if the KTP is valid for life, please still fill the date at least 5 years from current year.
IssuedDate	Date of Birthday
BookingName	Passenger name. The same as the field Names/BookingName on the Passenger field



```
<a:PassengerTravelDocuments>
                                                                                 API V1 XML
  <a:PassengerTravelDocument>
    <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
   <a:DocTypeCode>KTP</a:DocTypeCode>
    <a:IssuedByCode>ID</a:IssuedByCode>
    <a:DocSuffix i:nil="true"></a:DocSuffix>
    <a:DocNumber>32750406956034</a:DocNumber>
    <a:DOB>1990-04-16T00:00:00</a:DOB>
    <a:Gender>Male</a:Gender>
    <a:Nationality>ID</a:Nationality>
    <a:ExpirationDate>2030-10-10T00:00:00</a:ExpirationDate>
    <a:Names>
     <a:BookingName>
       <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
       <a:FirstName>Sasa</a:FirstName>
       <a:MiddleName i:nil="true"></a:MiddleName>
       <a:LastName>Test</a:LastName>
       <a:Suffix i:nil="true"></a:Suffix>
       <a:Title>MR</a:Title>
     </a:BookingName>
    </a:Names>
    <a:BirthCountry i:nil="true"></a:BirthCountry>
    <a:IssuedDate>1990-04-16T00:00:00</a:IssuedDate>
  </a:PassengerTravelDocument>
 </a:PassengerTravelDocuments>
```



```
"Passengers": [
                                                                               API V2 JSON
 "PassengerNumber": "0",
  "Names": {
      "FirstName": "ahmad",
      "MiddleName": "",
      "LastName": "Ahyad",
      "Title": "MR"
 "BalanceDue": "0",
 "PassengerTypeInfo": {
  "DOB": "1994-06-17T00:00:00",
  "PaxType": "ADT"
 "PassengerTravelDocuments": [
   "DocTypeCode": "KTP",
   "IssuedByCode": "ID",
   "DocNumber": "3274601234567",
   "DOB": "1994-06-17T00:00:00",
   "Gender": "Male",
   "Nationality": "ID",
   "ExpirationDate": "2030-06-17T00:00:00",
   "Names": {
    "FirstName": "ahmad",
    "MiddleName": "",
    "LastName": "Ahyad",
    "Title": "MR"
   "IssuedDate": "1994-06-17T00:00:00"
```



UpdatePassengerRequest (Infant)

If the Adult takes the Infant on the booking, please add one more PassengerTravelDocument on ADT Passenger for input infant KTP.



Field name	Descriptions
DocTypeCode	KTP
IssuedByCode	ID
DocSuffix	I
DocNumber	KTP number
DOB	Date of Birthday
ExpirationDate	Expiry date of passenger KTP. if the KTP is valid for life, please still fill the date at least 5 years from current year.
IssuedDate	Date of Birthday
BookingName	Infant name. The same as the field Names/BookingName on the Infant field



```
<a:PassengerTravelDocuments>
                                                                                  API V1 XML
  <a:PassengerTravelDocument>
    <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
    <a:DocTypeCode>KTP</a:DocTypeCode>
    <a:IssuedByCode>ID</a:IssuedByCode>
    <a:DocSuffix i:nil="true"></a:DocSuffix>
    <a:DocNumber>32750406956034</a:DocNumber>
    <a:DOB>1990-04-16T00:00:00</a:DOB>
    <a:Gender>Male</a:Gender>
    <a:Nationality>ID</a:Nationality>
    <a:ExpirationDate>2030-10-10T00:00:00</a:ExpirationDate>
    <a:Names>
     <a:BookingName>
       <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
       <a:FirstName>Sasa</a:FirstName>
       <a:MiddleName i:nil="true"></a:MiddleName>
       <a:LastName>Test</a:LastName>
       <a:Suffix i:nil="true"></a:Suffix>
       <a:Title>MR</a:Title>
     </a:BookingName>
    </a:Names>
    <a:BirthCountry i:nil="true"></a:BirthCountry>
    <a:IssuedDate>1990-04-16T00:00:00</a:IssuedDate>
  </a:PassengerTravelDocument>
  <a:PassengerTravelDocument>
    <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
    <a:DocTypeCode>KTP</a:DocTypeCode>
    <a:IssuedByCode>ID</a:IssuedByCode>
    <a:DocSuffix>I</a:DocSuffix>
    <a:DocNumber>32750454039680</a:DocNumber>
    <a:DOB>2021-01-01T00:00:00</a:DOB>
    <a:Gender>Male</a:Gender>
    <a:Nationality>ID</a:Nationality>
    <a:ExpirationDate>2030-10-10T00:00:00</a:ExpirationDate>
    <a:Names>
     <a:BookingName>
       <State xmlns="http://schemas.navitaire.com/WebServices/DataContracts/Common">New</State>
       <a:FirstName>Bayi</a:FirstName>
       <a:MiddleName i:nil="true"></a:MiddleName>
       <a:LastName>Test</a:LastName>
       <a:Suffix i:nil="true"></a:Suffix>
       <a:Title>MRS</a:Title>
     </a:BookingName>
    </a:Names>
    <a:BirthCountry i:nil="true"></a:BirthCountry>
    <a:\lssuedDate>2021-01-01T00:00:00</a:\lssuedDate>
  </a:PassengerTravelDocument>
 </a:PassengerTravelDocuments>
```



```
"Passengers": [
                                                                              API V2 JSON
 "PassengerNumber": "0",
  "Names": {
      "FirstName": "ahmad",
      "MiddleName": "",
      "LastName": "Ahyad",
      "Title": "MR"
  "Infant": {
      "DOB": "2021-01-01T00:00:00",
      "Gender": "Male",
      "Nationality": "ID",
      "Names": {
          "FirstName": "Bayi",
          "MiddleName": "",
          "LastName": "Ahyad",
          "Title": "MR"
 "BalanceDue": "0",
 "PassengerTypeInfo": {
  "DOB": "1994-06-17T00:00:00",
  "PaxType": "ADT"
```



```
"PassengerTravelDocuments": [
 "DocTypeCode": "KTP",
 "IssuedByCode": "ID",
 "DocNumber": "3274601234567",
 "DOB": "1994-06-17T00:00:00",
 "Gender": "Male",
 "Nationality": "ID",
 "ExpirationDate": "2030-06-17T00:00:00",
 "Names": {
  "FirstName": "ahmad",
  "MiddleName": "",
  "LastName": "Ahyad",
  "Title": "MR"
 "IssuedDate": "1994-06-17T00:00:00"
 "DocTypeCode": "KTP",
 "IssuedByCode": "ID",
 "DocNumber": "37540920964",
 "DocSuffix": "I",
 "DOB": "2021-01-01T00:00:00",
 "Gender": "Male",
 "Nationality": "ID",
 "ExpirationDate": "2030-06-17T00:00:00",
 "Names": {
    "FirstName": "Bayi",
    "MiddleName": "",
    "LastName": "Ahyad",
    "Title": "MR"
 "IssuedDate": "2021-01-01T00:00:00"
```