



Explaining the html/css code of the CV website

First, I created the following on the website document root:



The folder `css` will contain the css of our website, the folder `img` will contain the images of our website, the `index.html` is the main page and the `portfolio.html` is another page. So when I start xampp and go to `trabalho1.dev`:



Now I will explain the code:

With visual code, when the file is .html I just pressed ! tab and the following appears:

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Portfolio</title>
7  </head>
8  <body>
9
10 </body>
11 </html>
```

The <head> part of the html file is the data of the document.

So i started writing the code from there, the first step was to create the css file and connect it to the html:

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="css/style.css">
    <title>Fábio Lopes CV</title>
</head>
```

The <link> tag will connect the html to the css file, the required rel attribute specifies the relationship between the current document and the linked document/resource and the href will be the path of the file.

The title itself it what appears on the top of the browser:



After the <head> comes the <body>, but i created a <header> and a <footer> to be able to custom them trough css:

```
<header>
    <a href="portfolio.html" target="_blank">
        <h2 style="position: absolute; top: 30px; left: 100px">Portfolio</h2>
    </a>
    
    <h2 style="position: absolute; top: 30px; left: 800px"> Fábio Lopes</h2>
</header>
<body>
```

A screenshot of a web browser displaying the rendered HTML. The header area has a light blue background. On the left, the word 'Portfolio' is displayed. In the center, the name 'Fábio Lopes' is displayed. On the right, there is a small, square profile picture of a man with glasses and a beard.

So, according to the assignment the header had to contain a picture of me, my name and I added the Portfolio there so who visits the site can press on it and go to my portfolio.

The <a> tag is used for links, the href is the path of the link we want and target=_ "blank" makes it open on a new page when clicked on it.

The tag is used to import the image, the src is the path of the image, the alt is the alternative text that appears in case the image doesn't load, and I used css with style to put the image in the position and size I wanted.

The <h2> is the tag used for the name and portfolio, <h2> is the second biggest heading, the rest of css is used for positioning.

And the header css is the following:

```
header{
  top: 0;
  padding: 30px;
  position: fixed;
  width: 100%;
  height: 90px;
  border: solid 1px;
  background-color: lightblue;
  font-size: 20px;
  color: black;
  font-family: Calibri;
}
```

The top: 0 puts it on the top, the position: fixed makes the header fixed when scrolling through the site, the rest is design options.

Now the footer :

```
<footer>
  <a href="https://www.facebook.com/fabio.lobes.94695" target="_blank">
    
    <span style="left: 410px;">Facebook</span>
  </a>
  <a href="https://twitter.com/FbioLop43989867" target="_blank">
    
    <span style="left: 610px;">Twitter</span>
  </a>
  <a href="mailto:flopessh@gmail.com" target="_blank">
    
    <span style="left: 810px;">E-mail</span>
  </a>
  <a href="https://github.com/DarkMx1" target="_blank">
    
    <span style="left: 1010px;">Github</span>
  </a>
  <a href="https://www.linkedin.com/in/f%C3%A1bio-lobes-79923225/" target="_blank">
    
    <span style="left: 1210px;">linkedin</span>
  </a>
  <a>
    
    <span style="left: 1410px;">+351 914848858</span>
  </a>
</footer>
```

Basically, each <a> is a link to the page with the logo, clicking on the logo or on the name will open a new page with my facebook/twitter/etc.

The css is only to position the logos and the names, i used tag because it is an inline container used to mark up a part of a text.

The css file contains the rest of the positioning and size:

```
img {  
  width: 50px;  
  height: 50px;  
  position: absolute;  
  padding: 5px;  
  bottom: 10px;  
}
```

The body contains the rest of my CV:

```
<body>  
<div class="experience">  
  <p style="text-align: center;">Quality control and laboratory technique, looking forward for learning and improving everyday. <p>  
  <h3>Experience</h3>  
  <h4>2019-Currently</h4>  
  <h5>QUALITY CONTROL , CMW FOUNDRIES</h5>  
  <p>Responsible for measuring and monitoring equipment:</p>  
  <ul>  
    <li>Acquisition and calibration</li>  
    <li>Labelling and control </li>  
    <li>Documentation and software</li>  
  </ul>  
  <p>Contributor for quality documentation:</p>  
  <ul><li>Create, review and update documents</li></ul>  
  <p>Responsible for mechanical testing:</p>  
  <ul>  
    <li>Tensile test</li>  
    <li>Charpy test </li>  
  </ul>  
  <p> Perform laboratory testing:</p>  
  <ul>  
    <li>Hardness</li>  
    <li>Metallography.</li>  
    <li>Spectrometry.</li>  
  </ul>  
  <h4>2012-2016</h4>  
  <h5>TUTOR, MENTES BRILHANTES</h5>  
  <p>Individual and group tutoring to students from 5th year to 12th.</p>  
</div>  
<div class="education">  
  <h3>Education</h3>  
  <h4>2018-2019</h4>  
  <h5>GERMAN COURSE, IEFEP</h5>  
  <p>A german course provided by the Portuguese job center, equivalent to A.1.</p>  
  <h4>2016-2017</h4>  
  <h5>FULL STACK WEB DEVELOPER, EDUONIX</h5>  
  <p>Online course</p>  
  <h4>2007-2012</h4>  
  <h5>MATHEMATIC, FACULDADE DE CIÊNCIAS DA UNIVERSIDADE DO PORTO </h5>  
  <p>Incomplete degree.  
  Member of the university student association, coordinator of communication department  
</p>  
</div>  
<div class="skills">  
  <h3>Skills</h3>  
  <ul>
```

Experience

2019-Currently

QUALITY CONTROL , CMW FOUNDRIES

Responsible for measuring and monitoring equipment:

- Acquisition and calibration
- Labelling and control
- Documentation and software

Contributor for quality documentation:

- Create, review and update documents

Responsible for mechanical testing:

- Tensile test
- Charpy test

Perform laboratory testing:

- Hardness
- Metallography.
- Spectrometry.

2012-2016

TUTOR, MENTES BRILHANTES

Individual and group tutoring to students from 5th year to 12th.

Education

The code is pretty simple , <h3> <h4> and <h5> are different headings sizes, the <p> is the paragraph and the is the unordered list, followed by for each point on the list. I split each section in divisions for the purpose of organization. I assigned each div a class so I could change it on css.

```
✓ body{
  background-color: ■ whitesmoke;
  margin-top: 150px;
  margin-left: 0;
  margin-bottom: 100px;
  font-family: Calibri;
  text-align: justify;
}

✓ ul{
  list-style-type: disc;
}

✓ span{
  position: absolute;
}

✓ p:hover, h3:hover, h4:hover, h5:hover, ul:hover{
  text-shadow: 2px 2px 5px;
}

✓ .experience, .education, .skills, .activities{
  margin: 20px;
}

✓ a{
  text-decoration: none;
  color: ■ black;
}
```

Also, it was on the assignment the hoover options, so when I hoover the text a shadow appear. The body has margin top and bottom because the position: fixed on the header and footer would hide the first and last text of the body.

I had some difficulties regarding the position of some elements, that was for me the hardest part of this assignment. The page still needs some improvements regarding the design.