

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by address ▼

Check

Message Filtering

- 1 of 17 9/24/19, 9:58 PM

```
'all' /><script type='text/javascript' src='//www.uanl.mx/wp-
content/plugins/sitepress-multilingual-cms/templates/language-
switchers/legacy-dropdown-click/script.js?ver=1'></scri
```

5. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 84, column 1; to line 84, column 100

```
</script><script type='text/javascript' src='https://www.uanl.mx
/wp-includes/js/jquery/jquery.js?ver=1.12.4'></scri
```

6. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 85, column 1; to line 85, column 111

```
</script><script type='text/javascript' src='https://www.uanl.mx
/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1'></scri
```

7. **Warning** The `type` attribute for the `style` element is not needed and should be omitted.

From line 104, column 4; to line 104, column 26

```
ript><style type="text/css"> /
```

8. **Warning** The `navigation` role is unnecessary for element `nav`.

From line 233, column 13; to line 233, column 86

```
<nav class="navbar navbar-default menu-principal-movil"
role="navigation">
```

9. **Error** Duplicate ID `logotipo-sitio`.

From line 243, column 21; to line 243, column 45

```
<div id="logotipo-sitio">
```

10. **Warning** The first occurrence of ID `logotipo-sitio` was here.

From line 143, column 17; to line 143, column 41

```
<div id="logotipo-sitio">
```

11. **Error** Bad value  for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 29; to line 367, column 92

```
[ass="w1 "><a href="https://www.uanl.mx/" target="" data-  
submenu="subinic">Inicio
```

12. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 131; to line 367, column 229

```
[columnas"><a href="https://www.uanl.mx/universidad-autonoma-de-  
nuevo-leon/" target="" data-submenu="subacer">Acerca
```

13. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 354; to line 367, column 429

```
[menu"><li><a href="https://www.uanl.mx/universidad-autonoma-de-  
nuevo-leon/" target="">La UAN
```

14. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 450; to line 367, column 503

```
[></li><li><a href="https://www.uanl.mx/antecedentes/"  
target="">Antece
```

15. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 540; to line 367, column 605

```
[></li><li><a href="https://www.uanl.mx/estructura-institucional/"  
target="">Estruc
```

16. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 367, column 643; to line 367, column 699

```
[></li><li><a href="https://www.uanl.mx/mision-y-vision/"  
target="">Misión
```

17. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 367, column 849; to line 367, column 911

```
></li><li><a href="https://www.uanl.mx/escuelas-y-facultades/"
target="">Escuel
```

18. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 367, column 1179; to line 367, column 1231

```
></li><li><a href="https://www.uanl.mx/vinculacion/"
target="">Vincul
```

19. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 367, column 1338; to line 367, column 1390

```
></li><li><a href="https://www.uanl.mx/campus-uanl/"
target="">Campus
```

20. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 367, column 1410; to line 367, column 1463

```
></li><li><a href="https://www.uanl.mx/incorporadas/"
target="">Escuel
```

21. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 367, column 1498; to line 367, column 1558

```
></li><li><a href="https://www.uanl.mx/iniciativa-uanl-4-0/"
target="">Inicia
```

22. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 369, column 344; to line 369, column 388

```
ass="w2 "><a href="#" target="" data-submenu="subofer">Oferta
```

23. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 369, column 512; to line 369, column 569

```
menu"><li><a href="https://www.uanl.mx/oferta-educativa/"  
target="">Oferta
```

24. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 369, column 599; to line 369, column 652

```
></li><li><a href="https://www.uanl.mx/bachillerato/"  
target="">Bachil
```

25. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 369, column 678; to line 369, column 725

```
></li><li><a href="https://www.uanl.mx/oferta/" target="">Licenc
```

26. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 369, column 823; to line 369, column 876

```
></li><li><a href="https://www.uanl.mx/educacion_co/"  
target="">Educac
```

27. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 369, column 908; to line 369, column 994

```
></li><li><a href="https://www.uanl.mx/mayores/programa-  
universidad-para-los-mayores/" target="">Diplom
```

28. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 371, column 358; to line 371, column 402

```
[<columnas"><a href="#" target="" data-submenu="subvida">Vida E
```

29. **Error** Bad value `for attribute target on element a: Browsing context name must be at least one character long.`

From line 371, column 526; to line 371, column 575

```
[menu"><li><a href="https://www.uanl.mx/tramites/"
target="">Trámit
```

30. **Error** Bad value `for attribute target on element a: Browsing context name must be at least one character long.`

From line 371, column 597; to line 371, column 845

```
[></li><li><a href="https://www.uanl.mx/tramites/?nombre=&
categoria-primer-nivel=father-2655&categoria-segundo-...el=father-
2655-child-2658-grandchild-2751&categoria-cuarto-nivel=null&
```

31. **Error** Bad value `for attribute target on element a: Browsing context name must be at least one character long.`

From line 371, column 880; to line 371, column 946

```
[><li><a href="https://www.uanl.mx/calendario-academico-uanl/"
target="">Calendario
```

32. **Error** Bad value `for attribute target on element a: Browsing context name must be at least one character long.`

From line 371, column 980; to line 371, column 1046

```
[><li><a href="https://www.uanl.mx/actividades-estudiantiles/"
target="">Actividades
```

33. **Error** Bad value `for attribute target on element a: Browsing context name must be at least one character long.`

From line 371, column 1085; to line 371, column 1147

```
[><li><a href="https://www.uanl.mx/sociedades-de-alumnos/"
target="">Sociedades
```

34. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1182; to line 371, column 1250  

```
><li><a href="https://www.uanl.mx/federaciones-universitarias/" target="">Federacione
```
35. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1291; to line 371, column 1345  

```
><li><a href="https://www.uanl.mx/deportes-uanl/" target="">Deportes</a
```
36. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1367; to line 371, column 1430  

```
><li><a href="https://www.uanl.mx/responsabilidad-social/" target="">Responsabil
```
37. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1466; to line 371, column 1551  

```
><li><a href="https://www.uanl.mx/tramites/programa-de-talentos-universitarios/" target="">Programa de
```
38. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1585; to line 371, column 1637  

```
><li><a href="https://www.uanl.mx/eventos-dae/" target="">Eventos DAE
```
39. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.  
From line 371, column 1662; to line 371, column 1711

```
><li><a href="https://www.uanl.mx/tigrebus/"
target="">Tigrebus</a>
```

40. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

At line 371, column 1794 in resource https://www.uanl.mx/enlinea/

41. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 371, column 1828; to line 371, column 1929

```
><li><a href="https://www.uanl.mx/tramites/catalogo-de-
herramientas-interactivas-profesionales/" target="">CHIP</a></li>
```

42. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 373, column 345; to line 373, column 389

```
ass="w1 "><a href="#" target="" data-submenu="subinve">Invest
```

43. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 373, column 510; to line 373, column 562

```
menu"><li><a href="https://www.uanl.mx/centros_inv/"
target="">Centro
```

44. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 373, column 596; to line 373, column 651

```
></li><li><a href="https://www.uanl.mx/investigadores/"
target="">Invest
```

45. **Error** Bad value for attribute `target` on element `a`: Browsing context name must be at least one character long.

From line 373, column 767; to line 373, column 837



```
></li><li><a href="http://ciett.uanl.mx/index.php/oferta-  
tecnologica/" target="">Portaf
```

46. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 373, column 873; to line 373, column 922

```
></li><li><a href="https://www.uanl.mx/proyectos"  
target="">Proyec
```

47. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 375, column 343; to line 375, column 387

```
ass="w1 "><a href="#" target="" data-submenu="subbibl">Biblio
```

48. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 377, column 340; to line 377, column 384

```
ass="w1 "><a href="#" target="" data-submenu="submedi">Medios
```

49. **Error** Bad value for attribute target on element a: Browsing context name must be at least one character long.

From line 377, column 498; to line 377, column 547

```
menu"><li><a href="https://www.uanl.mx/noticias/"  
target="">Notici
```

50. **Error** Duplicate attribute class.

At line 426, column 320

```
n false;" class="fb-xfbml-pars
```

51. **Error** Bad value mailto:?subject=Servicios en línea&body=https://www.uanl.mx/enlinea/ for attribute href on element a: Illegal character in query: space is not allowed.

From line 428, column 7; to line 428, column 122

```
/a>e      <a class="share_email" href="mailto:?subject=Servicios
en linea&body=https://www.uanl.mx/enlinea/" target="_blank"><i
clas
```

52. **Error** Bad value `100%` for attribute `width` on element `iframe`:  
**Expected a digit but saw `%` instead.**

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

53. **Error** Bad value `450px` for attribute `height` on element `iframe`:  
**Expected a digit but saw `p` instead.**

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

54. **Error** The `frameborder` attribute on the `iframe` element is obsolete.  
[Use CSS instead.](#)

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

55. **Error** The `marginwidth` attribute on the `iframe` element is obsolete.  
[Use CSS instead.](#)

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

56. **Error** The `marginheight` attribute on the `iframe` element is  
obsolete. [Use CSS instead.](#)

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

57. **Error** The `scrolling` attribute on the `iframe` element is obsolete.  
[Use CSS instead.](#)

From line 440, column 14; to line 440, column 225

```
<p><iframe class="mp4downloader_tagChecked"
src="https://deimos.dgi.uanl.mx/cgi-bin/wspd.cgi.sh/login.h...
ginbox" width="100%" height="450px" frameborder="0"
```

58. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 226; to line 440, column 227

```
ling="no"><span da
```

Content model for element `iframe`:

[Nothing.](#)

59. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 228; to line 440, column 359

```
ng="no"><span data-mce-type="bookmark" style="display: inline-
block; width: 0px; overflow: hidden; line-height: 0;"
class="mce_SELRES_start"></span
```

Content model for element `iframe`:

[Nothing.](#)

60. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 360; to line 440, column 362

```
S_start"></span><s
```

Content model for element `iframe`:

[Nothing.](#)

61. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 363; to line 440, column 366

```
tart"></span><span
```

Content model for element [iframe](#):

[Nothing](#).

62. **Error** Text not allowed in element [iframe](#) in this context.

From line 440, column 367; to line 440, column 368

```
"></span><span da
```

Content model for element [iframe](#):

[Nothing](#).

63. **Error** Text not allowed in element [iframe](#) in this context.

From line 440, column 369; to line 440, column 500

```
</span><span data-mce-type="bookmark" style="display: inline-  
block; width: 0px; overflow: hidden; line-height: 0;"  
class="mce_SELRES_start"></span
```

Content model for element [iframe](#):

[Nothing](#).

64. **Error** Text not allowed in element [iframe](#) in this context.

From line 440, column 501; to line 440, column 503

```
S_start"></span><s
```

Content model for element [iframe](#):

[Nothing](#).

65. **Error** Text not allowed in element [iframe](#) in this context.

From line 440, column 504; to line 440, column 507

```
tart"></span><span
```

Content model for element [iframe](#):

[Nothing](#).

66. **Error** Text not allowed in element [iframe](#) in this context.

From line 440, column 508; to line 440, column 509

```
"></span><span st
```

Content model for element [iframe](#):

[Nothing](#).

67. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 510; to line 440, column 641

```
</span><span style="display: inline-block; width: 0px; overflow:
hidden; line-height: 0;" data-mce-type="bookmark"
class="mce_SELRES_start"></span>
```

Content model for element `iframe`:

[Nothing.](#)

68. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 642; to line 440, column 644

```
S_start"></span>Er
```

Content model for element `iframe`:

[Nothing.](#)

69. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 645; to line 440, column 660

```
tart"></span>Error&#8230;<span
```

Content model for element `iframe`:

[Nothing.](#)

70. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 661; to line 440, column 662

```
ror&#8230;<span st
```

Content model for element `iframe`:

[Nothing.](#)

71. **Error** Text not allowed in element `iframe` in this context.

From line 440, column 663; to line 440, column 794

```
r&#8230;<span style="display: inline-block; width: 0px; overflow:
hidden; line-height: 0;" data-mce-type="bookmark"
class="mce_SELRES_start"></span>
```

Content model for element `iframe`:

[Nothing.](#)

72. **Error** Text not allowed in element `iframe` in this context.  
From line 440, column 795; to line 440, column 797  
`S_start"></span></`  
Content model for element `iframe`:  
[Nothing](#).
73. **Error** Text not allowed in element `iframe` in this context.  
From line 440, column 798; to line 440, column 801  
`tart"></span></ifra`  
Content model for element `iframe`:  
[Nothing](#).
74. **Error** Stray end tag `i`.  
From line 466, column 117; to line 466, column 120  
`ntes.pdf"></i>Manual`
75. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to [add identifying headings to all sections](#).  
From line 497, column 1; to line 497, column 27  
`ooter --><section class="prefooter"> <di`
76. **Warning** The `type` attribute is unnecessary for JavaScript resources.  
From line 618, column 1; to line 618, column 100  
`--><script type="text/javascript" src="https://www.uanl.mx  
/wp-content/themes/uanl/assets/js/jquery.js"></scri`
77. **Warning** The `type` attribute is unnecessary for JavaScript resources.  
From line 619, column 1; to line 619, column 107  
`</script><script type="text/javascript" src="https://www.uanl.mx  
/wp-content/themes/uanl/assets/js/bootstrap.min.js"></scri`
78. **Warning** The `type` attribute is unnecessary for JavaScript resources.  
From line 620, column 1; to line 620, column 102  
`</script><script type="text/javascript" src="https://www.uanl.mx`

```
/wp-content/themes/uanl/assets/js/unslider.js"></scri
```

79. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 621, column 1; to line 621, column 98

```
</script>↵<script type="text/javascript" src="https://www.uanl.mx  
.....  
/wp-content/themes/uanl/assets/js/main.js"></scri
```

80. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 625, column 1; to line 625, column 98

```
o no -->↵<script type="text/javascript" src="https://www.uanl.mx  
.....  
/wp-content/themes/uanl/assets/js/mapa.js"></scri
```

81. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 629, column 1; to line 629, column 115

```
usel: -->↵<script type="text/javascript"  
.....  
src="https://cdnjs.cloudflare.com/ajax/libs/OwlCarousel2/2.3.4  
/owl.carousel.min.js"></scri
```

82. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 631, column 1; to line 631, column 31

```
eline -->↵<script type="text/javascript">↵$(fun  
.....
```

83. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 655, column 1; to line 655, column 31

```
a Uni -->↵<script type="text/javascript">↵$(fun  
.....
```

84. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 679, column 1; to line 679, column 31

```
icio) -->↵<script type="text/javascript">↵$(fun  
.....
```

85. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 696, column 1; to line 696, column 31

```
iles) -->↵<script type="text/javascript">↵$(fun  
.....
```

86. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 724, column 1; to line 724, column 31

```
icio) --><script type="text/javascript">$(fun
```

87. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 747, column 1; to line 747, column 31

```
otas) --><script type="text/javascript">$(fun
```

88. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 761, column 1; to line 761, column 31

```
icio) --><script type="text/javascript">$(fun
```

89. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 785, column 1; to line 785, column 110

```
cript><<<<<script type='text/javascript' src='https://www.uanl.mx  
/wp-content/themes/uanl/js/navigation.js?ver=20151215'></scri
```

90. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 786, column 1; to line 786, column 119

```
</script><<<<<script type='text/javascript' src='https://www.uanl.mx  
/wp-content/themes/uanl/js/skip-link-focus-fix.js?ver=20151215'>  
</scri
```

91. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 787, column 1; to line 787, column 116

```
</script><<<<<script type='text/javascript' src='https://www.uanl.mx  
/wp-content/themes/uanl/assets/js/get_bitly.js?ver=20151215'></scri
```

92. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 788, column 1; to line 788, column 98

```
</script><<<<<script type='text/javascript' src='https://www.uanl.mx  
/wp-includes/js/wp-embed.min.js?ver=5.0.6'></scri
```

93. **Error** End tag for `body` seen, but there were unclosed elements.



From line 789, column 1; to line 789, column 7

```
</script>< </body>< </htm
```

94.

**Error****Unclosed element** `div`.

From line 134, column 3; to line 134, column 30

```
-logo"> <div id="page" class="site"> <
```

95.

**Warning****Consider using the** `h1` **element as a top-level heading only (all**

**`h1` elements [are treated as top-level headings by many screen readers and other tools](#)).**

From line 439, column 11; to line 439, column 41

```
<h1 class="titulo-pagina mb30">Servic
```

96.

**Warning****Consider using the** `h1` **element as a top-level heading only (all**

**`h1` elements [are treated as top-level headings by many screen readers and other tools](#)).**

From line 249, column 23; to line 249, column 26

```
<h1>UNIVER
```

### Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 1392 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 19.9.17