

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://www.microsoft.com/es-mx/

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

address

▼

https://www.microsoft.com/es-mx/

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

X-UA-Compatible HTTP header must have the value `IE=edge`,
was `IE=Edge;chrome=1`.
`https://www.microsoft.com/es-mx/`
- Error

Bad value `crossorigin` **for attribute** `crossorigin` **on element**
[link](#).
From line 38, column 5; to line 38, column 157

```
" />ee    <link rel="preload" as="font" crossorigin="crossorigin"
type="font/woff" href="https://www.microsoft.com/mwf/_h/v3.48
/mwf.app/fonts/mwfmd12-v3.48.woff2">ee
```
- Error

An `img` **element must have an** `alt` **attribute, except under**
certain conditions. For details, consult [guidance on providing text](#)
[alternatives for images](#).
From line 87, column 13; to line 87, column 1028

```

```

4. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 188, column 13; to line 188, column 149

```
<button type="button" f-multi-parent="true" aria-
expanded="false" data-
m='{ "id": "nn1c5c2c1c7c2m1r1a1", "sN": 1, "aN": "c5c2c1c7c2m1r1a1" }'>So
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

5. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 215, column 13; to line 215, column 187

```
<button type="button" f-multi-parent="true" aria-
expanded="false" data-
m='{ "cN": "GlobalNav_PCsAndDevices_nonnav", "id": "nn1c6c2c1c7c2m1r1a
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

6. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 226, column 13; to line 226, column 149

```
<button type="button" f-multi-parent="true" aria-
expanded="false" data-
m='{ "id": "nn1c7c2c1c7c2m1r1a1", "sN": 1, "aN": "c7c2c1c7c2m1r1a1" }'>En
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

7. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 249, column 13; to line 249, column 149

```
<button type="button" f-multi-parent="true" aria-
```

```
expanded="false" data-
m="{\"id\":\"nn1c8c2c1c7c2m1r1a1\", \"sN\":1, \"aN\":\"c8c2c1c7c2m1r1a1\"}'>Em
pres
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

8. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 280, column 13; to line 280, column 149

```
<button type="button" f-multi-parent="true" aria-
expanded="false" data-
m="{\"id\":\"nn1c9c2c1c7c2m1r1a1\", \"sN\":1, \"aN\":\"c9c2c1c7c2m1r1a1\"}'>De
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button[value](#) — Value to be used for [form submission](#)

9. **Error** Attribute `f-multi-parent` not allowed on element `button` at this point.

From line 307, column 13; to line 307, column 151

```

<button type="button" f-multi-parent="true" aria-
expanded="false" data-
m='{ "id": "nn1c10c2c1c7c2m1r1a1", "sN": 1, "aN": "c10c2c1c7c2m1r1a1" }'>

```

Attributes for element [button](#):[Global attributes](#)[disabled](#) — Whether the form control is disabled[form](#) — Associates the element with a [form](#) element[formaction](#) — [URL](#) to use for [form submission](#)[formenctype](#) — Entry list encoding type to use for [form submission](#)[formmethod](#) — Variant to use for [form submission](#)[formnovalidate](#) — Bypass form control validation for [form submission](#)[formtarget](#) — [Browsing context](#) for [form submission](#)[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button[value](#) — Value to be used for [form submission](#)

10. **Error** Attribute `aria-setsize` not allowed on element `button` at this point.

From line 397, column 13; to line 402, column 54

```

<button role="tab" data-m='{ "cN": "Ver la diapositiva
1-Este es tu 365", "bhvr": 2, "id": "nn1m1r1a2", "sN": 1, "aN": "m1r1a2" }'
aria-selected="true"
aria-
label="Ver la diapositiva 1-Este es tu 365"
aria-controls="coreui-hero-wbs8bbs-item-1"
title="Diapositiva 1"
aria-

```

```

setsize="2"␣
...
aria-posinset="1">
</butt

```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

11. **Error** Attribute `aria-posinset` not allowed on element `button` at this point.

From line 397, column 13; to line 402, column 54

```

<button role="tab" data-m="{"cN":"Ver la diapositiva
1-Este es tu 365","bhvr":2,"id":"nn1m1r1a2","sN":1,"aN":"m1r1a2"}"
aria-selected="true"␣
...
aria-

```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

12. **Error** Attribute `aria-setsize` not allowed on element `button` at this point.

From line 403, column 13; to line 408, column 54

```
<button role="tab" data-m="{"cN":"Ver la diapositiva
2-Xbox Game Pass
Ultimate","bhvr":2,"id":"nn2m1r1a2","sN":2,"aN":"m1r1a2"}"
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

13. **Error** Attribute `aria-posinset` not allowed on element `button` at this point.

From line 403, column 13; to line 408, column 54

```
<button role="tab" data-m="{"cN":"Ver la diapositiva
2-Xbox Game Pass
Ultimate","bhvr":2,"id":"nn2m1r1a2","sN":2,"aN":"m1r1a2"}"
aria-label="Ver la diapositiva 2-Xbox Game Pass Ultimate"
aria-controls="coreui-hero-wbs8bbs-item-2"
title="Diapositiva 2"
aria-setsize="2"
aria-posinset="2">
```

```
</butt
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#)

API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

14. **Error** Self-closing syntax (`/>`) used on a non-void HTML element.

Ignoring the slash and treating as a start tag.

From line 419, column 17; to line 419, column 110

```
<span id="coreui-hero-wbs8bbsplaypause" class="c-
tooltip" role="tooltip" aria-hidden="true" />
```

15. **Error** End tag `div` seen, but there were open elements.

From line 420, column 13; to line 420, column 18

```
</div>
```

16. **Error** Unclosed element `span`.

From line 419, column 17; to line 419, column 110

```
<span id="coreui-hero-wbs8bbsplaypause" class="c-
tooltip" role="tooltip" aria-hidden="true" />
```

17. **Error** Bad value `tabpanel` for attribute `role` on element `li`.

From line 439, column 29; to line 445, column 53

```
<li class="f-
```



```

active"
role="tabpanel"
aria-label="item"

```

18. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 446, column 41; to line 448, column 18

```

<section role="presentation" class="m-hero-item
f-medium f-x-left f-y-top context-game theme-light f...resentación
de anuncios y productos destacados: navegación utilizando los

```

19. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 454, column 1; to line 454, column 22

```

<div><h1 class="c-heading">Este e

```

20. **Error** Bad value `tabpanel` for attribute `role` on element `li`.

From line 473, column 29; to line 479, column 52

```

<li
role="tabpanel"
aria-label="item"

```

21. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 480, column 41; to line 482, column 18

```

<section role="presentation" class="m-hero-item
f-medium f-x-left f-y-center context-game theme-dark...resentación
de anuncios y productos destacados: navegación utilizando los

```

22. **Error** Element `source` is missing required attribute `srcset`.

From line 484, column 21; to line 484, column 281

```

<source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...FFFFFFF&amp;l=f&

```

```
amp;x=781& y=189& s=1339& d=753& aim=true" media="
(max-width:539px)" /><source
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

23. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 484, column 282; to line 484, column 564

```
539px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...=662& y=185&
s=1458& d=819& aim=true" media="(min-width:540px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

24. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 484, column 565; to line 484, column 846

```
767px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...; x=4& y=0&
s=2116& d=1190& aim=true" media="(min-width:768px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

25. **Error** Element `source` is missing required attribute `srcset`.

From line 484, column 847; to line 484, column 1130

```
083px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net/cms/api/am/imageFileData/RE...=0&y=189&  
s=2120&d=795&aim=true" media="(min-width:1084px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

26. **Error** Element `source` is missing required attribute `srcset`.

From line 484, column 1131; to line 484, column 1414

```
399px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net/cms/api/am/imageFileData/RE...=0&y=188&  
s=2120&d=795&aim=true" media="(min-width:1400px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

27. **Error** Element `source` is missing required attribute `srcset`.

From line 484, column 1415; to line 484, column 1648

```
778px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...p;h=600&w=1600&
&b=%23FFFFFF&l=f&x=0&y=188&s=2120&d=795&
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

28. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 540, column 5; to line 542, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-
m="{\"cn\":\"Informe sobre las PC
```

29. **Error** Element `source` is missing required attribute `srcset`.

From line 544, column 21; to line 544, column 249

```
<source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net//cms/api/am/imageFileData/R...m=6&h=276&
w=494&b=%23FFFFFF&l=f&o=t&aim=true" media="(max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

30. **Error** Element `source` is missing required attribute `srcset`.

From line 544, column 250; to line 544, column 500

```
539px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net//cms/api/am/imageFileData/R...8&b=%23FFFFFFF&  
amp;l=f&o=t&aim=true" media="(min-width:540px) and (max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

31. **Error** Element `source` is missing required attribute `srcset`.

From line 544, column 501; to line 544, column 752

```
767px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net//cms/api/am/imageFileData/R...&b=%23FFFFFFF&  
amp;l=f&o=t&aim=true" media="(min-width:768px) and (max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

32. **Error** Element `source` is missing required attribute `srcset`.

From line 544, column 753; to line 544, column 1005

```
1083px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net//cms/api/am/imageFileData/R...amp;b=%23FFFFFFF&  
amp;l=f&o=t&aim=true" media="(min-width:1084px) and (max-
```

```
width:1399px)" /><source
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

33. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 544, column 1006; to line 544, column 1258

```
399px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net//cms/api/am/imageFileData/R...amp;b=%23FFFFFFF&
amp;l=f&amp;o=t&amp;aim=true" media="(min-width:1400px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

34. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 544, column 1259; to line 544, column 1461

```
778px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net//cms/api/am/imageFileData/R...hWB?ver=8f68&amp;
q=90&amp;m=6&amp;h=201&amp;w=358&amp;b=%23FFFFFFF&amp;l=f&amp;
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small

monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

35. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 560, column 5; to line 562, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-m='{"CN":"Más
información sobre Xbox One
```

36. **Error** Element `source` is missing required attribute `srcset`.

From line 564, column 21; to line 564, column 248

```
<source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...m=6&h=276&
w=494&b=%23FFFFFF&l=f&o=t&aim=true" media="(max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

37. **Error** Element `source` is missing required attribute `srcset`.

From line 564, column 249; to line 564, column 498

```
539px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...8&b=%23FFFFFF&
&l=f&o=t&aim=true" media="(min-width:540px) and (max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

38. **Error** Element `source` is missing required attribute `srcset`.

From line 564, column 499; to line 564, column 749

```
767px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net/cms/api/am/imageFileData/RE...&b=%23FFFFFFF&  
amp;l=f&o=t&aim=true" media="(min-width:768px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

39. **Error** Element `source` is missing required attribute `srcset`.

From line 564, column 750; to line 564, column 1001

```
1083px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-  
com.akamaized.net/cms/api/am/imageFileData/RE...amp;b=%23FFFFFFF&  
amp;l=f&o=t&aim=true" media="(min-width:1084px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

40. **Error** Element `source` is missing required attribute `srcset`.


```
399px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...amp;b=%23FFFFFF&
amp;l=f&am;o=t&aim=true" media="(min-width:1400px) and (max-
```

media — Applicable media

- 778px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-com.akamaized.net/cms/api/am/imageFileData/RE..Wfh?ver=0868&q=90&m=6&h=201&w=358&b=%23FFFFFF&l=f&

media — Applicable media

- ```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-m="{"CN":"COMPRAR
EN MICROSOFT
STORE","CT":"Container","id":"c3m1r2a2","SN":3,"AN":"m1r2a2"}">
```

&gt;⌂

43. **Error** Element `source` is missing required attribute `srcset`.

From line 586, column 21; to line 586, column 247

```
<source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...m=6&h=276&
w=494&b=%23FFFFFF&l=f&o=t&aim=true" media="(max-
```

Attributes for element `source`:[Global attributes](#)[src](#) — Address of the resource[type](#) — Type of embedded resource[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)[sizes](#) — Image sizes for different page layouts[media](#) — Applicable media44. **Error** Element `source` is missing required attribute `srcset`.

From line 586, column 248; to line 586, column 496

```
539px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...8&b=%23FFFFFF&
amp;l=f&o=t&aim=true" media="(min-width:540px) and (max-
```

Attributes for element `source`:[Global attributes](#)[src](#) — Address of the resource[type](#) — Type of embedded resource[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)[sizes](#) — Image sizes for different page layouts[media](#) — Applicable media45. **Error** Element `source` is missing required attribute `srcset`.

From line 586, column 497; to line 586, column 746

```
767px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...&b=%23FFFFFF&
```

```
amp;l=f&o=t&aim=true" media="(min-width:768px) and (max-width:1083px)" /><source
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

46. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 586, column 747; to line 586, column 997

```
083px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-com.akamaized.net/cms/api/am/imageFileData/RE...amp;b=%23FFFFFF&l=f&o=t&aim=true" media="(min-width:1084px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

47. **Error** Element [source](#) is missing required attribute [srcset](#).

From line 586, column 998; to line 586, column 1248

```
399px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-com.akamaized.net/cms/api/am/imageFileData/RE...amp;b=%23FFFFFF&l=f&o=t&aim=true" media="(min-width:1400px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

48. **Error** Element `source` is missing required attribute `srcset`.

From line 586, column 1249; to line 586, column 1449

```
778px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...vhk?ver=e649&
q=90&m=6&h=201&w=358&b=%23FFFFFF&l=f&
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

49. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 602, column 5; to line 604, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-m="{"cN":"Compra
Xbox Game Pass para PC
```

50. **Error** Element `source` is missing required attribute `srcset`.

From line 606, column 21; to line 606, column 268

```
<source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...494&
b=%23FFFFFF&l=f&o=t&x=540&y=144&aim=true"
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

51. **Error** Element `<source>` is missing required attribute `srcset`.

From line 606, column 269; to line 606, column 538

```
539px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...mp;l=f&o=t&
x=540&y=144&aim=true" media="(min-width:540px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

52. **Error** Element `<source>` is missing required attribute `srcset`.

From line 606, column 539; to line 606, column 809

```
767px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...mp;l=f&o=t&
x=540&y=144&aim=true" media="(min-width:768px) and (max-
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

53. **Error** Element `source` is missing required attribute `srcset`.

From line 606, column 810; to line 606, column 1081

```
[083px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...p;l=f&o=t&
x=540&y=144&aim=true" media="(min-width:1084px) and (max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

54. **Error** Element `source` is missing required attribute `srcset`.

From line 606, column 1082; to line 606, column 1353

```
[399px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...p;l=f&o=t&
x=540&y=144&aim=true" media="(min-width:1400px) and (max-
```

Attributes for element `source`:

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

55. **Error** Element `source` is missing required attribute `srcset`.

From line 606, column 1354; to line 606, column 1575

```
[778px)" /><source data-srcset="https://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/RE...0&m=6&h=201&
amp;w=358&b=%23FFFFFFF&l=f&o=t&x=540&y=144&
```

```
amp;aim=true" /><img c
```

Attributes for element [source](#):

[Global attributes](#)

[src](#) — Address of the resource

[type](#) — Type of embedded resource

[srcset](#) — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

[sizes](#) — Image sizes for different page layouts

[media](#) — Applicable media

56. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 645, column 25; to line 647, column 18

```
<section role="presentation" class="m-hero-item
f-medium f-x-right f-y-center context-game theme-light f-mask-20"
data-m='{"cN":"Encuentra más información sobre
```

57. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 704, column 5; to line 706, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium"
data-m='{"cN":"DESCARGA
WINDOWS 10
```

58. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 724, column 5; to line 726, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium"
data-m='{"cN":"Compra
Office 365 para
```

59. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 746, column 5; to line 748, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-m="{"CN":"Empieza
hoy a desarrollar con Azure
```

60. **Error** Bad value `presentation` for attribute `role` on element `section`.

From line 766, column 5; to line 768, column 14

```
1-6"><section role="presentation" class="m-content-
placement-item f-size-medium" data-m="{"CN":"Descarga
Visual Studio 2019
```

61. **Warning** The `region` role is unnecessary for element `section`.

From line 806, column 9; to line 806, column 160

```
><section role="region" class="m-social f-horizontal
f-follow" aria-label="seguir en redes sociales" itemscope
itemtype="http://schema.org/Organization"><
```

62. **Warning** Section lacks heading. Consider using `h2` or `h6` elements to add identifying headings to all sections.

From line 388, column 5; to line 388, column 167

```
ript><section id="primaryArea" role="main" tabindex="-1"
style="outline: none" data-m="{"CN":"primaryArea
1", "cT":"Area_coreuiArea", "id":"a2Body", "sN":2, "aN":"Body"}">
```

### Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 702 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 19.9.17