Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://www.reddit.com/

Checker Input	
Show source outline image report	Options
Check by address	
https://www.reddit.com/	
Check	

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

```
1. Error CSS: border-color: "red" is not a border-color value.

From line 120, column 1032; to line 120, column 1036

[der-color: "red" } ._2-m]
```

2. Error CSS: box-shadow: only o can be a unit. You must put a unit after your number.

At line 140, column 148

[x rgba(0,0,0,.3); max-width:538]

```
3. Error CSS: background: too few values for the property linear-gradient.

At line 236, column 634

[ityTheme-field)); background-si
```

```
4. Error CSS: color: Invalid RGB function.

At line 283, column 937

[me-bodyText), .5); fill: rgba(var)
```

```
CSS: fill: Invalid RGB function.
5.
    At line 283, column 985
    me-bodyText),.5);cursor:not-al
     Error CSS: perspective: only 0 can be a unit. You must put a unit
6.
    after your number.
    From line 295, column 833; to line 295, column 836
    rspective:1000;will-
           CSS: | box-shadow |: Too many values or values are not
7.
    recognized.
    At line 324, column 265
    unityTheme-line)}.p4QfstubN5cR
     Error CSS: background: too few values for the property linear-
8.
    gradient :
    At line 399, column 820
    ackgroundColor));height:70px;w
9.
           CSS: background: too few values for the property linear-
    gradient :
    At line 407, column 1415
    ityTheme-field));background-si
10.
     Error
           CSS: | max-height |: Too many values or values are not
    recognized.
    From line 436, column 52; to line 436, column 55
    ax-height:auto}↩._1b
```

```
CSS: background: too few values for the property linear-
11.
     gradient .
     At line 443, column 2980
     ityTheme-field));background-si
     Error | CSS: | background |: too few values for the property | linear-
12.
     gradient :
     At line 443, column 3799
     ityTheme-field));background-si
     Error | CSS: | background |: too few values for the property | linear -
13.
     gradient¦.
     At line 466, column 4403
     ityTheme-field));background-si
14.
            CSS: background: too few values for the property linear-
     gradient .
     At line 466, column 9456
     ityTheme-field));background-si
     Error | Element meta is missing one or more of the following attributes:
15.
     content;;property;
     From line 477, column 6771; to line 477, column 6790
     #ffffff"/><meta name="jsapi"/></head
    Attributes for element <u>meta</u>:
       Global attributes
       name — Metadata name
       http-equiv — Pragma directive
       content — Value of the element
       <u>charset</u> — <u>Character encoding declaration</u>
     Error Element style not allowed as child of element div in this
16.
     context. (Suppressing further errors from this subtree.)
```

From line 479, column 221; to line 479, column 227

```
ndex="-1"><style>:root
     Contexts in which element <u>style</u> may be used:
        Where metadata content is expected.
        In a noscript element that is a child of a head element.
     Content model for element div:
        If the element is a child of a \underline{d1} element: one or more \underline{dt} elements followed by one or
        more dd elements, optionally intermixed with script-supporting elements.
        If the element is not a child of a dl element: flow content.
      Error Element h1 not allowed as child of element span in this
17.
     context. (Suppressing further errors from this subtree.)
     From line 479, column 14022; to line 479, column 14055
      pRAwz7VP"><h1 class="_eYtD2XCVieq6emjKBH3m">Popula
     Content model for element span:
        Phrasing content.
             Element style not allowed as child of element div in this
18.
      Error
     context. (Suppressing further errors from this subtree.)
     From line 479, column 18096; to line 479, column 18102
     der></div><style>:root
     Contexts in which element style may be used:
        Where metadata content is expected.
        In a noscript element that is a child of a head element.
     Content model for element div:
        If the element is a child of a dl element: one or more dt elements followed by one or
        more dd elements, optionally intermixed with script-supporting elements.
        If the element is not a child of a dl element: flow content.
      Error | Element | style | not allowed as child of element | div | in this
19.
     context. (Suppressing further errors from this subtree.)
     From line 479, column 29369; to line 479, column 29375
     B5YwvDWU"><style>↩
     Contexts in which element <a href="mailto:style">style</a> may be used:
        Where metadata content is expected.
```

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with $\underline{script-supporting elements}$.

If the element is not a child of a dl element: flow content.

20. Error Element style not allowed as child of element div in this context. (Suppressing further errors from this subtree.)

From line 483, column 17; to line 483, column 23

```
</style><style>↔
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with \underline{script} -supporting elements.

If the element is not a child of a dl element: flow content.

21. Error An element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 494, column 2217; to line 494, column 2352

[j4cMjkr5"><a class="_39Glgtoolpdt4PIzcnjPSW
_3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G
_1IKtbRloF_LV1hPqMzP3MC" role="menuitem" href="/hot/"><span

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 494, column 2867; to line 494, column 2978

[/span><a class="_39Glgtoolpdt4PIzcnjPSW

_3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G" role="menuitem" href="/new/"><span

23. Error An element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

```
From line 494, column 3481; to line 494, column 3602
    /span></a><a class="_39Glqtoolpdt4PIzcnjPSW
    _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G" role="menuitem"
    href="/controversial/"><span</pre>
    Error An element with role=menuitem must be contained in, or owned
24.
    by, an element with role=menubar or role=menu :
    From line 494, column 3931; to line 494, column 4042
     /span></a><a class="_39Glgtoolpdt4PIzcnjPSW
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G" role="menuitem"
    href="/top/"><span
25.
    Error An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu
    From line 494, column 4551; to line 494, column 4665
    /span></a><a class="_39Glgtoolpdt4PIzcnjPSW
    href="/rising/"><span
26.
     Error An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 5597; to line 494, column 5700
     kr5"><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
27.
    Error An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 5776; to line 494, column 5879
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
    Error An element with role=menuitem must be contained in, or owned
28.
    by, an element with role=menubar or role=menu.
    From line 494, column 5958; to line 494, column 6061
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
29.
     Error | An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 6136; to line 494, column 6239
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
30.
    Error An element with role=menuitem; must be contained in, or owned
    by, an element with | role=menubar | or | role=menu |.
    From line 494, column 6314; to line 494, column 6417
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
31.
    Error An element with role=menuitem; must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 6491; to line 494, column 6594
    //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
    Error An element with role=menuitem must be contained in, or owned
32.
    by, an element with role=menubar or role=menu
    From line 494, column 6666; to line 494, column 6769
    //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
    _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           An element with role=menuitem; must be contained in, or owned
33.
     Error
    by, an element with role=menubar or role=menu.
    From line 494, column 6840; to line 494, column 6943
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
34.
     Error | An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu
    From line 494, column 7017; to line 494, column 7120
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf __1oYEKCssGFjqxQ9jJMNj5G"><span
35.
     Error | An element with | role=menuitem | must be contained in, or owned
    by, an element with | role=menubar | or | role=menu |.
    From line 494, column 7193; to line 494, column 7296
     /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
    _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
    Error An element with role=menuitem must be contained in, or owned
36.
    by, an element with role=menubar or role=menu
    From line 494, column 7376; to line 494, column 7479
    //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
    _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
37.
     Error An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu
    From line 494, column 7552; to line 494, column 7655
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
38.
     Error An element with role=menuitem; must be contained in, or owned
    by, an element with | role=menubar | or | role=menu |.
    From line 494, column 7727; to line 494, column 7830
     /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
     Error | An element with role=menuitem must be contained in, or owned
39.
    by, an element with | role=menubar | or | role=menu | .
    From line 494, column 7903; to line 494, column 8006
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
40.
     Error | An element with role=menuitem must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 8079; to line 494, column 8182
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
41.
    Error An element with role=menuitem; must be contained in, or owned
    by, an element with | role=menubar | or | role=menu |.
    From line 494, column 8253; to line 494, column 8356
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
42.
    Error An element with role=menuitem; must be contained in, or owned
    by, an element with role=menubar or role=menu.
    From line 494, column 8429; to line 494, column 8532
    //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
    Error An element with role=menuitem must be contained in, or owned
43.
    by, an element with role=menubar or role=menu
    From line 494, column 8603; to line 494, column 8706
    //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
    _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           An element with role=menuitem; must be contained in, or owned
44.
    Error
    by, an element with role=menubar or role=menu.
    From line 494, column 8780; to line 494, column 8883
    /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
     _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
45.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu
          From line 494, column 8955; to line 494, column 9058
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
46.
           Error | An element with | role=menuitem | must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 9135; to line 494, column 9238
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
          Error An element with role=menuitem must be contained in, or owned
47.
          by, an element with role=menubar or role=menu.
          From line 494, column 9315; to line 494, column 9418
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
48.
           Error An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
          From line 494, column 9490; to line 494, column 9593
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
49.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 9667; to line 494, column 9770
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error | An element with role=menuitem must be contained in, or owned
50.
          by, an element with | role=menubar | or | role=menu | .
          From line 494, column 9847; to line 494, column 9950
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
51.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 10023; to line 494, column 10126
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
52.
          Error An element with prole=menuitem must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 10198; to line 494, column 10301
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
53.
          Error An element with role=menuitem; must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 10376; to line 494, column 10479
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error An element with role=menuitem must be contained in, or owned
54.
          by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
          From line 494, column 10551; to line 494, column 10654
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
                         An element with role=menuitem; must be contained in, or owned
55.
           Error
          by, an element with role=menubar or role=menu.
          From line 494, column 10726; to line 494, column 10829
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
56.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu
          From line 494, column 10903; to line 494, column 11006
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf __1oYEKCssGFjqxQ9jJMNj5G"><span
57.
           Error | An element with | role=menuitem | must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 11078; to line 494, column 11181
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
          Error An element with role=menuitem must be contained in, or owned
58.
          by, an element with role=menubar or role=menu.
          From line 494, column 11705; to line 494, column 11808
          kr5"><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
59.
           Error An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
          From line 494, column 11884; to line 494, column 11987
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
60.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 12059; to line 494, column 12162
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error | An element with role=menuitem must be contained in, or owned
61.
          by, an element with | role=menubar | or | role=menu | .
          From line 494, column 12235; to line 494, column 12338
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
62.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 12412; to line 494, column 12515
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
63.
          Error An element with prole=menuitem must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 12588; to line 494, column 12691
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
64.
          Error An element with role=menuitem; must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 12767; to line 494, column 12870
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error An element with role=menuitem must be contained in, or owned
65.
          by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
          From line 494, column 12944; to line 494, column 13047
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
                         An element with role=menuitem; must be contained in, or owned
66.
           Error
          by, an element with role=menubar or role=menu.
          From line 494, column 13124; to line 494, column 13227
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
67.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu
          From line 494, column 13313; to line 494, column 13416
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
68.
           Error | An element with | role=menuitem | must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 13490; to line 494, column 13593
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
          Error An element with role=menuitem must be contained in, or owned
69.
          by, an element with role=menubar or role=menu.
          From line 494, column 13666; to line 494, column 13769
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
70.
           Error An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
          From line 494, column 13842; to line 494, column 13945
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
71.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 14017; to line 494, column 14120
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error | An element with role=menuitem must be contained in, or owned
72.
          by, an element with role=menubar or role=menu :
          From line 494, column 14190; to line 494, column 14293
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
73.
            Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 14364; to line 494, column 14467
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
74.
          Error An element with prole=menuitem must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 14541; to line 494, column 14644
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
75.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 14717; to line 494, column 14820
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error An element with role=menuitem must be contained in, or owned
76.
          by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
          From line 494, column 14892; to line 494, column 14995
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
                          An element with role=menuitem; must be contained in, or owned
77.
          by, an element with role=menubar or role=menu.
          From line 494, column 15069; to line 494, column 15172
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
```

_3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span

```
78.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu
          From line 494, column 15247; to line 494, column 15350
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
79.
           Error | An element with | role=menuitem | must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 15429; to line 494, column 15532
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
          Error An element with role=menuitem must be contained in, or owned
80.
          by, an element with role=menubar or role=menu.
          From line 494, column 15606; to line 494, column 15709
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
81.
           Error An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
          From line 494, column 15780; to line 494, column 15883
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
82.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 15957; to line 494, column 16060
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error | An element with role=menuitem must be contained in, or owned
83.
          by, an element with | role=menubar | or | role=menu | .
          From line 494, column 16135; to line 494, column 16238
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
84.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 16312; to line 494, column 16415
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
85.
          Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 16492; to line 494, column 16595
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
86.
          Error An element with role=menuitem; must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 16668; to line 494, column 16771
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error An element with role=menuitem must be contained in, or owned
87.
          by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
          From line 494, column 16851; to line 494, column 16954
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
88.
                         An element with role=menuitem; must be contained in, or owned
           Error
          by, an element with role=menubar or role=menu.
          From line 494, column 17032; to line 494, column 17135
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
89.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu
          From line 494, column 17209; to line 494, column 17312
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
90.
           Error | An element with | role=menuitem | must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 17391; to line 494, column 17494
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
          Error An element with role=menuitem must be contained in, or owned
91.
          by, an element with role=menubar or role=menu.
          From line 494, column 17570; to line 494, column 17673
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
92.
           Error An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
          From line 494, column 17749; to line 494, column 17852
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
93.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 17924; to line 494, column 18027
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error | An element with role=menuitem must be contained in, or owned
94.
          by, an element with | role=menubar | or | role=menu | .
          From line 494, column 18101; to line 494, column 18204
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
95.
           Error | An element with role=menuitem must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 18274; to line 494, column 18377
           /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
96.
          Error An element with prole=menuitem must be contained in, or owned
          by, an element with | role=menubar | or | role=menu |.
          From line 494, column 18451; to line 494, column 18554
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
97.
           Error An element with role=menuitem; must be contained in, or owned
          by, an element with role=menubar or role=menu.
          From line 494, column 18626; to line 494, column 18729
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
           _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
           Error An element with role=menuitem must be contained in, or owned
98.
          by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
          From line 494, column 18807; to line 494, column 18910
          //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
          _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
99.
                         An element with role=menuitem; must be contained in, or owned
           Error
          by, an element with role=menubar or role=menu.
          From line 494, column 18988; to line 494, column 19091
          /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
```

```
100.
             Error | An element with role=menuitem must be contained in, or owned
            by, an element with role=menubar or role=menu
            From line 494, column 19171; to line 494, column 19274
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
              _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
101.
             Error | An element with | role=menuitem | must be contained in, or owned
            by, an element with | role=menubar | or | role=menu |.
            From line 494, column 19352; to line 494, column 19455
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
             Error An element with role=menuitem must be contained in, or owned
102.
            by, an element with role=menubar or role=menu
            From line 494, column 19530; to line 494, column 19633
            //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
             _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
103.
             Error | An element with | role=menuitem | must be contained in, or owned
            by, an element with role=menubar or role=menu and the cole=menu are the cole=menu 
            From line 494, column 19704; to line 494, column 19807
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
              _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
104.
             Error An element with role=menuitem; must be contained in, or owned
            by, an element with | role=menubar | or | role=menu |.
            From line 494, column 19877; to line 494, column 19980
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
             _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
105.
             Error | An element with role=menuitem must be contained in, or owned
            by, an element with | role=menubar | or | role=menu | .
            From line 494, column 20054; to line 494, column 20157
```

```
/div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
              _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
106.
              Error | An element with role=menuitem must be contained in, or owned
            by, an element with role=menubar or role=menu.
            From line 494, column 20230; to line 494, column 20333
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
              _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
107.
             Error An element with role=menuitem; must be contained in, or owned
            by, an element with | role=menubar | or | role=menu |.
            From line 494, column 20409; to line 494, column 20512
             /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
              _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
108.
             Error An element with role=menuitem must be contained in, or owned
            by, an element with role=menubar or role=menu.
            From line 494, column 20587; to line 494, column 20690
            /div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
             _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
             Error An element with role=menuitem must be contained in, or owned
109.
            by, an element with role=menubar or role=menu and the cole=menu are are role=menu ar
            From line 494, column 20769; to line 494, column 20872
            //div><div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
            _3LwUIE7yX7CZQKmD2L87vf _1oYEKCssGFjqxQ9jJMNj5G"><span
110.
             Error Attribute:iconcolor:not allowed on element:img:at this point.
            From line 494, column 22482; to line 494, column 22806
            olitics/"><img style="background-color:#205493" alt="Subreddit
            icon" iconColor="#205493" role="presentation" s...ba7377283df08fc7"
            class="_34CfAAowTqdbNDYXz5tBTW _1WX5Y5qFVBTdr6hCPpARDB
            Attributes for element img:
                  Global attributes
```

```
alt — Replacement text for use when images are not available
         src — Address of the resource
         srcset — Images to use in different situations (e.g., high-resolution displays, small
         monitors, etc.)
         sizes — Image sizes for different page layouts
         crossorigin — How the element handles crossorigin requests
         usemap — Name of image map to use
         ismap — Whether the image is a server-side image map
         width — Horizontal dimension
         height — Vertical dimension
         <u>referrerpolicy</u> — <u>Referrer policy</u> for <u>fetches</u> initiated by the element
         decoding — Decoding hint to use when processing this image for presentation
111.
              Bad value | for attribute | id | on element | span |: An ID must not be
      the empty string.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Duplicate ID : :
112.
       Error
      From line 494, column 24392; to line 494, column 24436
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
       Warning The first occurrence of ID was here.
113.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
       Error Bad value for attribute id on element span: An ID must not be
114.
      the empty string.
      From line 494, column 24392; to line 494, column 24436
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
       Error Duplicate ID : ..
115.
      From line 494, column 24688; to line 494, column 24732
```

```
an></span><span class=" 2y3bja4n4-unxyUrMEFH8C " id=""><span
       Warning The first occurrence of ID; was here.
116.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
              Bad value | for attribute | id | on element | span |: An ID must not be
117.
       Error
      the empty string.
      From line 494, column 24688; to line 494, column 24732
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
118.
       Error Attribute theme not allowed on element div at this point.
      From line 494, column 26050; to line 494, column 26172
      ouse_to/"><div class="_2SdHzo12ISmrC8H86TqSCp _3wqmjmv3tb_k-
      PROt7qFZe " style="--posttitletextcolor:#222222" theme="[object
      Object]"><h3 cl
      Attributes for element <u>div</u>:
         Global attributes
       Error | Element | style | not allowed as child of element | div | in this
119.
      context. (Suppressing further errors from this subtree.)
      From line 496, column 19; to line 496, column 25
            </div><stvle>↔
      Contexts in which element <u>style</u> may be used:
         Where metadata content is expected.
         In a noscript element that is a child of a head element.
      Content model for element div:
         If the element is a child of a dl element: one or more dt elements followed by one or
         more dd elements, optionally intermixed with script-supporting elements.
         If the element is not a child of a dl element: flow content.
120.
              Attribute theme not allowed on element div at this point.
      From line 501, column 138; to line 501, column 238
      id="text"><div theme="[object Object]" style="color:#1A1A1B"</pre>
```

```
class="_292iotee39Lmt0MkQZ2hPV RichTextJSON-root"><p class="_292iotee39Lmt0MkQZ2hPV R
     Attributes for element div:
        Global attributes
121.
      Error An element with role=menuitem must be contained in, or owned
     by, an element with role=menubar or role=menu.
     From line 501, column 15221; to line 501, column 15372
     ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
      122.
            Duplicate ID : :.
      Error
     From line 501, column 19625; to line 501, column 19669
     u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
      Warning The first occurrence of ID; was here.
123.
     From line 494, column 24089; to line 494, column 24133
     u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
124.
            Bad value | | for attribute | id | on element | | span | : An ID must not be
     the empty string.
     From line 501, column 19625; to line 501, column 19669
     u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
            Duplicate ID | |.
125.
      Error
     From line 501, column 19929; to line 501, column 19973
     an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
126.
      Warning The first occurrence of ID | was here.
     From line 494, column 24089; to line 494, column 24133
     u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
            Bad value | for attribute | id | on element | span |: An ID must not be
127.
      Error
     the empty string.
```

```
From line 501, column 19929; to line 501, column 19973
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Duplicate ID
128.
      From line 501, column 20400; to line 501, column 20444
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
129.
      Warning The first occurrence of ID | was here.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Bad value | for attribute | id | on element | span |: An ID must not be
130.
      the empty string.
      From line 501, column 20400; to line 501, column 20444
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Duplicate ID | |.
131.
      Error
      From line 501, column 20883; to line 501, column 20927
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
132.
      Warning The first occurrence of ID; was here.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Bad value | for attribute | id | on element | span |: An ID must not be
133.
      the empty string.
      From line 501, column 20883; to line 501, column 20927
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
134.
            Attribute theme not allowed on element div at this point.
      From line 501, column 21839; to line 501, column 21961
      against/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-
      PROt7qFZe " style="--posttitletextcolor:#222222" theme="[object
      Object]"><h3 cl
```

Attributes for element <u>div</u>:

<u>Global attributes</u>

135. Error Element style not allowed as child of element div in this context. (Suppressing further errors from this subtree.)

From line 503, column 19; to line 503, column 25

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with $\underline{script-supporting elements}$.

If the element is not a child of a dl element: flow content.

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 508, column 3445; to line 508, column 3596

[ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK _ 3tRpmsTw--cwH6_MA03Z0m _3yh2bniLq7bYr4BaiXowd0
_2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><span

In at this point.

From line 508, column 5717; to line 508, column 5984

[/r/news/"><img style="background-color:#0079D3" alt="Subreddit icon" iconColor="#0079D3" role="presentation" s...0eff-UpNJeb0.png" class="_34CfAAowTqdbNDYXz5tBTW _1wX5Y5qFVBTdr6hCPpARDB

Attributes for element img:

Global attributes

alt — Replacement text for use when images are not available src — Address of the resource

srcset — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)

sizes — Image sizes for different page layouts

```
crossorigin — How the element handles crossorigin requests
         usemap — Name of image map to use
         ismap — Whether the image is a server-side image map
         width — Horizontal dimension
         height — Vertical dimension
         referrerpolicy — Referrer policy for fetches initiated by the element
         decoding — Decoding hint to use when processing this image for presentation
138.
            Duplicate ID : .
       Error
      From line 508, column 7063; to line 508, column 7107
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
      Warning The first occurrence of ID was here.
139.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Bad value | for attribute | id | on element | span |: An ID must not be
140.
      the empty string.
      From line 508, column 7063; to line 508, column 7107
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
      Error Duplicate ID
141.
      From line 508, column 7366; to line 508, column 7410
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
142.
      Warning The first occurrence of ID | was here.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
             Bad value for attribute id on element span: An ID must not be
143.
      the empty string.
      From line 508, column 7366; to line 508, column 7410
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
```

```
Duplicate ID
144.
       Error
      From line 508, column 7661; to line 508, column 7705
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
       warning The first occurrence of ID | was here.
145.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
              Bad value | for attribute | id | on element | span |: An ID must not be
146.
      the empty string.
      From line 508, column 7661; to line 508, column 7705
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
       Error Attribute theme not allowed on element div at this point.
147.
      From line 508, column 8263; to line 508, column 8385
      inquiry/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-
      PROt7qFZe " style="--posttitletextcolor:#222222" theme="[object
      Object]"><h3 cl
      Attributes for element div:
         Global attributes
       Error Element style not allowed as child of element div in this
148.
      context. (Suppressing further errors from this subtree.)
      From line 510, column 19; to line 510, column 25
            </div><style>↔
      Contexts in which element <a href="mailto:style">style</a> may be used:
         Where metadata content is expected.
         In a noscript element that is a child of a head element.
      Content model for element <u>div</u>:
         If the element is a child of a dl element: one or more dt elements followed by one or
         more dd elements, optionally intermixed with script-supporting elements.
         If the element is not a child of a dl element: flow content.
              An element with role=menuitem must be contained in, or owned
149.
       Error
```

```
by, an element with role=menubar; or role=menu;
      From line 515, column 3337; to line 515, column 3488
      ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
      _3tRpmsTw--cwH6_MAO3ZOm _3yh2bniLq7bYr4BaiXowd0
      _2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><span
150.
            Attribute iconcolor not allowed on element img at this point.
      From line 515, column 5354; to line 515, column 5619
      kReddit/"><img style="background-color:#646D73" alt="Subreddit
      icon" iconColor="#646D73" role="presentation" s...ijjpyw1qe201.png"
      class="_34CfAAowTqdbNDYXz5tBTW _1WX5Y5qFVBTdr6hCPpARDB
      Attributes for element <u>img</u>:
         Global attributes
         alt — Replacement text for use when images are not available
         src — Address of the resource
         srcset — Images to use in different situations (e.g., high-resolution displays, small
         monitors, etc.)
         sizes — Image sizes for different page layouts
         crossorigin — How the element handles crossorigin requests
         usemap — Name of image map to use
         ismap — Whether the image is a server-side image map
         width — Horizontal dimension
         height — Vertical dimension
         referrerpolicy — Referrer policy for fetches initiated by the element
         decoding — Decoding hint to use when processing this image for presentation
            Duplicate ID | |.
151.
      Error
      From line 515, column 6725; to line 515, column 6769
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
```

The first occurrence of ID was here.

From line 494, column 24089; to line 494, column 24133

u8uD-70 "><span

```
153.
             Bad value | for attribute | id | on element | span |: An ID must not be
      the empty string.
      From line 515, column 6725; to line 515, column 6769
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
154.
       Error
             Duplicate ID : :.
      From line 515, column 6997; to line 515, column 7041
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
      warning The first occurrence of ID; was here.
155.
      From line 494, column 24089; to line 494, column 24133
      u8uD-70 "><span class="_2y3bja4n4-unxyUrMEFH8C " id=""><span
      Error Bad value | for attribute id on element span : An ID must not be
156.
      the empty string.
      From line 515, column 6997; to line 515, column 7041
      an></span><span class="_2y3bja4n4-unxyUrMEFH8C" id=""><span
157.
            Attribute: theme: not allowed on element: div: at this point.
      From line 515, column 8336; to line 515, column 8458
       _a_step/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-
      PROt7qFZe " style="--posttitletextcolor:#222222" theme="[object
      Object]"><h3 cl
      Attributes for element <u>div</u>:
         Global attributes
             Element style not allowed as child of element div in this
158.
      Error
      context. (Suppressing further errors from this subtree.)
      From line 517, column 19; to line 517, column 25
           </div><style>↩
      Contexts in which element <a href="style">style</a> may be used:
         Where metadata content is expected.
         In a noscript element that is a child of a head element.
      Content model for element div:
```

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with <u>script-supporting elements</u>.

If the element is not a child of a $\underline{d1}$ element: <u>flow content</u>.

Error An element with role=menuitem must be contained in, or owned 159. **by, an element with** | role=menubar | **or** | role=menu |. From line 522, column 1615; to line 522, column 1766 ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK _2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><img style="background-color:#FF4500" alt="Subreddit icon" iconColor="#FF4500" role="presentation" s...0lh12p7icb11.png" class="_34CfAAowTqdbNDYXz5tBTW _1WX5Y5qFVBTdr6hCPpARDB Attributes for element <u>img</u>: Global attributes alt — Replacement text for use when images are not available src — Address of the resource srcset — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.) sizes — Image sizes for different page layouts crossorigin — How the element handles crossorigin requests usemap — Name of image map to use ismap — Whether the image is a server-side image map width — Horizontal dimension height — Vertical dimension referrerpolicy — Referrer policy for fetches initiated by the element decoding — Decoding hint to use when processing this image for presentation

161. Error Attribute theme not allowed on element div at this point. From line 522, column 6038; to line 522, column 6160

```
ynamics/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-PR0t7qFZe " style="--posttitletextcolor:#222222" theme="[object Object]"><h3 cl Attributes for element div:
```

162. Error Element style not allowed as child of element div in this context. (Suppressing further errors from this subtree.)

From line 524, column 19; to line 524, column 25

</div><style>↔

Contexts in which element <u>style</u> may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

<u>src</u> — Address of the resource

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with $\underline{script-supporting elements}$.

If the element is not a child of a dl element: flow content.

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 529, column 2146; to line 529, column 2297

[ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK _ 3tRpmsTw--cwH6_MA03Z0m _ 3yh2bniLq7bYr4BaiXowd0

_2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><span

164. Error Attribute iconcolor not allowed on element img at this point.

From line 529, column 4236; to line 529, column 4560

[olitics/"><img style="background-color:#205493" alt="Subreddit icon" iconColor="#205493" role="presentation" s...ba7377283df08fc7" class="_34CfAAowTqdbNDYXz5tBTW _1WX5Y5qFVBTdr6hCPpARDB

Attributes for element img:

Global attributes

alt — Replacement text for use when images are not available

```
srcset — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.)
sizes — Image sizes for different page layouts
crossorigin — How the element handles crossorigin requests
usemap — Name of image map to use
ismap — Whether the image is a server-side image map
width — Horizontal dimension
height — Vertical dimension
referrer policy — Referrer policy for fetches initiated by the element
decoding — Decoding hint to use when processing this image for presentation
```

```
165. Error Attribute theme not allowed on element div at this point.

From line 529, column 5974; to line 529, column 6096

[_trying/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-PR0t7qFZe " style="--posttitletextcolor:#222222" theme="[object Object]"><h3 cl
Attributes for element div:
Global attributes
```

```
Error Element style not allowed as child of element div in this context. (Suppressing further errors from this subtree.)

From line 531, column 19; to line 531, column 25

Contexts in which element style may be used:
Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a dl element: one or more dt elements followed by one or more dd elements, optionally intermixed with script-supporting elements.

If the element is not a child of a dl element: flow content.
```

```
167. Error Element img is missing required attribute src.

From line 536, column 2073; to line 536, column 2241

[</i></div><img alt="Sources: Pelosi says Trump called her today"
```

```
trying to ' work something out' about whistleblower
      complaint" class="_25ZOvQhQdAqwdxPd5z-KFB hiddenImg"/></div>
      Attributes for element img:
        Global attributes
        alt — Replacement text for use when images are not available
        src — Address of the resource
        srcset — Images to use in different situations (e.g., high-resolution displays, small
        monitors, etc.)
        sizes — Image sizes for different page layouts
        crossorigin — How the element handles crossorigin requests
        usemap — Name of image map to use
        ismap — Whether the image is a server-side image map
        width — Horizontal dimension
        height — Vertical dimension
        referrerpolicy — Referrer policy for fetches initiated by the element
        decoding — Decoding hint to use when processing this image for presentation
168.
      Error An element with role=menuitem must be contained in, or owned
      by, an element with role=menubar or role=menu.
      From line 536, column 3830; to line 536, column 3981
      ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK
      _3tRpmsTw--cwH6_MAO3ZOm _3yh2bniLq7bYr4BaiXowd0
      _2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><span |
      Error Attribute theme not allowed on element div at this point.
169.
      From line 536, column 9183; to line 536, column 9305
      ll_said/"><div class="_2SdHzo12ISmrC8H86TgSCp _3wqmjmv3tb_k-
      PROt7qFZe " style="--posttitletextcolor:#222222" theme="[object
      Object]"><h3 cl
      Attributes for element div:
        Global attributes
             Element style not allowed as child of element div in this
170.
      Error
```

```
context. (Suppressing further errors from this subtree.)
```

```
From line 538, column 19; to line 538, column 25
```

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a $\underline{d1}$ element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with <u>script-supporting elements</u>.

If the element is not a child of a <u>dl</u> element: <u>flow content</u>.

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu .

From line 543, column 2596; to line 543, column 2747

[ton></div><button role="menuitem" class="_10K5i7NW6qcm-UoCtpB3aK _ 3tRpmsTw--cwH6_MA03Z0m _ 3yh2bniLq7bYr4BaiXowd0

_2sAFaB0tx4Hd5KxVkdUcAx _3sUJGnemgtNczijwoT8PGg"><span

172. Error Element $\left[\frac{\text{div}}{\text{lin}}\right]$ not allowed as child of element $\left[\frac{\text{ol}}{\text{lin}}\right]$ in this context.

(Suppressing further errors from this subtree.)

From line 543, column 4978; to line 543, column 5014

</div><div class="_2jtVdXcFC3Ioe3B_hXF5Eh"><span

Contexts in which element <u>div</u> may be used:

Where <u>flow content</u> is expected.

As a child of a dl element.

Content model for element o1:

Zero or more <u>li</u> and <u>script-supporting</u> elements.

173. Error Element $\left[\frac{div}{div}\right]$ not allowed as child of element $\left[\frac{ol}{ol}\right]$ in this context.

(Suppressing further errors from this subtree.)

From line 543, column 5109; to line 543, column 5145

pan></div><div class="_2jtVdXcFC3Ioe3B_hXF5Eh"><span

Contexts in which element <u>div</u> may be used:

Where **flow content** is expected.

```
As a child of a dl element.
      Content model for element o1:
         Zero or more li and script-supporting elements.
       Error Element div not allowed as child of element oli in this context.
174.
      (Suppressing further errors from this subtree.)
      From line 543, column 5240; to line 543, column 5276
      pan></div><div class="_2jtVdXcFC3Ioe3B_hXF5Eh"><span
      Contexts in which element <u>div</u> may be used:
         Where flow content is expected.
         As a child of a d1 element.
      Content model for element ol:
         Zero or more li and script-supporting elements.
              Element div not allowed as child of element oli in this context.
175.
       Error
      (Suppressing further errors from this subtree.)
      From line 543, column 5371; to line 543, column 5407
      pan></div><div class="_2jtVdXcFC3Ioe3B_hXF5Eh"><span
      Contexts in which element <u>div</u> may be used:
         Where <u>flow content</u> is expected.
         As a child of a dl element.
      Content model for element o1:
         Zero or more 1i and script-supporting elements.
176.
              Element | div | not allowed as child of element | o1 | in this context.
      (Suppressing further errors from this subtree.)
      From line 543, column 5502; to line 543, column 5538
      pan></div><div class="_2jtVdXcFC3Ioe3B_hXF5Eh"><span
      Contexts in which element div may be used:
         Where <u>flow content</u> is expected.
         As a child of a dl element.
      Content model for element o1:
         Zero or more 1i and script-supporting elements.
       Warning Empty heading.
177.
```

```
From line 550, column 90; to line 550, column 125 \label{eq:h5c1q4KF''} H5C1q4KF''>< h2 \ class="\_10WwrR6QeKoqfxT3UBj0Qq"></h2><
```

178. **Error** | **Element** | **img** | **is missing required attribute** | src | From line 550, column 938; to line 550, column 1042 :#EDEFF1"></div> Attributes for element img: **Global attributes** alt — Replacement text for use when images are not available src — Address of the resource srcset — Images to use in different situations (e.g., high-resolution displays, small monitors, etc.) sizes — Image sizes for different page layouts crossorigin — How the element handles crossorigin requests usemap — Name of image map to use ismap — Whether the image is a server-side image map width — Horizontal dimension height — Vertical dimension referrerpolicy — Referrer policy for fetches initiated by the element decoding — Decoding hint to use when processing this image for presentation


```
sizes — Image sizes for different page layouts
crossorigin — How the element handles crossorigin requests
usemap — Name of image map to use
ismap — Whether the image is a server-side image map
width — Horizontal dimension
height — Vertical dimension
referrerpolicy — Referrer policy for fetches initiated by the element
decoding — Decoding hint to use when processing this image for presentation
```

180. Error Element $[\underline{style}]$ not allowed as child of element $[\underline{div}]$ in this context. (Suppressing further errors from this subtree.)

From line 550, column 26347; to line 550, column 26353

div></div><style>:root

Contexts in which element style may be used:

Where metadata content is expected.

In a noscript element that is a child of a head element.

Content model for element div:

If the element is a child of a \underline{dl} element: one or more \underline{dt} elements followed by one or more \underline{dd} elements, optionally intermixed with \underline{script} -supporting elements.

If the element is not a child of a dl element: flow content.

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 494, column 1408; to line 494, column 1564

[CaMD0eB "><button role="menuitem" id="ListingSort--SortPicker" class="_10K5i7NW6qcm-UoCtpB3aK _3LwUIE7yX7CZQKmD2L87vf _1gYorLdXyKMUS-i9loCkHd _1IKtbRloF_LV1hPqMzP3MC"><span

by, an element with role=menuitem must be contained in, or owned by, an element with role=menubar or role=menu.

From line 494, column 5228; to line 494, column 5391

[CaMD0eB "><button role="menuitem" id="CountrySort--CountrySort--CountrySortPicker" class="_10K5i7NW6qcm-UoCtpB3aK

_1gYorLdXyKMUS-i9loCkHd _1IKtbRloF_LV1hPqMzP3MC"><span

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 2204 milliseconds.

About this checker • Report an issue • Version: 19.9.17