Set Tayo Ng Date Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by: Bandong, Arvin Bariring, Edward James Rosales, Kyle

In partial fulfillment of academic requirements for the course CS 191 Software Engineering I of the 1st Semester, AY <2016-2017>

System: Set Tayo Ng Date Page 1
Version: 1.0 Group: Manifold Cheddar

Unique Reference:

The documents are stored in the https://github.com/DarkPotatoKing/cs-191-192-repo

Document Purpose:

The purpose of this document is to describe what happens when a user tries to delete an existing or nonexisting schedule table of a certain person.

Target Audience:

The target audience for this document is the user who wants to delete a certain schedule table.

Revision Control

History Revision:

Revision	Person	Version	Modification
Date	Responsible	Number	
09/29/16	Arvin Bandong	1.0	Initial Document

Use-Case Name: Use-Case 1.3 Delete Schedule

Description: The user can delete any existing schedule table. He can either search the name

> of the person that he wishes to delete, or manually scan it from the list. After finding the desired schedule table, he can now click the "Delete" button and a confirmation message will appear. Deletion will proceed if "Yes" is selected and it

will be canceled if "No" is selected.

Preconditions: There should be at least 1 schedule in the database to use Delete.

Flow of Events:


Scenario Name	Description
Scenario 1 (Basic Flow)	1. User picks a table that he wishes to delete.
User manually searches the	2. User scans the list of tables until he finds the one he wishes to delete.
table and confirms the	3. User should click the table of that person.
deletion	4. User clicks "Delete" button.
	5. A confirmation message will flash.
	6. User clicks "Yes" button.
	7. A message indicating that deletion is complete will be shown.

System: Set Tayo Ng Date Page 2 Version: 1.0 Group: Manifold Cheddar

User picks a table that he wishes to delete.		
2. User scans the list of tables until he finds the one he wishes to delete.		
3. User should click the table of that person.		
4. User clicks "Delete" button.		
5. A confirmation message will flash.		
6. User clicks "No" button.		
7. A message indicating that deletion is cancelled will be shown.		
User picks a table that he wishes to delete.		
2. User inputs the name of that person in the search bar.		
3. A message indicating that no such name exists will be shown.		
User picks a table that he wishes to delete.		
2. User inputs the name of that person in the search bar.		
3. A list of tables that matches with the name being searched will be shown.		
4. User should click the table of that specific person.		
5. User clicks "Delete" button.		
6. A confirmation message will flash.		
7. User clicks "Yes" button.		
8. A message indicating that deletion is complete will be shown.		
User picks a table that he wishes to delete.		
2. User inputs the name of that person in the search bar.		
3. A list of tables that matches with the name being searched will be shown.		
4. User should click the table of that specific person.		
5. User clicks "Delete" button.		
6. A confirmation message will flash.		
7. User clicks "No" button.		
8. A message indicating that deletion is cancelled will be shown.		

System: Set Tayo Ng Date Page 3
Version: 1.0 Group: Manifold Cheddar

Activity Diagram of the Flow of Events:



System: Set Tayo Ng Date Page 4
Version: 1.0 Group: Manifold Cheddar

Postcondition: NONE

Relationships: NONE

Special Requirements: NONE

System: Set Tayo Ng Date Page 5
Version: 1.0 Group: Manifold Cheddar