

MySQL Task Advance Python :

```
mysql> create database giet;  
Query OK, 1 row affected (0.11 sec)
```

```
mysql> use giet;  
Database changed  
mysql> create table giet(roll_no varchar(10) primary key, name varchar(20) not null, address  
varchar(30) not null, designation varchar(30) not null, salary integer(50), gender char(6));  
Query OK, 0 rows affected, 1 warning (0.14 sec)
```

```
mysql> insert into giet values(100,'shashi','Ranchi','SDE',1200000,'M');  
Query OK, 1 row affected (0.05 sec)
```

```
mysql> desc giet  
-> desc giet;  
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that  
corresponds to your MySQL server version for the right syntax to use near 'desc giet' at line  
2
```

```
mysql> select * from giet;  
+-----+-----+-----+-----+-----+-----+  
| roll_no | name  | address | designation | salary | gender |  
+-----+-----+-----+-----+-----+-----+  
| 100    | shashi | Ranchi  | SDE        | 1200000 | M      |  
+-----+-----+-----+-----+-----+-----+  
1 row in set (0.03 sec)
```

```
mysql> insert into giet values(101,'Manish','Ramgarh','IT',100000,'M');insert into giet  
values(102,'Mohit','Tata','AWS',100000,'M');  
Query OK, 1 row affected (0.04 sec)
```

```
Query OK, 1 row affected (0.00 sec)
```

```
mysql> select * from giet;  
+-----+-----+-----+-----+-----+-----+  
| roll_no | name  | address | designation | salary | gender |  
+-----+-----+-----+-----+-----+-----+  
| 100    | shashi | Ranchi  | SDE        | 1200000 | M      |  
| 101    | Manish | Ramgarh | IT         | 100000  | M      |  
| 102    | Mohit  | Tata   | AWS        | 100000  | M      |  
+-----+-----+-----+-----+-----+-----+  
3 rows in set (0.00 sec)
```

```
mysql> insert into giet values(103,'Rajdeep','Behrampur','Biology',80000,'M');insert into giet  
values(104,'Swayam','Puri','Team lead',80000,'M');  
Query OK, 1 row affected (0.01 sec)
```

Query OK, 1 row affected (0.01 sec)

```
mysql> insert into giet values(105,'Sneha','Mumbai','Surgon',150000,'F');insert into giet
values(106,'Supriya','Patna','Doctor',90000,'F');
```

Query OK, 1 row affected (0.04 sec)

Query OK, 1 row affected (0.01 sec)

```
mysql> select * from giet;
```

roll_no	name	address	designation	salary	gender
100	shashi	Ranchi	SDE	1200000	M
101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M
105	Sneha	Mumbai	Surgon	150000	F
106	Supriya	Patna	Doctor	90000	F

7 rows in set (0.00 sec)

```
mysql> insert into giet values(107,'Ravi','Bihar','Inspector',100000,'M');insert into giet
values(108,'Piyush','Banglore','BussinessMan',1000000,'M');
```

Query OK, 1 row affected (0.04 sec)

Query OK, 1 row affected (0.01 sec)

```
mysql> select * from giet;
```

roll_no	name	address	designation	salary	gender
100	shashi	Ranchi	SDE	1200000	M
101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M
105	Sneha	Mumbai	Surgon	150000	F
106	Supriya	Patna	Doctor	90000	F
107	Ravi	Bihar	Inspector	100000	M
108	Piyush	Banglore	BussinessMan	1000000	M

9 rows in set (0.00 sec)

```
mysql> insert into giet values(109,'Geetanjali','Delhi','IAS',900000,'F');insert into giet
values(110,'Anushka','Hazaribagh','Nurse',500000,'F');
```

Query OK, 1 row affected (0.01 sec)

Query OK, 1 row affected (0.01 sec)

mysql> select * from giet;

roll_no	name	address	designation	salary	gender
100	shashi	Ranchi	SDE	1200000	M
101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M
105	Sneha	Mumbai	Surgon	150000	F
106	Supriya	Patna	Doctor	90000	F
107	Ravi	Bihar	Inspector	100000	M
108	Piyush	Banglore	BussinessMan	1000000	M
109	Geetanjali	Delhi	IAS	900000	F
110	Anushka	Hazaribagh	Nurse	500000	F

11 rows in set (0.00 sec)

mysql> select * from giet;

roll_no	name	address	designation	salary	gender
100	shashi	Ranchi	SDE	1200000	M
101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M
105	Sneha	Mumbai	Surgon	150000	F
106	Supriya	Patna	Doctor	90000	F
107	Ravi	Bihar	Inspector	100000	M
108	Piyush	Banglore	BussinessMan	1000000	M
109	Geetanjali	Delhi	IAS	900000	F
110	Anushka	Hazaribagh	Nurse	500000	F

11 rows in set (0.00 sec)

mysql> select name from giet;

name
shashi
Manish
Mohit
Rajdeep
Swayam

Sneha	
Supriya	
Ravi	
Piyush	
Geetanjali	
Anushka	

+-----+

11 rows in set (0.00 sec)

mysql> select name,address from giet;

+-----+-----+

name	address	
------	---------	--

+-----+-----+

shashi	Ranchi	
Manish	Ramgarh	
Mohit	Tata	
Rajdeep	Behrampur	
Swayam	Puri	
Sneha	Mumbai	
Supriya	Patna	
Ravi	Bihar	
Piyush	Bangalore	
Geetanjali	Delhi	
Anushka	Hazaribagh	

+-----+-----+

11 rows in set (0.00 sec)

mysql> select roll_no,salary from giet;

+-----+-----+

roll_no	salary	
---------	--------	--

+-----+-----+

100	1200000	
101	100000	
102	100000	
103	80000	
104	80000	
105	150000	
106	90000	
107	100000	
108	1000000	
109	900000	
110	500000	

+-----+-----+

11 rows in set (0.00 sec)

mysql> select * from giet where name='Piyush';

+-----+-----+-----+-----+-----+-----+

roll_no	name	address	designation	salary	gender	
---------	------	---------	-------------	--------	--------	--

```

+-----+-----+-----+-----+-----+-----+
| 108   | Piyush | Bangalore | BussinessMan | 1000000 | M   |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> select * from giet where address='delhi';
+-----+-----+-----+-----+-----+-----+
| roll_no | name      | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 109     | Geetanjali | Delhi   | IAS         | 900000 | F      |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> select * from giet where gender='M';
+-----+-----+-----+-----+-----+-----+
| roll_no | name      | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 100     | shashi    | Ranchi  | SDE         | 1200000 | M      |
| 101     | Manish    | Ramgarh | IT          | 100000  | M      |
| 102     | Mohit     | Tata    | AWS         | 100000  | M      |
| 103     | Rajdeep   | Behrampur | Biology     | 80000   | M      |
| 104     | Swayam    | Puri    | Team lead   | 80000   | M      |
| 107     | Ravi      | Bihar   | Inspector   | 100000  | M      |
| 108     | Piyush    | Bangalore | BussinessMan | 1000000 | M      |
+-----+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)

```

```

mysql> select * from giet where designation='Doctor';
+-----+-----+-----+-----+-----+-----+
| roll_no | name      | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 106     | Supriya   | Patna   | Doctor      | 90000   | F      |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> select * from giet where salary=150000;
+-----+-----+-----+-----+-----+-----+
| roll_no | name      | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 105     | Sneha     | Mumbai  | Surgon      | 150000  | F      |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

```

```

mysql> select * from giet where salary>=100000;
+-----+-----+-----+-----+-----+-----+
| roll_no | name      | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 100     | shashi    | Ranchi  | SDE         | 1200000 | M      |

```

101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
105	Sneha	Mumbai	Surgon	150000	F
107	Ravi	Bihar	Inspector	100000	M
108	Piyush	Banglore	BussinessMan	1000000	M
109	Geetanjali	Delhi	IAS	900000	F
110	Anushka	Hazaribagh	Nurse	500000	F

8 rows in set (0.00 sec)

```
mysql> select * from giet where salary<100000;
```

roll_no	name	address	designation	salary	gender
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M
106	Supriya	Patna	Doctor	90000	F

3 rows in set (0.00 sec)

```
mysql> select * from giet where gender='M' and salary>100000;
```

roll_no	name	address	designation	salary	gender
100	shashi	Ranchi	SDE	1200000	M
108	Piyush	Banglore	BussinessMan	1000000	M

2 rows in set (0.00 sec)

```
mysql> select * from giet where gender='F' or address='Hazaribagh';
```

roll_no	name	address	designation	salary	gender
105	Sneha	Mumbai	Surgon	150000	F
106	Supriya	Patna	Doctor	90000	F
109	Geetanjali	Delhi	IAS	900000	F
110	Anushka	Hazaribagh	Nurse	500000	F

4 rows in set (0.00 sec)

```
mysql> select * from giet where name='%A';
```

Empty set (0.00 sec)

```
mysql> select name from giet where name Like 'A%';
```

name
Anushka

```
+-----+
1 row in set (0.03 sec)
```

```
mysql> select name from giet where name Like '%h' ;
```

```
+-----+
| name |
+-----+
| Manish |
| Piyush |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from giet where address='%pur%';
Empty set (0.00 sec)
```

```
mysql> select * from giet where address like '%pur%';
```

```
+-----+-----+-----+-----+-----+-----+
| roll_no | name | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 103 | Rajdeep | Behrampur | Biology | 80000 | M |
| 104 | Swayam | Puri | Team lead | 80000 | M |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from giet order by name ASC;
```

```
+-----+-----+-----+-----+-----+-----+
| roll_no | name | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 110 | Anushka | Hazaribagh | Nurse | 500000 | F |
| 109 | Geetanjali | Delhi | IAS | 900000 | F |
| 101 | Manish | Ramgarh | IT | 100000 | M |
| 102 | Mohit | Tata | AWS | 100000 | M |
| 108 | Piyush | Bangalore | BussinessMan | 1000000 | M |
| 103 | Rajdeep | Behrampur | Biology | 80000 | M |
| 107 | Ravi | Bihar | Inspector | 100000 | M |
| 100 | shashi | Ranchi | SDE | 1200000 | M |
| 105 | Sneha | Mumbai | Surgon | 150000 | F |
| 106 | Supriya | Patna | Doctor | 90000 | F |
| 104 | Swayam | Puri | Team lead | 80000 | M |
+-----+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

```
mysql> select * from giet order by salary DESC;
```

```
+-----+-----+-----+-----+-----+-----+
| roll_no | name | address | designation | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 100 | shashi | Ranchi | SDE | 1200000 | M |
| 108 | Piyush | Bangalore | BussinessMan | 1000000 | M |
```

109	Geetanjali	Delhi	IAS	900000	F
110	Anushka	Hazaribagh	Nurse	500000	F
105	Sneha	Mumbai	Surgon	150000	F
101	Manish	Ramgarh	IT	100000	M
102	Mohit	Tata	AWS	100000	M
107	Ravi	Bihar	Inspector	100000	M
106	Supriya	Patna	Doctor	90000	F
103	Rajdeep	Behrampur	Biology	80000	M
104	Swayam	Puri	Team lead	80000	M

11 rows in set (0.00 sec)

```
mysql> select count(*) from giet;
```

count(*)
11

1 row in set (0.05 sec)

```
mysql> select count(*) from giet where gender='M';
```

count(*)
7

1 row in set (0.03 sec)