

Started on Friday, 2 February 2024, 11:13 AM

State Finished

Completed on Friday, 2 February 2024, 11:27 AM

Time taken 13 mins 48 secs

Grade **14.00** out of 18.00 (78%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select all those that are not non linear data structure from the given options.

☐ a. [Array](#)

☒ b. Graph



☐ c. Linked List

☒ d. [Tree](#)



Your answer is correct.

The correct answers are:

Graph,

[Tree](#)

Question **2**

Correct

Mark 1.00 out of 1.00

Search complexity of Binary search is _____.

☐ a. $O(n \log n)$

☐ b. $O(n^1)$

☐ c. $O(1)$

☐ d. None of these

☒ e. $O(\log n)$



Your answer is correct.

The correct answer is:

$O(\log n)$

Question **3**

Correct

Mark 1.00 out of 1.00

Binary search algorithm cannot be applied to _____.

- ☐ a. sorted binary [trees](#)
- ☐ b. sorted linked list
- ☐ c. None of these
- ☐ d. sorted linear [array](#).
- ☒ e. Pointer [array](#).



Your answer is correct.

The correct answer is: Pointer [array](#).

Question **4**

Incorrect

Mark 0.00 out of 1.00

How much memory does a boolean variable occupy?

- ☐ a. 2 Byte
- ☒ b. 1 Byte
- ☐ c. 2 Bits
- ☐ d. None of these
- ☐ e. 1 Bit



Your answer is incorrect.

The correct answer is:
1 Bit

Question **5**

Correct

Mark 1.00 out of 1.00

Consider the student records of your class sorted in student id order. How much time it will take to search a student name with student id x.

- ☐ a. $O(n)$
- ☐ b. $O(1)$
- ☐ c. $O(\log \log n)$
- ☒ d. $O(\log n)$



Your answer is correct.

The correct answer is:

$O(\log n)$

Question **6**

Correct

Mark 1.00 out of 1.00

Time Complexity of obtaining n rectangles by folding paper once in each operation is?

- ☐ a. $O(n^1)$
- ☒ b. $O(\log n)$
- ☐ c. None of these
- ☐ d. $O(n \log n)$
- ☐ e. $O(1)$



Your answer is correct.

The correct answer is:

$O(\log n)$

Question **7**

Incorrect

Mark 0.00 out of 1.00

Which of the following statements is/are not correct about Garbage Collection in JAVA?

- ☐ a. Removes referenced objects from [heap](#) memory.
- ☒ b. It is an automatic process. ✗
- ☒ c. It makes memory management efficient. ✗
- ☐ d. Process of reclaiming the runtime used memory by destroying the unused objects.

Your answer is incorrect.

The correct answers are:

Removes referenced objects from [heap](#) memory.,

Process of reclaiming the runtime used memory by destroying the unused objects.

Question **8**

Incorrect

Mark 0.00 out of 1.00

Which of the following is/are not correct?

- ☒ a. The total number of uniquely identifiable locations in memory is called the address space. ✗
- ☐ b. Each computer instruction consists of sixteen bits divided into four 4-bit fields.
- ☐ c. 20 bits are needed to address any single word in memory if the computer has 8 MB of memory and each word in this computer is 8 bytes.
- ☐ d. The operand (s) specifies the type of operation to be performed on the opcode.

Your answer is incorrect.

The correct answer is:

The operand (s) specifies the type of operation to be performed on the opcode.

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following kind of function represent running time of an algorithm?

- ☒ a. Increasing function
- ☐ b. Decreasing function
- ☐ c. Both (a) and (b)
- ☐ d. None (a) and (b)



Your answer is correct.

The correct answer is:
Increasing function

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following are linear data structures?

- ☐ a. Linked List
- ☐ b. Queue
- ☐ c. [Stack](#)
- ☒ d. All of these
- ☐ e. [Array](#)



Your answer is correct.

The correct answer is:
All of these

Question **11**

Correct

Mark 1.00 out of 1.00

What does Big Oh notation represents?

- ☒ a. Maximum time required to run a program
- ☐ b. Minimum time required to run a program.
- ☐ c. Average time required to run a program
- ☐ d. None of the above.
- ☐ e. All of these



Your answer is correct.

The correct answer is:

Maximum time required to run a program

Question **12**

Correct

Mark 1.00 out of 1.00

In Java the data type *char* is commonly

- ☐ a. 8-bit Unicode character
- ☒ b. 16-bit Unicode character
- ☐ c. 32-bit Unicode character
- ☐ d. 64-bit Unicode character
- ☐ e. None of these



Your answer is correct.

The correct answer is:

16-bit Unicode character

Question 13

Correct

Mark 1.00 out of 1.00

Given an [array](#) $s = \{"Gujrat", "Odisha", "Kashmir", "Tamilnadu"\}$, what shall be output of the code fragment `System.out.println("s = " + Arrays.toString(s));`

- ☐ a. $s = [GOKT]$
- ☐ b. $s = [GujratOdishaKashmirTamilnadu]$
- ☒ c. $s = [Gujrat, Odisha, Kashmir, Tamilnadu]$
- ☐ d. $s = [G, O, K, T]$



Your answer is correct.

The correct answer is:

$s = [Gujrat, Odisha, Kashmir, Tamilnadu]$

Question 14

Incorrect

Mark 0.00 out of 1.00

What is the asymptotic relation between functions $f(n) = \sqrt{n}$ and $g(n) = (\log n)^7$?

- ☐ a. $f(n) = \Omega(g(n))$
- ☒ b. $f(n) = O(g(n))$
- ☐ c. $f(n) = \Theta(g(n))$
- ☐ d. None of these



Your answer is incorrect.

The correct answer is:

$f(n) = \Omega(g(n))$

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following asymptotic relation is an equivalence relation?

- ☒ a. Θ
- ☐ b. ω
- ☐ c. All of these
- ☐ d. Ω
- ☐ e. O



Your answer is correct.

The correct answer is:

Θ

Question **16**

Correct

Mark 1.00 out of 1.00

If the complexity of an algorithm is defined as $O(n^2)$, then out of the following notations, which can be used?

- ☐ a. $O(n^1)$
- ☐ b. $O(\log n)$
- ☒ c. $O(n^3)$
- ☒ d. $O(n^4)$



Your answer is correct.

The correct answers are: $O(n^3)$,
 $O(n^4)$

Question **17**

Correct

Mark 1.00 out of 1.00

Primitive data types are passed by which of the following in Java.

- ☐ a. The variable's pointer is passed
- ☒ b. Pass by Value
- ☐ c. Pass by reference
- ☐ d. Both call by value and reference



Your answer is correct.

The correct answer is:

Pass by Value

Question **18**

Correct

Mark 1.00 out of 1.00

String object in java is immutable?

Select one:

- ☒ True ✓
- ☐ False

The correct answer is 'True'.

[◀ ArrayListQuiz](#)

Jump to...

[LinkedListQuiz ▶](#)