





Seamless transition: SNN continues processing without interruption

FIG. 1

The control source changes; the computation continues




State Transition Legend:

26 **CONNECTED**: Cognitive layer provides input/modulation

28 **AUTONOMOUS**: Self-generated input, energy-aware modulation

30 **RECOVERING**: Buffer transmitted, restoring control

FIG. 2



Behavioral Effects:

CRITICAL (-0.4): Maximum conservation - inhibit neural activity

LOW (-0.1): Cautious operation - slightly reduce activity

NORMAL (0.0): Standard autonomous processing

SURPLUS (+0.3): Opportunistic exploration - utilize excess

FIG. 3




FIG. 4






FIG. 5

NORMAL RECONNECTION


___ 76

**EXTENDED DISCONNECTION**


___ 78

**CRASH RECOVERY**

___ 84

**CLEAN SHUTDOWN**


___ 86

**RECOVERY GUARANTEES**

88

- Solid line: System actively processing
- - - - Dashed line: System in transition
- Bold markers: No data loss at state change

FIG. 6

**MODE SELECTION LOGIC:**

CONNECTED: Input from sensors 90, modulation from Claude 92

AUTONOMOUS: Input from generator 96, modulation from energy 98

Buffer 18 and snapshot 20 active during autonomous mode

Feedback path 100 transmits resync payload on reconnection

FIG. 7