

WildFire Analysis Report

WildFire Analysis Report	1
1 File Information	2
2 Static Analysis	2
2.1. Suspicious File Properties	2
3 Dynamic Analysis	3
3.1. VM1 (Windows 7 x64 SP1, Adobe Reader 11, Flash 11, Office 2010)	3
3.1.1. Behavioral Summary	3
3.1.2. Network Activity	3
3.1.3. Host Activity	3
Process Activity	3
Process Name - sample.exe	3
Event Timeline	3
3.2. VM2 (Windows 10 x64, Flash 22, Adobe Reader 11, Office 2019)	3
3.2.1. Behavioral Summary	3
3.2.2. Network Activity	4
3.2.3. Host Activity	4
Process Activity	4
Event Timeline	4

1 File Information

File Type	PE
File Signer	
SHA-256	584d1c44ba23add19ceb64204da5c6cc3d6e20460b5b3f53903d260c45c2968a
SHA-1	8983a3544934e065f923ef4f9e9043270e370288
MD5	deb3482501a989fe00ae23a61510df52
File Size	55296bytes
First Seen Timestamp	2026-02-18 09:46:29 UTC
Verdict	Malware
Antivirus Coverage	VirusTotal Information

2 Static Analysis

2.1. Suspicious File Properties

This file was statically analyzed and the table below lists the suspicious items that were found.

This is a WildFire test sample

WildFire test samples exercise the capabilities of the WildFire analysis engine for purposes of testing.

Contains sections with size discrepancies

Sections with a large discrepancy between raw and virtual sizes may indicate a packed or obfuscated PE file.

Contains an invalid checksum

The PE file checksum is required for drivers, boot-time DLLs, and other DLLs loaded into secure system processes. Malware often ignores this value or sets it to zero.

Contains sections set to both writable and executable

Standard sections are set to either writable or executable. PE files with sections set to both writable and executable are likely packed or obfuscated.

Last section is executable

In standard PE files the execute flag is reserved for the first section. Use of the execute flag in the last section may indicate a packed or obfuscated file.

First section is writable

In standard PE files the write flag is reserved for sections after the first. Use of the write flag in the first section may indicate a packed or obfuscated file.

3 Dynamic Analysis

3.1. VM1 (Windows 7 x64 SP1, Adobe Reader 11, Flash 11, Office 2010)

3.1.1. Behavioral Summary

This sample was found to be **malware** on this virtual machine.

Behavior	Severity
Created or modified a file Legitimate software creates or modifies files to preserve data across system restarts. Malware may create or modify files to deliver malicious payloads or maintain persistence on a system.	
This is a WildFire test sample WildFire test samples exercise the capabilities of the WildFire analysis engine for purposes of testing.	
Modified the Windows Registry The Windows Registry houses system configuration settings and options, including information about installed applications, services, and drivers. Malware often modifies registry data to establish persistence on the system and avoid detection.	

3.1.2. Network Activity

No network data available.

3.1.3. Host Activity

Process Activity

Process Name - sample.exe

(command: C:\\Users\\Administrator\\sample.exe)

Registry Activity

Registry Key	Value	Action
\\REGISTRY\\MACHINE\\SOFTWARE\\Wow6432Node\\PaloAlto\\PanCar	1	Set
HKEY_LOCAL_MACHINE\\Software\\PaloAlto	1	Create

Event Timeline

- 1
- Created Process C:\\Users\\Administrator\\sample.exe
- 2
- Set key \\REGISTRY\\MACHINE\\SOFTWARE\\Wow6432Node\\PaloAlto\\PanCar to value 1

3.2. VM2 (Windows 10 x64, Flash 22, Adobe Reader 11, Office 2019)

3.2.1. Behavioral Summary

This sample was found to be **benign** on this virtual machine.

Behavior	Severity
----------	----------

Created or modified a file in the Windows system folder The Windows system folder contains configuration files and executables that control the underlying functions of the system. Malware often modifies the contents of this folder to manipulate the system, establish persistence, and avoid detection.	
Created or modified a file Legitimate software creates or modifies files to preserve data across system restarts. Malware may create or modify files to deliver malicious payloads or maintain persistence on a system.	

3.2.2. Network Activity

No network data available.

3.2.3. Host Activity

Process Activity

Event Timeline

No timeline data available.