

Report from Jul 23, 2026, 1:49:07 PM

https://hammer.ink/

Analyze



Mobile



Desktop



Discover what your real users are experiencing



No Data



Performance



Accessibility




Best Practices



SEO

1/2

Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

Expand view

▲ First Contentful Paint
4.2 s

▲ Largest Contentful Paint
11.1 s

Total Blocking Time
0 ms

Cumulative Layout Shift
0

Captured at Jul 23, 2026, 1:49 PM PDT

Emulated Moto G Power with
Lighthouse 13.4.0

Single page session

Initial page load

Slow 4G throttling

Using HeadlessChromium
149.0.7827.155 with Ir



Show audits relevant to: All [FCP](#) [LCP](#)

INSIGHTS

▲ Render-blocking requests — Est savings of 3,710 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP Unscored

☒ Show 3rd-party resources (3)

URL	Transfer Size	Duration
hammer.ink 1st Party	14.7 KiB	1,370 ms
...css/home.css (hammer.ink)	5.0 KiB	590 ms
...css/error.css (hammer.ink)	3.3 KiB	590 ms
...css/base.css (hammer.ink)	6.4 KiB	200 ms
Unpkg Cdn	16.8 KiB	770 ms
...dist/htmx.min.js (unpkg.com)	16.8 KiB	770 ms
Cloudflare CDN Cdn	18.7 KiB	1,060 ms
...css/all.min.css (cdnjs.cloudflare.com)	18.7 KiB	1,060 ms
Google Fonts Cdn	2.3 KiB	750 ms
/css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com)	2.3 KiB	750 ms

▲ Improve image delivery — Est savings of 725 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

URL	Resource Size	Est Savings
hammer.ink 1st Party	1,306.1 KiB	724.9 KiB

...images/masthead.jpg (hammer.ink) 1,306.1 KiB 724.9 KiB Hammer: A simple tool for building stories <section class="masthead">	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.	724.9 KiB
--	--	-----------

Font display — Est savings of 160 ms

Consider setting `font-display` to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with `font metric overrides`. LCP Unscored

Show 3rd-party resources (2)

URL	Est Savings
hammer.ink 1st Party	
/assets/Kingthing....ttf (hammer.ink)	160 ms
Cloudflare CDN Cdn	
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	100 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	60 ms

Use efficient cache lifetimes — Est savings of 145 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](#). LCP FCP Unscored

Request	Cache TTL	Transfer Size
hammer.ink 1st Party		1,394 KiB
...images/masthead.jpg (hammer.ink)	7d	1,307 KiB
/assets/Kingthing....ttf (hammer.ink)	7d	66 KiB
...css/base.css (hammer.ink)	1d	6 KiB
...css/home.css (hammer.ink)	1d	5 KiB
...css/error.css (hammer.ink)	1d	3 KiB
...js/home.js (hammer.ink)	1d	2 KiB
...js/analytics.js (hammer.ink)	1d	2 KiB
...js/toast.js (hammer.ink)	1d	2 KiB
...images/hammer_icon_sm.png (hammer.ink)	7d	2 KiB

LCP request discovery



LCP resources should not use loading=lazy

fetchpriority=high should be applied

Request is discoverable in initial document

Hammer: A simple tool for building stories

```
<section class="masthead">
```

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **642 ms**

Initial Navigation

<https://hammer.ink> - **214 ms**, 5.72 KiB

...js/toast.js (hammer.ink) - **402 ms**, 1.51 KiB

...js/home.js (hammer.ink) - **447 ms**, 1.96 KiB

...dist/htmx.min.js (unpkg.com) - **280 ms**, 16.77 KiB

...dist/htmx.min.js (unpkg.com) - **280 ms**, 16.77 KiB

...css/all.min.css (cdnjs.cloudflare.com) - **274 ms**, 18.68 KiB

...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com) - **537 ms**, 116.82 KiB

...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com) - **585 ms**, 155.43 KiB

...css/base.css (hammer.ink) - **303 ms**, 6.42 KiB

/css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com) - **314 ms**, 2.33 KiB

...v37/0QI8MX1D_....woff2 (fonts.gstatic.com) - **530 ms**, 22.98 KiB

...v37/0QlvMX1D_....woff2 (fonts.gstatic.com) - **531 ms**, 17.67 KiB

...v37/0QlvMX1D_....woff2 (fonts.gstatic.com) - **530 ms**, 37.70 KiB

/assets/Kingthing....ttf (hammer.ink) - **642 ms**, 65.52 KiB

...css/error.css (hammer.ink) - **371 ms**, 3.26 KiB

...css/home.css (hammer.ink) - **376 ms**, 5.02 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element	Value
Total elements		216
DOM depth	Microsoft Store <option value="store" data-icon="fa-brands fa-windows" data-url="https://apps.microsoft.com/detail/9p84lm8qv5x6">	8
Most children	body <body>	11

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	0 ms
Resource load delay	460 ms
Resource load duration	310 ms
Element render delay	1,580 ms

Hammer: A simple tool for building stories
<section class="masthead">

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Unpkg Cdn	17 KiB	13 ms

umami.is	5 KiB	4 ms
/script.js (cloud.umami.is)	4 KiB	4 ms
/api/send (gateway.umami.is)	1 KiB	0 ms
Cloudflare CDN Cdn	291 KiB	0 ms
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	155 KiB	0 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	117 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	19 KiB	0 ms
Google Fonts Cdn	81 KiB	0 ms
...v37/0QIvMX1D_....woff2 (fonts.gstatic.com)	38 KiB	0 ms
...v37/0QI8MX1D_....woff2 (fonts.gstatic.com)	23 KiB	0 ms
...v37/0QIvMX1D_....woff2 (fonts.gstatic.com)	18 KiB	0 ms
/css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com)	2 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused CSS — Est savings of 17 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) LCP FCP Unscored

URL	Transfer Size	Est Savings
Cloudflare CDN Cdn	17.7 KiB	17.3 KiB
...css/all.min.css (cdnjs.cloudflare.com)	17.7 KiB	17.3 KiB

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (17)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element](#).

Failing Elements

Microsoft Store Installer (.msi) Installer (.exe)

`<select id="windows-format-select" class="format-dropdown">`

Mac App Store Disk Image (.dmg)

`<select id="macos-format-select" class="format-dropdown">`

Debian / Ubuntu (.deb) Fedora / RHEL (.rpm) ApplImage (Universal) Flatpak Snap (...)

`<select id="linux-format-select" class="format-dropdown">`

Google Play F-Droid GitHub (.apk)

`<select id="android-format-select" class="format-dropdown">`

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Failing Elements



v3.7.0
<div class="footer-version">



About Terms Privacy Blog Language: Deutsch English español français italiano po...
<footer class="site-footer">

These are opportunities to improve the legibility of your content.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order](#).

Failing Elements



Write in Scenes
<h3>



Windows
<h3>

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

○ Identical links have the same purpose.

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links](#). Unscored

Failing Elements



```
detail/9p84lm8qv5x6" class="download-link download-btn" data-track-
event="download" data-track-platform="windows" data-track-format="store">
```

Download



```
<a id="macos-download-btn" href="https://apps.apple.com/us/app/hammer-editor/
id6770841038" class="download-link download-btn" data-track-event="download" data-track-
platform="macos" data-track-format="store">
```

Download



```
<a id="linux-download-btn" href="https://github.com/Darkrock-Studios/hammer-editor/
releases/latest/download..." class="download-link download-btn" data-track-
event="download" data-track-platform="linux" data-track-format="deb">
```

Download



```
<a id="android-download-btn" href="https://play.google.com/store/apps/details?
id=com.darkrockstudios.apps.ham..." class="download-link download-btn" data-track-
event="download" data-track-platform="android" data-track-format="playstore">
```

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (15)

Show

NOT APPLICABLE (44)

Show



Best Practices



A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
Host allowlists can frequently be bypassed. Consider using CSP nonces or hashes instead, along with "strict-dynamic" if necessary.	script-src	High
"unsafe-inline" allows the execution of unsafe in-page scripts and event handlers. Consider using CSP nonces or hashes to allow scripts individually.	script-src	High

☐ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy](#). Unscored

Description	Directive	Severity
No `preload` directive found	preload	Medium

☐ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header](#). Unscored

Description	Directive	Severity
No COOP header found		High

☐ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types](#). Unscored

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

Lists web features used on the page and their baseline status as of 2020-09-09. [Learn more about baseline.](#)

Unscored

Web-features	Baseline Status	Source
uint8array-base64-hex	Newly Available (2025-09-05)	
referrer-policy	Widely Available (2021-09-20)	
not	Widely Available (2021-01-21)	
focus-visible	Widely Available (2022-03-14)	
slot	Widely Available (2020-01-15)	
flexbox	Widely Available (2015-09-30)	
grid	Widely Available (2017-10-17)	
outline	Widely Available (2023-03-27)	

PASSED AUDITS (13) Show

NOT APPLICABLE (3) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10)

Show

1/2

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (1)

Show

NOT APPLICABLE (4)

Show



Mailing list

[Google](#) for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).