

Report from Jul 23, 2026, 1:49:07 PM

https://hammer.ink/

Analyze



Mobile



Desktop



Discover what your real users are experiencing



No Data



Performance



Accessibility



Best Practices



SEO

1/2

Agentic Browsing



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

[Expand view](#)

First Contentful Paint
0.9 s

Largest Contentful Paint
2.0 s

Total Blocking Time
0 ms

Cumulative Layout Shift
0

Captured at Jul 23, 2026, 1:49 PM PDT

Emulated Desktop with Lighthouse

Single page session


13.4.0

Initial page load

Custom throttling

Using HeadlessChromium

149.0.7827.155 with Ir



Show audits relevant to: AllFCPLCPTBTCLS

INSIGHTS

▲ Improve image delivery — Est savings of 725 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

URL	Resource Size	Est Savings
hammer.ink 1st Party	1,306.1 KiB	724.9 KiB
...images/masthead.jpg (hammer.ink)	1,306.1 KiB	724.9 KiB
Hammer: A simple tool for building stories		
<section class="masthead">		
Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		724.9 KiB

▲ Render-blocking requests — Est savings of 740 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. LCP FCP Unscored

☒ Show 3rd-party resources (3)

URL	Transfer Size	Duration
hammer.ink 1st Party	14.7 KiB	430 ms
...css/home.css (hammer.ink)	5.0 KiB	180 ms
...css/error.css (hammer.ink)	3.3 KiB	180 ms
...css/base.css (hammer.ink)	6.4 KiB	60 ms

Cloudflare CDN	Cdn	18.7 KiB	240 ms
...css/all.min.css (cdnjs.cloudflare.com)		18.7 KiB	240 ms
Google Fonts	Cdn	2.3 KiB	200 ms
/css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com)		2.3 KiB	200 ms

▲ Use efficient cache lifetimes — Est savings of 145 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) LCP FCP Unscored

Request	Cache TTL	Transfer Size
hammer.ink	1st Party	1,394 KiB
...images/masthead.jpg (hammer.ink)		7d 1,307 KiB
/assets/Kingthing....ttf (hammer.ink)		7d 66 KiB
...css/base.css (hammer.ink)		1d 6 KiB
...css/home.css (hammer.ink)		1d 5 KiB
...css/error.css (hammer.ink)		1d 3 KiB
..js/home.js (hammer.ink)		1d 2 KiB
...js/analytics.js (hammer.ink)		1d 2 KiB
..js/toast.js (hammer.ink)		1d 2 KiB
...images/hammer_icon_sm.png (hammer.ink)		7d 2 KiB

▲ Font display — Est savings of 80 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides.](#) FCP Unscored

☑ Show 3rd-party resources (2)

URL	Est Savings
Cloudflare CDN Cdn	
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	80 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	40 ms
hammer.ink 1st Party	
/assets/Kingthing....ttf (hammer.ink)	60 ms

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP
Unscored

- LCP resources should not use loading=lazy
- fetchpriority=high should be applied
- Request is discoverable in initial document

Hammer: A simple tool for building stories
<section class="masthead">

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 388 ms

Initial Navigation

- https://hammer.ink - 100 ms, 5.72 KiB
 - ...js/toast.js (hammer.ink) - 153 ms, 1.51 KiB
 - ...js/home.js (hammer.ink) - 330 ms, 1.96 KiB
 - ...dist/htmx.min.js (unpkg.com) - 186 ms, 16.77 KiB
 - ...dist/htmx.min.js (unpkg.com) - 186 ms, 16.77 KiB
 - ...css/all.min.css (cdnjs.cloudflare.com) - 137 ms, 18.69 KiB
 - ...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com) - 324 ms, 116.83 KiB
 - ...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com) - 388 ms, 155.43 KiB
 - ...css/base.css (hammer.ink) - 157 ms, 6.42 KiB
 - /css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com) - 213 ms, 2.34 KiB
 - ...v37/0QI8MX1D_....woff2 (fonts.gstatic.com) - 322 ms, 23.00 KiB
 - ...v37/0QIvMX1D_....woff2 (fonts.gstatic.com) - 327 ms, 21.55 KiB
 - ...v37/0QIvMX1D_....woff2 (fonts.gstatic.com) - 323 ms, 17.67 KiB
 - ...v37/0QIvMX1D_....woff2 (fonts.gstatic.com) - 321 ms, 37.70 KiB
 - /assets/Kingthing....ttf (hammer.ink) - 326 ms, 65.52 KiB
 - ...css/error.css (hammer.ink) - 196 ms, 3.26 KiB
 - css/home.css (hammer.ink) - 205 ms, 5.02 KiB



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.000
 About Community Blog Login <code><nav class="header-nav" id="header-nav"></code>	0.000

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#). Unscored

Statistic	Element	Value
Total elements		216
DOM depth	Microsoft Store <code><option value="store" data-icon="fa-brands fa-windows" data-url="https://apps.microsoft.com/detail/9p841m8qv5x6"></code>	8
Most children	 body <code><body></code>	11

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Resource load delay	220 ms
Resource load duration	120 ms
Element render delay	230 ms

Hammer: A simple tool for building stories

<section class="masthead">

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Unpkg Cdn	17 KiB	18 ms
/htmx.org@2.0.4 (unpkg.com)	0 KiB	18 ms
...dist/htmx.min.js (unpkg.com)	17 KiB	0 ms
umami.is	5 KiB	5 ms
/script.js (cloud.umami.is)	4 KiB	5 ms
/api/send (gateway.umami.is)	1 KiB	0 ms
Cloudflare CDN Cdn	291 KiB	0 ms
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	155 KiB	0 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	117 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	19 KiB	0 ms
Google Fonts Cdn	102 KiB	0 ms
...v37/0QIvMX1D_....woff2 (fonts.gstatic.com)	38 KiB	0 ms
...v37/0QI8MX1D_....woff2 (fonts.gstatic.com)	23 KiB	0 ms
...v37/0QIvMX1D_....woff2 (fonts.gstatic.com)	22 KiB	0 ms
...v37/0QIvMX1D_....woff2 (fonts.gstatic.com)	18 KiB	0 ms
/css2?family=Lora:ital,wght@0,400;0,500;1,400&display=swap (fonts.googleapis.com)	2 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Reduce unused CSS — Est savings of 17 KiB

URL	Transfer Size	Est Savings
Cloudflare CDN Cdn	17.7 KiB	17.3 KiB
...css/all.min.css (cdnjs.cloudflare.com)	17.7 KiB	17.3 KiB

Avoid long main-thread tasks — 1 long task found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

URL	Start Time	Duration
hammer.ink 1st Party		51 ms
https://hammer.ink	220 ms	51 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

- ▲ Select elements do not have associated label elements.

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.

These are opportunities to improve the legibility of your content.

NAVIGATION

- ▲ Heading elements are not in a sequentially-descending order

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

- Identical links have the same purpose.

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (14) Show

NOT APPLICABLE (45) Show



Best Practices

- ☐ Ensure CSP is effective against XSS attacks
- ☐ Use a strong HSTS policy
- ☐ Ensure proper origin isolation with COOP
- ☐ Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- ☐ Baseline Features

PASSED AUDITS (13)

Show

NOT APPLICABLE (3)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

- ☐ Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

1/2

Agentic Browsing

These checks ensure high-quality, [browsable websites for AI agents](#) and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (1)

[Show](#)

NOT APPLICABLE (4)

[Show](#)

More on PageSpeed Insights

[What's new](#)

[Documentation](#)

[Learn about Web Performance](#)

[Ask questions on Stack Overflow](#)

Related Content

[Updates](#)

[Web Fundamentals](#)

[Case Studies](#)

[Podcasts](#)

Connect

[Twitter](#)

[Youtube](#)

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).