# DISTRICT EMERGENCY OPERATION CENTER | UDMA RAPID INTELLIGENCE

*NATIONAL DISASTER MANAGEMENT FRAMEWORK - SATELLITE SITREP*

**TARGET SECTOR:** Bordeaux · OSCD
**REPORT DATE:** 09 Oct 2026, 18:37 UTC
**SENSOR / GSD:** Sentinel-2 MSI · 10 m
**OPERATION:** Rapid Post-Event Disaster & Encroachm

| TOTAL IMPACT AREA | CRITICAL SITES (P1) | HIGH SEVERITY (P2) | TOTAL DETECTIONS |
|---|---|---|---|
| 0 m² | 0 Zones | 0 Zones | 0 Polygons |

## EXECUTIVE SITUATION SUMMARY:

Automated change-intelligence detected 0 anomalous change polygons totaling 0 m² across the surveyed bounds. A total of 0 critical structural events and 0 high-severity sites have been prioritized for immediate ground verification. False alarms resulting from solar elevation shifts and seasonal vegetation cycles have been filtered via spectral indices and morphological opening. All high-risk footprints have been formatted into draft SACHET-compatible Common Alerting Protocol (CAP) records.

## PRIORITY TARGET AUDIT TABLE (TOP DETECTIONS):

| ID | AREA (m²) | SEVERITY | CONFIDENCE | CLASSIFICATION | CENTROID (LAT, LON) |
|---|---|---|---|---|---|

## RECOMMENDED IMMEDIATE DIRECTIVES:

1. Dispatch ward disaster response team to coordinates flagged under Priority 1 (Critical).
2. Review draft SACHET CAP XML alerts in the command portal before authorising mobile SMS broadcast.
3. Cross-reference flagged encroached structures against municipal building permission records.
4. Verify community reports received via Citizen Safety Portal before sanctioning structural demolition.

*Prepared By: ChangeIntel AI Automated Remote Sensing System*

*Authorised Signatory / District Magistrate / Municipal Commissioner*

Signature: _____ Date: _____