DISTRICT EMERGENCY OPERATION CENTER | UDMA RAPID INTELLIGENCE

NATIONAL DISASTER MANAGEMENT FRAMEWORK - SATELLITE SITREP

TARGET SECTOR: Montpellier · OSCD
REPORT DATE: 09 Oct 2026, 20:09 UTC
SENSOR / GSD: Sentinel-2 MSI · 10 m
OPERATION: Encroachment / planning audit

TOTAL IMPACT AREA	CRITICAL SITES (P1)	HIGH SEVERITY (P2)	TOTAL DETECTIONS
185,090 m²	0 Zones	2 Zones	13 Polygons

EXECUTIVE SITUATION SUMMARY:

Automated change-intelligence detected 13 change polygons totaling 185,090 m² across the surveyed bounds; 0 critical and 2 high-priority sites are queued for ground verification. Cloud, shadow and no-data areas were not assessed and are mapped separately. Detector: Track B · Sentinel-2 spectral network, F1 22% on OSCD, leave-one-city-out. High-priority footprints are available as draft SACHET-compatible CAP records.

PRIORITY TARGET AUDIT TABLE (TOP DETECTIONS):

ID	AREA (m²)	SEVERITY	CONFIDENCE	CLASSIFICATION	CENTROID (LAT, LON)
CHG_0004	89,709.7	High	96.4%	Ground Disturbance	43.5946, 3.9225
CHG_0006	34,101.6	High	93.6%	Ground Disturbance	43.5919, 3.9158
CHG_0003	7,659.0	Medium	95.4%	Ground Disturbance	43.5977, 3.9228
CHG_0002	5,140.7	Medium	93.9%	Ground Disturbance	43.6005, 3.9079
CHG_0010	9,654.1	Medium	96.8%	Burn Scar	43.5871, 3.8890
CHG_0005	2,833.0	Medium	97.1%	Ground Disturbance	43.5924, 3.9178

RECOMMENDED IMMEDIATE DIRECTIVES:

1. Send Priority 1-2 sites for field verification in the case workflow.
2. Cross-check flagged sites against Development Plan, CRZ maps and building permissions.
3. Treat 'possible encroachment' as a screening flag, never as a legal finding.
4. Act only on field-confirmed cases; no demolition or eviction on satellite evidence alone.

Prepared By: ChangeIntel AI Automated Remote Sensing System

Authorised Signatory / District Magistrate / Municipal Commissioner

Signature: _____ Date: _____