Disposal

Execution Environment

Host name	Administrator - DESKTOP
Local OS	Windows 11 64bit
Katalon version	9.7.6.223
Browser	Edge Chromium 140
Device name	

Summary

ID	Test Suites/Fixed Asset - Transaction/Disposal/Disposal		
Description			
Total	9		
Passed	8	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	15-09-2025 11:45:48	End	15-09-2025 11:49:37
Elapsed	3m - 49.086s		

#	ID	Description	Status
1	Test Cases/login	Positif	PASSED
2	Test Cases/Disposal/Decline report (Single action)	Positif	PASSED
3	Test Cases/Disposal/Decline report (Bulk action)	Positif	PASSED
4	Test Cases/Disposal/Create Disposal Log - Damaged No Salvage Value	Positif	PASSED
5	Test Cases/Disposal/Create Disposal Log - Missing	Positif	FAILED
6	Test Cases/Disposal/Request disposal - Missing (Single action)	Positif	PASSED
7	Test Cases/Disposal/Request disposal - Missing (Bulk action)	Positif	PASSED
8	Test Cases/Disposal/Request disposal - Damaged No Salvage Value (Single action)	Positif	PASSED
9	Test Cases/Disposal/Request disposal - Damaged No Salvage Value (Bulk action)	Positif	PASSED

login

Information

ID	Test Cases/login		
Description	Positif		
Tag			
Start	15-09-2025 11:45:49	End	15-09-2025 11:46:22
Elapsed	33.084s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.391s	PASSED
2	maximizeWindow() Current window maximized	0.133s	PASSED
3	navigateToUrl(url) Navigate to 'https://staging-console.tagsamurai.com' successfully	2.461s	PASSED
4	setText(findTestObject("Object Repository/Login session object/Input - Email"), email) Text 'user1basic2staging@qwertysystem.net' is set on object 'Object Repository/Login session object/Input - Email'	8.005s	PASSED
5	setText(findTestObject("Object Repository/Login session object/Input - Password"), password) Text 'Gaadaobatnya1@' is set on object 'Object Repository/Login session object/Input - Password'	1.583s	PASSED
6	click(findTestObject("Object Repository/Login session object/Button - Login")) Object: 'Object Repository/Login session object/Button - Login' is clicked on	0.523s	PASSED

login

#	Description	Elapsed	Status
7	isPopupPresent = verifyElementPresent(findTestObject("Login session object/Page_TAG SAMURAI/Popup duplicate login"), 20, OPTIONAL) Object 'Object Repository/Login session object/Page_TAG SAMURAI/Popup duplicate login' is present	3.027s	PASSED
8	if (isPopupPresent) Object: 'Object Repository/Login session object/Page_TAG SAMURAI/button_Confirm_duplicate login' is clicked on	0.452s	PASSED
9	waitForPageLoad(30) Wait for page load successfully	0.178s	PASSED
10	delay(5, OPTIONAL) Delayed 5 second(s)	5.065s	PASSED
11	waitForElementClickable(findTestObject("All Menu/Button - Module - Fixed Asset"), 30) Object 'Object Repository/All Menu/Button - Module - Fixed Asset' is clickable	0.372s	PASSED
12	click(findTestObject("All Menu/Button - Module - Fixed Asset")) Object: 'Object Repository/All Menu/Button - Module - Fixed Asset' is clicked on	1.427s	PASSED
13	waitForPageLoad(20) Wait for page load successfully	0.022s	PASSED
14	verifyElementVisible(findTestObject("All Menu/Button - Menu - Fixed Asset")) Object 'Object Repository/All Menu/Button - Menu - Fixed Asset' is visible	6.974s	PASSED

Decline report (Single action)

Information

ID	Test Cases/Disposal/Decline report (Single action)		
Description	Positif		
Tag			
Start	15-09-2025 11:46:22	End	15-09-2025 11:46:30
Elapsed	7.898s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	buttonAktif = getAttribute(findTestObject("All Menu/Button - Menu - Fixed Asset"), "aria-expanded") Attribute 'aria-expanded' of object 'Object Repository/All Menu/Button - Menu - Fixed Asset' is: 'false'	0.344s	PASSED
2	if (buttonAktif == "false") Object: 'Object Repository/All Menu/Button - Menu - Fixed Asset' is clicked on	0.394s	PASSED
3	click(findTestObject("All Menu/Button - Sub menu - Disposal")) Object: 'Object Repository/All Menu/Button - Sub menu - Disposal' is clicked on	0.676s	PASSED
4	click(findTestObject("Disposal/Button - Single action disposal")) Object: 'Object Repository/Disposal/Button - Single action disposal' is clicked on	3.135s	PASSED
5	click(findTestObject("Disposal/Button - Option Decline Report")) Object: 'Object Repository/Disposal/Button - Option Decline Report' is clicked on	0.600s	PASSED
6	waitForElementVisible(findTestObject("Disposal/Dialog - Decline report"), 10) Object 'Object Repository/Disposal/Dialog - Decline report' is visible	0.462s	PASSED

Decline report (Single action)

#	Description	Elapsed	Status
7	click(findTestObject("Disposal/Button - Decline")) Object: 'Object Repository/Disposal/Button - Decline' is clicked on	0.474s	PASSED
8	verifyElementText(findTestObject("Disposal/Toast - Success, report has been declined"), "Success, report has been declined.") Actual text and expected text of test object 'Object Repository/Disposal/Toast - Success, report has been declined' are matched.	1.686s	PASSED

Decline report (Bulk action)

Information

ID	Test Cases/Disposal/Decline report (Bulk action)		
Description	Positif		
Tag			
Start	15-09-2025 11:46:30	End	15-09-2025 11:46:35
Elapsed	5.057s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	click(findTestObject("Borrow/Checkbox")) Object: 'Object Repository/Borrow/Checkbox' is clicked on	0.469s	PASSED
3	click(findTestObject("File manager/Button - Bulk Action")) Object: 'Object Repository/File manager/Button - Bulk Action' is clicked on	0.570s	PASSED
4	click(findTestObject("Disposal/Button - Option Decline Report")) Object: 'Object Repository/Disposal/Button - Option Decline Report' is clicked on	0.689s	PASSED
5	waitForElementVisible(findTestObject("Disposal/Dialog - Decline report"), 10) Object 'Object Repository/Disposal/Dialog - Decline report' is visible	0.646s	PASSED
6	click(findTestObject("Disposal/Button - Decline")) Object: 'Object Repository/Disposal/Button - Decline' is clicked on	0.481s	PASSED

Decline report (Bulk action)

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Disposal/Toast - Success, report has been declined"), "Success, report has been declined.") Actual text and expected text of test object 'Object Repository/Disposal/Toast - Success, report has been declined' are matched.	2.132s	PASSED

Create Disposal Log - Damaged No Salvage Value

Information

ID	Test Cases/Disposal/Create Disposal Log - Damaged No Salvage Value		
Description	Positif		
Tag			
Start	15-09-2025 11:46:35	End	15-09-2025 11:46:49
Elapsed	14.303s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	click(findTestObject("Disposal/Create disposal/Button - Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Disposal' is clicked on	0.480s	PASSED
3	waitForElementVisible(findTestObject("Disposal/Create disposal/Dialog - Last condition"), 10) Object 'Object Repository/Disposal/Create disposal/Dialog - Last condition' is visible	0.456s	PASSED
4	click(findTestObject("Disposal/Create disposal/Button - Dropdown last condition")) Object: 'Object Repository/Disposal/Create disposal/Button - Dropdown last condition' is clicked on	0.490s	PASSED
5	click(findTestObject("Disposal/Create disposal/Button - Option damage atau no salvage value")) Object: 'Object Repository/Disposal/Create disposal/Button - Option damage atau no salvage value' is clicked on	0.635s	PASSED
6	click(findTestObject("Disposal/Create disposal/Button - Apply")) Object: 'Object Repository/Disposal/Create disposal/Button - Apply' is clicked on	0.608s	PASSED

Create Disposal Log - Damaged No Salvage Value

#	Description	Elapsed	Status
7	click(findTestObject("Disposal/Create disposal/Button - Select disposal method")) Object: 'Object Repository/Disposal/Create disposal/Button - Select disposal method' is clicked on	1.479s	PASSED
8	click(findTestObject("Disposal/Create disposal/Button - Option Donate")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Donate' is clicked on	0.663s	PASSED
9	setText(findTestObject("Disposal/Create disposal/Input - Organization company name"), "Qtera") Text 'Qtera' is set on object 'Object Repository/Disposal/Create disposal/Input - Organization company name'	0.995s	PASSED
10	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	0.704s	PASSED
11	click(findTestObject("Disposal/Create disposal/Button - Select Group")) Object: 'Object Repository/Disposal/Create disposal/Button - Select Group' is clicked on	0.462s	PASSED
12	click(findTestObject("Disposal/Create disposal/List - Select group")) Object: 'Object Repository/Disposal/Create disposal/List - Select group' is clicked on	1.133s	PASSED
13	click(findTestObject("Disposal/Create disposal/Button - Select")) Object: 'Object Repository/Disposal/Create disposal/Button - Select' is clicked on	0.413s	PASSED
14	click(findTestObject("Disposal/Create disposal/Button - Asset")) Object: 'Object Repository/Disposal/Create disposal/Button - Asset' is clicked on	0.696s	PASSED
15	click(findTestObject("Disposal/Create disposal/List - Select asset")) Object: 'Object Repository/Disposal/Create disposal/List - Select asset' is clicked on	1.576s	PASSED

Create Disposal Log - Damaged No Salvage Value

#	Description	Elapsed	Status
16	click(findTestObject("Disposal/Create disposal/Button - Select")) Object: 'Object Repository/Disposal/Create disposal/Button - Select' is clicked on	0.636s	PASSED
17	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	0.640s	PASSED
18	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Actual text and expected text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are matched.	2.132s	PASSED

Create Disposal Log - Missing

Information

ID	Test Cases/Disposal/Create Disposal Log - Missing		
Description	Positif		
Tag			
Start	15-09-2025 11:47:37	End	15-09-2025 11:48:34
Elapsed	56.441s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.001s	NOT_RUN
2	click(findTestObject("Disposal/Create disposal/Button - Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Disposal' is clicked on	3.387s	PASSED
3	waitForElementVisible(findTestObject("Disposal/Create disposal/Dialog - Last condition"), 10) Object 'Object Repository/Disposal/Create disposal/Dialog - Last condition' is visible	0.829s	PASSED
4	click(findTestObject("Disposal/Create disposal/Button - Dropdown last condition")) Object: 'Object Repository/Disposal/Create disposal/Button - Dropdown last condition' is clicked on	0.402s	PASSED
5	click(findTestObject("Disposal/Create disposal/Button - Option missing")) Object: 'Object Repository/Disposal/Create disposal/Button - Option missing' is clicked on	1.025s	PASSED
6	click(findTestObject("Disposal/Create disposal/Button - Apply")) Object: 'Object Repository/Disposal/Create disposal/Button - Apply' is clicked on	1.334s	PASSED

Create Disposal Log - Missing

#	Description	Elapsed	Status
7	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	0.842s	PASSED
8	click(findTestObject("Disposal/Create disposal/Button - Asset")) Object: 'Object Repository/Disposal/Create disposal/Button - Asset' is clicked on	0.476s	PASSED
9	click(findTestObject("Disposal/Create disposal/List - Select asset")) Object: 'Object Repository/Disposal/Create disposal/List - Select asset' is clicked on	2.395s	PASSED
10	click(findTestObject("Disposal/Create disposal/Button - Select")) Object: 'Object Repository/Disposal/Create disposal/Button - Select' is clicked on	2.008s	PASSED
11	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	1.975s	PASSED


Create Disposal Log - Missing

#	Description	Elapsed	Status
12	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Verify element text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' FAILED. (Root cause: com.kms.katalon.core.exception.StepFailedException: Verify element text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' FAILED. at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. verifyElementText(VerifyElementTextKeyword.groovy:72) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementTextKeyword. execute(VerifyElementTextKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. verifyElementText(WebUiBuiltInKeywords.groovy:4835) at Create Disposal Log - Missing.run(Create Disposal Log - Missing:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1757911534402.run(TempTestSuite1757911534402.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: Actual text 'Disposal Photo Name Asset ID Brand Model/Type Origin Group	41.749s	FAILED

Create Disposal Log - Missing


#	Description	Elapsed	Status

Last Condition
Note
Last Update
asd - 63 00000063
asd
asd
Head ..ice A
Missing
- 15/09/25 11:31:28
adasd - 66 00000066
asdas
dasd
Kantor B
Missing
- 15/09/25 11:31:21
asd - 64 00000064
ad
adad
Kantor A
No Salvage Value
- 15/09/25 11:29:06
asd - 39 00000039
asd
asd
Head ..ice A
No Salvage Value
- 15/09/25 11:28:53
1
Showing 1 to 4 of 4
10' and expected text 'Success, disposal request has been submitted.' of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are NOT matched.
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword$_verifyElementText_closure1.doCall (VerifyElementTextKeyword.groovy:57)
at com.kms.katalon.core.webui.keyword.builtin. VerifyElementTextKeyword$_verifyElementText_closure1.call(VerifyElementTextKeyword. groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35)
... 21 more
)



Create Disposal Log - Missing

#	Description	Elapsed	Status



Request disposal - Missing (Single action)

Information

ID	Test Cases/Disposal/Request disposal - Missing (Single action)		
Description	Positif		
Tag			
Start	15-09-2025 11:48:34	End	15-09-2025 11:48:41
Elapsed	7.165s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	click(findTestObject("Disposal/Create disposal/Button - Single action missing")) Object: 'Object Repository/Disposal/Create disposal/Button - Single action missing' is clicked on	0.418s	PASSED
3	click(findTestObject("Disposal/Create disposal/Button - Option Request Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Request Disposal' is clicked on	1.043s	PASSED
4	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	2.331s	PASSED
5	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	0.420s	PASSED
6	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Actual text and expected text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are matched.	2.889s	PASSED

Request disposal - Missing (Bulk action)

Information

ID	Test Cases/Disposal/Request disposal - Missing (Bulk action)
Description	Positif
Tag	

Start	15-09-2025 11:48:41	End	15-09-2025 11:48:48
Elapsed	7.528s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	click(findTestObject("Disposal/Checkbox - Status missing")) Object: 'Object Repository/Disposal/Checkbox - Status missing' is clicked on	2.134s	PASSED
3	click(findTestObject("File manager/Button - Bulk Action")) Object: 'Object Repository/File manager/Button - Bulk Action' is clicked on	0.571s	PASSED
4	click(findTestObject("Disposal/Create disposal/Button - Option Request Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Request Disposal' is clicked on	0.768s	PASSED
5	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	1.353s	PASSED
6	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	0.416s	PASSED

Request disposal - Missing (Bulk action)

#	Description	Elapsed	Status
7	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Actual text and expected text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are matched.	2.230s	PASSED

Request disposal - Damaged No Salvage Value (Single action)

Information

ID	Test Cases/Disposal/Request disposal - Damaged No Salvage Value (Single action)		
Description	Positif		
Tag			
Start	15-09-2025 11:48:48	End	15-09-2025 11:49:06
Elapsed	17.376s		
Status	PASSED		


Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	isNoValue = verifyElementPresent(findTestObject("Disposal/Create disposal/Button - Single action no salvage value"), 5, OPTIONAL) Object 'Object Repository/Disposal/Create disposal/Button - Single action no salvage value' is present	0.282s	PASSED

Request disposal - Damaged No Salvage Value (Single action)

#	Description	Elapsed	Status
3	isDamaged = verifyElementPresent(findTestObject("Disposal/Create disposal/Button - Single action damaged"), 5, OPTIONAL) com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Disposal/Create disposal/Button - Single action damaged' located by '(//table/tbody/tr/td//span[text()= 'Damaged']/following::td//button)[1]' not found (Root cause: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Disposal/Create disposal/Button - Single action damaged' located by '(//table/tbody/tr/td//span[text()= 'Damaged']/following::td//button)[1]' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1487) at Request disposal - Damaged No Salvage Value (Single action).run(Request disposal - Damaged No Salvage Value (Single action):25) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1757911534402.run(TempTestSuite1757911534402.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	7.270s	PASSED

Request disposal - Damaged No Salvage Value (Single action)

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		
			
4	if (isNoValue && isDamaged)	0.000s	PASSED
5	else if (isNoValue) Object: 'Object Repository/Disposal/Create disposal/Button - Single action no salvage value' is clicked on	0.422s	PASSED
6	click(findTestObject("Disposal/Create disposal/Button - Option Request Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Request Disposal' is clicked on	0.752s	PASSED
7	click(findTestObject("Disposal/Create disposal/Button - Select disposal method")) Object: 'Object Repository/Disposal/Create disposal/Button - Select disposal method' is clicked on	1.586s	PASSED
8	click(findTestObject("Disposal/Create disposal/Button - Option Donate")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Donate' is clicked on	0.635s	PASSED
9	setText(findTestObject("Disposal/Create disposal/Input - Organization company name"), "Qtera") Text 'Qtera' is set on object 'Object Repository/Disposal/Create disposal/Input - Organization company name'	0.971s	PASSED

Request disposal - Damaged No Salvage Value (Single action)

#	Description	Elapsed	Status
10	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	0.737s	PASSED
11	click(findTestObject("Disposal/Create disposal/Button - Select Group")) Object: 'Object Repository/Disposal/Create disposal/Button - Select Group' is clicked on	0.458s	PASSED
12	click(findTestObject("Disposal/Create disposal/List - Select group")) Object: 'Object Repository/Disposal/Create disposal/List - Select group' is clicked on	1.176s	PASSED
13	click(findTestObject("Disposal/Create disposal/Button - Select")) Object: 'Object Repository/Disposal/Create disposal/Button - Select' is clicked on	0.425s	PASSED
14	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	0.625s	PASSED
15	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Actual text and expected text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are matched.	1.938s	PASSED

Request disposal - Damaged No Salvage Value (Bulk action)

Information

ID	Test Cases/Disposal/Request disposal - Damaged No Salvage Value (Bulk action)		
Description	Positif		
Tag			
Start	15-09-2025 11:49:06	End	15-09-2025 11:49:37
Elapsed	31.657s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	click(findTestObject("All Menu/Button - Sub menu - Disposal")) NOT_RUN: click(findTestObject("All Menu/Button - Sub menu - Disposal"))	0.000s	NOT_RUN
2	click(findTestObject("Disposal/Checkbox - Status damage no salvage value")) Object: 'Object Repository/Disposal/Checkbox - Status damage no salvage value' is clicked on	0.434s	PASSED
3	click(findTestObject("File manager/Button - Bulk Action")) Object: 'Object Repository/File manager/Button - Bulk Action' is clicked on	0.659s	PASSED
4	click(findTestObject("Disposal/Create disposal/Button - Option Request Disposal")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Request Disposal' is clicked on	1.245s	PASSED
5	click(findTestObject("Disposal/Create disposal/Button - Select disposal method")) Object: 'Object Repository/Disposal/Create disposal/Button - Select disposal method' is clicked on	1.098s	PASSED
6	click(findTestObject("Disposal/Create disposal/Button - Option Donate")) Object: 'Object Repository/Disposal/Create disposal/Button - Option Donate' is clicked on	0.624s	PASSED

Request disposal - Damaged No Salvage Value (Bulk action)

#	Description	Elapsed	Status
7	setText(findTestObject("Disposal/Create disposal/Input - Organization company name"), "Qtera") Text 'Qtera' is set on object 'Object Repository/Disposal/Create disposal/Input - Organization company name'	0.943s	PASSED
8	setText(findTestObject("Disposal/Create disposal/Input - Aditional note"), "asd") Text 'asd' is set on object 'Object Repository/Disposal/Create disposal/Input - Aditional note'	0.721s	PASSED
9	click(findTestObject("Disposal/Create disposal/Button - Select Group")) Object: 'Object Repository/Disposal/Create disposal/Button - Select Group' is clicked on	0.435s	PASSED
10	click(findTestObject("Disposal/Create disposal/List - Select group")) Object: 'Object Repository/Disposal/Create disposal/List - Select group' is clicked on	1.150s	PASSED
11	click(findTestObject("Disposal/Create disposal/Button - Select")) Object: 'Object Repository/Disposal/Create disposal/Button - Select' is clicked on	0.392s	PASSED
12	click(findTestObject("Disposal/Create disposal/Button - Submit")) Object: 'Object Repository/Disposal/Create disposal/Button - Submit' is clicked on	0.643s	PASSED
13	verifyElementText(findTestObject("Disposal/Create disposal/Toast - Success, disposal request has been submitted"), "Success, disposal request has been submitted.") Actual text and expected text of test object 'Object Repository/Disposal/Create disposal/Toast - Success, disposal request has been submitted' are matched.	1.625s	PASSED
14	callTestCase(findTestCase("Disposal/History - Buka disposal log (Single action)"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Disposal/History - Buka disposal log (Single action)' successfully	5.946s	PASSED

Request disposal - Damaged No Salvage Value (Bulk action)

#	Description	Elapsed	Status
15	callTestCase(findTestCase("Disposal/View Log/View log - Detail asset"), ["expectedAction":"Disposed"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Disposal/View Log/View log - Detail asset' successfully	8.484s	PASSED
16	callTestCase(findTestCase("Disposal/View Log/View log - User - Transaction Admin Log"), ["expectedAction":"Complete"], STOP_ON_FAILURE) Call Test Case 'Test Cases/Disposal/View Log/View log - User - Transaction Admin Log' successfully	7.157s	PASSED