Done

Welcome Yuzhan Jiang from SI 664 001 WN 2022

Your score of 100.0% has been saved.

X

Your current grade on this assignment is: 92.9%

You cannot retry this quiz for 599 seconds

1. 🗸

Where does the following JavaScript code execute?

```
One Paragraph
<script type="text/javascript">
document.write("Hello World")
</script>
Second Paragraph
```

- O In the network
- O In the database server
- In the browser
- O In the web server
- 2. ✓ What happens when JavaScript runs the alert() function?
 - O JavaScript checks to see if there are any unprocessed events
 - O JavaScript pops up a dialog box and execution continues until the </alert> tag is encountered
 - O JavaScript execution is paused and a dialog box pops up
 - O A message is sent back to the Django code to be logged on the server
- 3. ✔ Which of the following is not a way to include JavaScript in an HTML document?
 - O By including a file containing JavaScript using a <script> tag
 - On a tag using an attribute like onclick=""

选择语言

Done By including the code the javascript and ? tags		
O By including the code between <script> and </script> tags		
4. ✓		
In the following code, what does the "return false" accomplish?		
Click Me		
\bigcirc It sets the default for the alert() dialog box		
\bigcirc It is necessary to insure that the onclick code is at least two lines of code		
O It keeps the browser from folowing the href attribute when "Click Me" is clicked		
\bigcirc It suppresses the pop up dialog that asks "Are you sure you want to navigate away from	this page?	?"
5. ✔ What happens in a normal end-user's browser when there is a JavaScript error?		
O JavaScript logs the error to the Django error log		
\bigcirc JavaScript skips the line in error and continues executing after the next semicolon (;)		
Nothing except perhaps a small red error icon that is barely noticable		
O JavaScript prints a traceback indicating the line in error		
6. ✔ Where can a developer find which line in a web page of JavaScript file is causing a synta	ax error?	
\bigcirc By looking at a file on the hard disk of the system where the browser is running		
O Do a "View Source" to see the HTML source code		
In the developer console in the browser		
O In the Django error log		
7. ~		
What does the following JavaScript do?		
<pre>console.log("This is a message");</pre>		
O Puts the message in the Django console log		
O Sends the message to console.log.com		
Puts the message in the browser developer console and continues JavaScript execution		
O Puts the message in the browser console and pauses JavaScript execution	选择语	言 ▼

8. ✔ Which of the following is not a valid comment in JavaScript?	
○ /* This is a comment */	
• # This is a comment	
\bigcirc // This is a comment	
9. ✔ Which of the following is not a valid JavaScript variable name?	
○ \$_DATA	
○ \$_data	
O_data	
○ \$data	
10. ✔ What is the difference between strings with single quotes and double quotes in JavaScript?	
○ Single quoted strings do not treat \n as a newline	
O Double quotes strings cannot be used in JavaScript	
There is no difference	
\bigcirc Double quoted strings so variable substitution for variables that start with dollar sign (\$)	
11. ✓	
What does the following JavaScript print out?	
<pre>toys = ['bat', 'ball', 'whistle', 'puzzle', 'doll']; console.log(toys[1]);</pre>	
Odoll	
O puzzle	
\bigcirc bat	
ball	
○ whistle	
12. ✔	

What value ends up in the variable x when the JavaScript below is executed?

选择语言│▼

Done x = 27 % 2;

- \bigcirc 2
- 1
- O 13.5
- O 27
- 54
- \bigcirc 0
- 13. ✔ What is the meaning of the "triple equals" operator (===) in JavaScript?
 - O Both sides of the triple equals operator are converted to boolean before comparison
 - O Both sides of the triple equals operator are converted to string before comparison
 - That the values being compared are the same without any type conversion
 - O Both sides of the triple equals operator are converted to integers before comparison
- 14. ✔ How do you indicate that a variable reference within a JavaScript function is a global (i.e. not local) variable?
 - O Use the keyword "var" to declare the variable in the function
 - O Use the keyword "global" when declaring the variable outside the function
 - O Nothing simply declare the variable globally before the function definition in the code
 - O Use the keyword "global" to declare the variable in the function