## Done

Welcome Yuzhan Jiang from SI 664 001 WN 2022

Your score of 100.0% has been saved.

Your current grade on this assignment is: 90.9%

You cannot retry this quiz for 10 minutes

- 1. ✔ What part of a Django application handles session management?
  - Middleware
  - O Models
  - Templates
  - O Views
- 2. ✓ Where are cookies stored?
  - On the browser
  - O In the Python code
  - O In elasticache
  - O In the database
- 3. ✓ Which protocol determines how cookies are sent back and forth?
  - O HTML
  - O CSS
  - $\bigcirc$  SOL
  - ORM
  - O HTTP
- 4. ✓ Which of the following Python classes is most like cookie storage?

选择语言│▼

	$\bigcirc$ List		
O	ne		
	○ Set		
	○ Template		
	O Database connection		
	<ul><li>Dictionary</li></ul>		
5	. ✔ Any server can read any cookie from any other server.		
	○ True ● False		
6	. ✔ What kind of cookies are deleted when the browser is closed?		
	<ul><li>Session cookies</li></ul>		
	○ Encrypted cookies		
	O Bitcoin cookies		
	O Inverse cookies		
7	. ✔ What is the method you call in a Django view to set a cookie?		
	response.set_cookie()		
	O request.setCookie()		
	O response.cookie.set()		
	<pre>\$\text{COOKIES[]} = 'value'</pre>		
8	a. ✔ How many times do you need to set a cookie for it to persist across a number of incom	ing request	s?
	<ul><li>Once</li></ul>		
	On every request		
	On every non-anonymous request		
	On every response to a POST request		
9	. ✔ What is the typical approach to making a session identifier?		
	O Choose a large random number		
	O Start at 1 and add 1 for each new session (like a primary key)		
	O Compute an MD5 hash of the user's email address	>件 +▽ >エ	
		选择语	⊟∣▼

O Use the logged in user's email address Done
10. <b>✓</b> Where is session data typically stored i

in a Django application?

O In the serve
----------------

O In the browser

On the end-user's hard drive

O In JavaScript variables

11. ✔ How do you set a key of 'abc' to the value 'test' in the session in a Django application?

 $\bigcirc$  response.session['abc'] = 'test'

 $\bigcirc$  \$\_SESSION['abc'] = 'test';

O request.session.get('abc', 'test')

O request.session['abc', 'test']

• request.session['abc'] = 'test'