This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found here.

If you have a suggestion to make the keys better, please fill out the short survey here.

Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.

21. Choose the equation of the function graphed below.

Graph of the function
$$f(x) = -\sqrt[3]{x+12} - 6$$

The solution is None of the above

A.
$$f(x) = \sqrt{x+12} - 6$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 2.

B.
$$f(x) = -\sqrt{x-12} - 6$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 2.

C.
$$f(x) = -\sqrt{x+12} - 6$$

This would be the correct option if the root degree was 3.

D.
$$f(x) = \sqrt{x - 12} - 6$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 2.

E. None of the above


* This is correct! The general shape of the graph is not correct for the radical power.


General Comments: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

22. Choose the graph of the equation below.

$$f(x) = -\sqrt[3]{x - 10} - 6$$

The solution is





- A. * This is the correct option.
- B. Corresponds to switching the coefficient and having the correct vertex.
- C. Corresponds to the correct coefficient and switching the x-value of the vertex.
- D. Corresponds to switching the coefficient AND switching the x-value of the vertex.

General Comments: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

23. What is the domain of the function below?

$$f(x) = \sqrt[5]{4x + 5}$$

The solution is $(-\infty, \infty)$

A. The domain is $(-\infty, a]$, where $a \in [-1, -0.54]$

 $(-\infty, -0.800]$, which corresponds to if the radical had an even power AND reversing the direction of the domain AND using the negative of the correct pivot value.

- B. $(-\infty, \infty)$
 - * This is the correct option since the radical has an odd power.
- C. The domain is $[a, \infty)$, where $a \in [-1.2, -0.77]$

 $[-0.800, \infty)$, which corresponds to if the radical had an even power AND using the negative of the correct pivot value.

D. The domain is $[a, \infty)$, where $a \in [-3.52, -1.11]$

 $[-1.250, \infty)$, which corresponds to if the radical had an even power.

E. The domain is $(-\infty, a]$, where $a \in [-1.34, -0.89]$

 $(-\infty, -1.250]$, which corresponds to if the radical had an even power AND reversing the direction of the domain.

Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $4x + 5 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.

24. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{8x - 8} - \sqrt{9x - 4} = 0$$

The solution is All solutions lead to invalid or complex values in the equation.

A.
$$x \in [-5, 0]$$

This corresponds to not checking that the potential solution x = -4.000 leads to a complex value in the original equation.

B. $x \in [-13, -6]$

x = -12.000, which corresponds to squaring each square root separately and assigning the negative to the third term.

C. All solutions lead to invalid or complex values in the equation.

*x = -4.000 leads to a complex value in the equation, so this is the correct option.

D. $x_1 \in [-5, 0]$ and $x_2 \in [-1, 4]$

x = -4.000 and x = 1.000, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

E. $x_1 \in [-1, 3]$ and $x_2 \in [-1, 4]$

x = 0.444 and x = 1.000, which corresponds to solving each radical separately for 0.

General Comments: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

25. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{72x^2 + 6} - \sqrt{42x} = 0$$

The solution is that there are two solutions and they are x = 0.250 and x = 0.333.

A. $x \in [0.24, 0.32]$

x = 0.250, which corresponds to thinking that x = 0.333 leads to a negative in at least one of the radicands.

B. $x_1 \in [0.24, 0.32]$ and $x_2 \in [-0.22, 0.46]$

* x = 0.250 and x = 0.333, which is the correct option.

C. $x \in [0.28, 0.35]$

x = 0.333, which corresponds to thinking that x = 0.250 leads to a negative in at least one of the radicands.

Answer Key for Module 5 - Radical Functions Version C

D. All solutions lead to invalid or complex values in the equation.

Corresponds to thinking that x = 0.250 and x = 0.333 lead to negatives in at least one of the radicands.

E. $x_1 \in [-0.43, -0.2]$ and $x_2 \in [-0.51, 0.09]$

x = -0.333 and x = -0.250, which are the negative or absolute values of the values you would have gotten by solving the equation correctly.

General Comments: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

 $\operatorname{Summer} \operatorname{C} 2020$