

1. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the high-quality coffee beans h .

Veronica needs to prepare 120 of blended coffee beans selling for \$4.17 per pound. She has a high-quality bean that sells for \$4.91 a pound and a low-quality bean that sells for \$3.32 a pound.

- A. $C(h) = 1.59h + 398.40$
 - B. $C(h) = 4.91h$
 - C. $C(h) = -1.59h + 589.20$
 - D. $C(h) = 4.12h$
 - E. None of the above.
-

2. For the information below, construct a linear model that describes the total time T spent on the path in terms of the distance of a particular part of the path *if we know that the time spent on each path was equal.*

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 3 mph, 8 mph when traveling down a hill, and 5 mph when traveling along a flat portion.

- A. $120.000D$
 - B. $16.000D$
 - C. $0.658D$
 - D. The model can be found with the information provided, but isn't options 1-3
 - E. The model cannot be found with the information provided.
-

3. What is the **best** way to describe the domain of the scenario below?

Fred is a store manager at Publix. The store normally orders two pallets of water bottles a week and sells 1000 bottles per day. However, a hurricane is coming and Fred expects water bottle sales to increase

tenfold for three days, then decrease by half of normal sales for four days. How many more pallets of water bottles should Fred order the week before the hurricane?

- A. Subset of the Natural numbers
- B. Subset of the Rational numbers
- C. Subset of the Integers
- D. Proper subset of the Real numbers
- E. There is no restricted domain in this scenario

4. For the information provided below, construct a linear model that describes her total costs, C , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$800 educational expense each year. Before college, Aubrey saved up \$9000. She knows she will need to pay \$1000 in rent a month, \$50 for food a week, and \$32 in other weekly expenses.

- A. $C(x) = 1082x$
- B. $C(x) = 9800$
- C. $C(x) = 1082$
- D. $C(x) = 9800x$
- E. None of the above.

5. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the high-quality coffee beans h .

Veronica needs to prepare 240 of blended coffee beans selling for \$4.09 per pound. She has a high-quality bean that sells for \$5.99 a pound and a low-quality bean that sells for \$3.01 a pound.

- A. $C(h) = 2.98h + 722.40$
- B. $C(h) = -2.98h + 1437.60$
- C. $C(h) = 4.50h$
- D. $C(h) = 5.99h$
- E. None of the above.

6. For the information provided below, construct a linear model that describes the total distance of the path, D , in terms of the time spent on a particular path *if we know that the time spent on each path was equal*.

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 4 mph, 9 mph when traveling down a hill, and 7 mph when traveling along a flat portion.

- A. $0.504t$
- B. $20t$
- C. $252t$
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.

7. A town has an initial population of 50000. The town's population for the next 10 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop.	50000	50020	50032	50041	50048	50053	50058	50062	50065

- A. Exponential
- B. Linear
- C. Non-Linear Power
- D. Logarithmic

E. None of the above

8. For the information provided below, construct a linear model that describes her total costs, C , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$1000 educational expense each year. Before college, Aubrey saved up \$6000. She knows she will need to pay \$1100 in rent a month, \$60 for food a week, and \$56 in other weekly expenses.

- A. $C(x) = 1564$
 - B. $C(x) = 1216x$
 - C. $C(x) = 1564x$
 - D. $C(x) = 1216$
 - E. None of the above.
-

9. What is the **best** way to describe the domain of the scenario below?

Hannah plans to pay off a no-interest loan from her parents. Her loan balance is \$1,000. She plans to pay \$35 at the end of every week until her balance is \$0. How many weeks will it be until she has paid off her loan?

- A. Subset of the Integers
 - B. Proper subset of the Real numbers
 - C. Subset of the Rational numbers
 - D. Subset of the Natural numbers
 - E. There is no restricted domain in this scenario
-

10. A town has an initial population of 60000. The town's population for the next 10 years is provided below. Which type of function would be

most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop.	59964	59924	59884	59844	59804	59764	59724	59684	59644

- A. Non-Linear Power
- B. Logarithmic
- C. Linear
- D. Exponential
- E. None of the above