

1. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = 11$ and choose the interval that $f^{-1}(11)$ belongs to.

$$f(x) = 3x^2 - 2$$

- A. $f^{-1}(11) \in [1.93, 2.58]$
 - B. $f^{-1}(11) \in [4.79, 5.22]$
 - C. $f^{-1}(11) \in [1.54, 2]$
 - D. $f^{-1}(11) \in [3.84, 4.62]$
 - E. The function is not invertible for all Real numbers.
-

2. Determine whether the function below is 1-1.

$$f(x) = 15x^2 - 8x - 384$$

- A. No, because there is an x -value that goes to 2 different y -values.
 - B. Yes, the function is 1-1.
 - C. No, because there is a y -value that goes to 2 different x -values.
 - D. No, because the range of the function is not $(-\infty, \infty)$.
 - E. No, because the domain of the function is not $(-\infty, \infty)$.
-

3. Determine whether the function below is 1-1.

$$f(x) = -12x^2 - 44x + 240$$

- A. No, because the range of the function is not $(-\infty, \infty)$.
 - B. No, because there is an x -value that goes to 2 different y -values.
 - C. No, because the domain of the function is not $(-\infty, \infty)$.
 - D. Yes, the function is 1-1.
 - E. No, because there is a y -value that goes to 2 different x -values.
-

4. Find the inverse of the function below. Then, evaluate the inverse at $x = 6$ and choose the interval that $f^{-1}(6)$ belongs to.

$$f(x) = e^{x-3} + 2$$

- A. $f^{-1}(6) \in [4.3, 4.46]$
 - B. $f^{-1}(6) \in [3.85, 4.09]$
 - C. $f^{-1}(6) \in [3.08, 3.25]$
 - D. $f^{-1}(6) \in [-1.74, -1.49]$
 - E. $f^{-1}(6) \in [4.15, 4.29]$
-

5. Multiply the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = 3x + 3 \text{ and } g(x) = 2x^3 + x^2 + 7x + 5$$

- A. The domain is all Real numbers except $x = a$, where $a \in [2.25, 10.25]$
 - B. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-1.75, 6.25]$
 - C. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [4.2, 5.2]$
 - D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [-7.67, -0.67]$ and $b \in [-7.75, -0.75]$
 - E. The domain is all Real numbers.
-

6. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = 10$ and choose the interval that $f^{-1}(10)$ belongs to.

$$f(x) = 2x^2 - 4$$

- A. $f^{-1}(10) \in [0.99, 2.48]$
- B. $f^{-1}(10) \in [1.92, 3.54]$
- C. $f^{-1}(10) \in [4.5, 5.73]$

- D. $f^{-1}(10) \in [3.37, 3.66]$
- E. The function is not invertible for all Real numbers.
-

7. Choose the interval below that f composed with g at $x = -1$ is in.

$$f(x) = -3x^3 - 3x^2 - 3x \text{ and } g(x) = 2x^3 - 1x^2 - 3x$$

- A. $(f \circ g)(-1) \in [-8, -5]$
- B. $(f \circ g)(-1) \in [38, 47]$
- C. $(f \circ g)(-1) \in [36, 41]$
- D. $(f \circ g)(-1) \in [-3, 1]$
- E. It is not possible to compose the two functions.
-

8. Multiply the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = \sqrt{-4x + 18} \text{ and } g(x) = 4x^3 + 7x^2 + 5x + 3$$

- A. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [1.33, 7.33]$
- B. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-1.5, 5.5]$
- C. The domain is all Real numbers except $x = a$, where $a \in [-10.33, 1.67]$
- D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [1.4, 6.4]$ and $b \in [-8.25, -5.25]$
- E. The domain is all Real numbers.
-

9. Choose the interval below that f composed with g at $x = 1$ is in.

$$f(x) = 2x^3 + x^2 + 4x - 4 \text{ and } g(x) = -x^3 - 4x^2 + 4x$$

- A. $(f \circ g)(1) \in [-46, -40]$

- B. $(f \circ g)(1) \in [-11, -8]$
 - C. $(f \circ g)(1) \in [-23, -14]$
 - D. $(f \circ g)(1) \in [-53, -49]$
 - E. It is not possible to compose the two functions.
-

10. Find the inverse of the function below. Then, evaluate the inverse at $x = 9$ and choose the interval that $f^{-1}(9)$ belongs to.

$$f(x) = \ln(x + 2) - 4$$

- A. $f^{-1}(9) \in [442403.39, 442415.39]$
 - B. $f^{-1}(9) \in [1088.63, 1094.63]$
 - C. $f^{-1}(9) \in [442412.39, 442419.39]$
 - D. $f^{-1}(9) \in [59868.14, 59871.14]$
 - E. $f^{-1}(9) \in [140.41, 147.41]$
-