

1. For the information provided below, construct a linear model that describes the total distance of the path, D , in terms of the time spent on a particular path *if we know that the time spent on each path was equal*.

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 3 mph, 9 mph when traveling down a hill, and 6 mph when traveling along a flat portion.

A. $162t$

B. $18t$

C. $0.611t$

D. The model can be found with the information provided, but isn't options 1-3

E. The model cannot be found with the information provided.

-
2. For the information provided below, construct a linear model that describes her total costs, C , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$600 educational expense each year. Before college, Aubrey saved up \$8000. She knows she will need to pay \$1100 in rent a month, \$40 for food a week, and \$56 in other weekly expenses.

A. $C(x) = 8600$

B. $C(x) = 8600x$

C. $C(x) = 1196x$

D. $C(x) = 1196$

E. None of the above.

-
3. For the information provided below, construct a linear model that describes the total distance of the path, D , in terms of the time spent on a particular path *if we know that the time spent on each path was equal*.

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 3 mph, 9 mph when traveling down a hill, and 6 mph when traveling along a flat portion.

- A. $0.611t$
- B. $18t$
- C. $162t$
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.

-
4. For the information provided below, construct a linear model that describes her total budget, B , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$800 educational expense each year. Before college, Aubrey saved up \$7000. She knows she will need to pay \$1200 in rent a month, \$70 for food a week, and \$64 in other weekly expenses.

- A. $B(x) = 7800 - 1334x$
- B. $B(x) = 6466x$
- C. $B(x) = 6064x$
- D. $B(x) = 7800 - 1736x$
- E. None of the above.

-
5. What is the **best** way to describe the domain of the scenario below?

Fred is a store manager at Publix. The store normally orders two pallets of water bottles a week and sells 1000 bottles per day. However, a hurricane is coming and Fred expects water bottle sales to increase tenfold for three days, then decrease by half of normal sales for four

days. How many more pallets of water bottles should Fred order the week before the hurricane?

- A. Proper subset of the Real numbers
- B. Subset of the Rational numbers
- C. There is no restricted domain in this scenario
- D. Subset of the Integers
- E. Subset of the Natural numbers

6. A town has an initial population of 60000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	59960	59920	59880	59840	59800	59760	59720	59680	59640

- A. Non-Linear Power
- B. Exponential
- C. Logarithmic
- D. Linear
- E. None of the above

7. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the low-quality coffee beans h .

Veronica needs to prepare 220 of blended coffee beans selling for \$4.48 per pound. She has a high-quality bean that sells for \$5.03 a pound and a low-quality bean that sells for \$3.88 a pound.

- A. $C(h) = 1.15h + 853.60$
- B. $C(h) = 4.46h$
- C. $C(h) = 3.88h$

D. $C(h) = -1.15h + 1106.60$

E. None of the above.

8. A town has an initial population of 100000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	100027	100057	100095	100125	100147	100177	100215	100245	100275

A. Exponential

B. Non-Linear Power

C. Linear

D. Logarithmic

E. None of the above

9. What is the **best** way to describe the domain of the scenario below?

Hannah plans to pay off a no-interest loan from her parents. Her loan balance is \$1,000. She plans to pay \$35 at the end of every week until her balance is \$0. How many weeks will it be until she has paid off her loan?

A. There is no restricted domain in this scenario

B. Subset of the Integers

C. Proper subset of the Real numbers

D. Subset of the Rational numbers

E. Subset of the Natural numbers

10. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the high-quality coffee beans h .

Veronica needs to prepare 230 of blended coffee beans selling for \$5.00 per pound. She has a high-quality bean that sells for \$5.78 a pound and a low-quality bean that sells for \$3.42 a pound.

- A. $C(h) = 4.60h$
 - B. $C(h) = -2.36h + 1329.40$
 - C. $C(h) = 5.78h$
 - D. $C(h) = 2.36h + 786.60$
 - E. None of the above.
-