

This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found [here](#).


If you have a suggestion to make the keys better, please fill out the short survey [here](#).

Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.

- Describe the zero behavior of the zero $x = 7$ of the polynomial below.


$$f(x) = 7(x + 2)^{12}(x - 2)^8(x + 7)^{12}(x - 7)^9$$

The solution is the graph below.



General Comment: You will need to sketch the entire graph, then zoom in on the zero the question asks about.

- Write an equation that *could* represent the graph below.



The solution is $-19(x + 1)^5(x - 2)^9(x + 3)^5$.

Plausible alternative answers include: The factor $(x + 1)$ should have an odd power and the leading coefficient should be the opposite sign. The factor -1 should have been an odd power.

The factors -1 and 2 have been odd power. * This is the correct option. This corresponds to the leading coefficient being the opposite value than it should be.

General Comment: General Comments: Draw the x-axis to determine which zeros are touching (and so have even multiplicity) or cross (and have odd multiplicity).

3. Construct the lowest-degree polynomial given the zeros below.

$$-4, \frac{-2}{5}, \text{ and } \frac{-5}{3}$$

The solution is $15x^3 + 91x^2 + 134x + 40$.


Plausible alternative answers include: * $15x^3 + 91x^2 + 134x + 40$, which is the correct option. $15x^3 - 41x^2 - 86x + 40$, which corresponds to multiplying out $(x - 4)(5x - 2)(3x + 5)$. $15x^3 - 91x^2 + 134x - 40$, which corresponds to multiplying out $(x - 4)(5x - 2)(3x - 5)$. $15x^3 + 91x^2 + 134x - 40$, which corresponds to multiplying everything correctly except the constant term. $15x^3 - 29x^2 - 114x - 40$, which corresponds to multiplying out $(x - 4)(5x + 2)(3x + 5)$.

General Comment: To construct the lowest-degree polynomial, you want to multiply out $(x + 4)(5x + 2)(3x + 5)$

4. Describe the zero behavior of the zero $x = -3$ of the polynomial below.

$$f(x) = -3(x - 2)^7(x + 2)^6(x + 3)^7(x - 3)^4$$

The solution is the graph below.



General Comment: You will need to sketch the entire graph, then zoom in on the zero the question asks about.

5. Construct the lowest-degree polynomial given the zeros below.

$$\frac{4}{3}, \frac{-7}{2}, \text{ and } \frac{6}{5}$$

The solution is $30x^3 + 29x^2 - 218x + 168$.


Plausible alternative answers include: $30x^3 + 109x^2 - 34x - 168$, which corresponds to multiplying out $(3x + 4)(2x + 7)(5x - 6)$. $30x^3 + 29x^2 - 218x - 168$, which corresponds to multiplying everything correctly except the constant term. $30x^3 - 101x^2 - 62x + 168$, which corresponds to multiplying out $(3x + 4)(2x - 7)(5x - 6)$. * $30x^3 + 29x^2 - 218x + 168$, which is the correct option. $30x^3 - 29x^2 - 218x - 168$, which corresponds to multiplying out $(3x + 4)(2x - 7)(5x + 6)$.

General Comment: To construct the lowest-degree polynomial, you want to multiply out $(3x - 4)(2x + 7)(5x - 6)$

6. Describe the end behavior of the polynomial below.

$$f(x) = -3(x - 2)^3(x + 2)^4(x + 8)^5(x - 8)^5$$

The solution is the graph below.



General Comment: Remember that end behavior is determined by the leading coefficient AND whether the **sum** of the multiplicities is positive or negative.

7. Construct the lowest-degree polynomial given the zeros below.


$$5 - 3i \text{ and } -1$$

The solution is $x^3 - 9x^2 + 24x + 34$.

Plausible alternative answers include: $x^3 + x^2 + 4x + 3$, which corresponds to multiplying out $(x+3)(x+1)$. $x^3 + 9x^2 + 24x - 34$, which corresponds to multiplying out $(x - (5 - 3i))(x - (5 + 3i))(x - 1)$. $x^3 + x^2 - 4x - 5$, which corresponds to multiplying out $(x - 5)(x + 1)$. * $x^3 - 9x^2 + 24x + 34$, which is the correct option. This corresponds to making an unanticipated error or not understanding how to use nonreal complex numbers to create the lowest-degree polynomial. If you chose this and are not sure what you did wrong, please contact the coordinator for help.

General Comment: Remember that the conjugate of $a + bi$ is $a - bi$. Since these zeros always come in pairs, we need to multiply out $(x - (5 - 3i))(x - (5 + 3i))(x - (-1))$.

8. Write an equation that *could* represent the graph below.



The solution is $20(x + 2)^6(x + 1)^{11}(x - 2)^7$.

Plausible alternative answers include: The factor -2 should have an even power and the factor -1 should have an odd power. * This is the correct option. This corresponds to the leading coefficient being the opposite value than it should be. The factor $(x - 2)$ should have an odd power and the leading coefficient should be the opposite sign. The factor $(x + 1)$ should have an odd power.

General Comment: General Comments: Draw the x-axis to determine which zeros are touching (and so have even multiplicity) or cross (and have odd multiplicity).

9. Construct the lowest-degree polynomial given the zeros below.

$$-5 + 3i \text{ and } -2$$

The solution is $x^3 + 12x^2 + 54x + 68$.


Plausible alternative answers include: $x^3 + x^2 - x - 6$, which corresponds to multiplying out $(x - 3)(x + 2)$. * $x^3 + 12x^2 + 54x + 68$, which is the correct option. $x^3 + x^2 + 7x + 10$, which corresponds to multiplying out $(x + 5)(x + 2)$. $x^3 - 12x^2 + 54x - 68$, which corresponds to multiplying out $(x - (-5 + 3i))(x - (-5 - 3i))(x - 2)$. This corresponds to making an unanticipated error or not understanding how to use nonreal complex numbers to create the lowest-degree polynomial. If you chose this and are not sure what you did wrong, please contact the coordinator for help.

General Comment: Remember that the conjugate of $a + bi$ is $a - bi$. Since these zeros always come in pairs, we need to multiply out $(x - (-5 + 3i))(x - (-5 - 3i))(x - (-2))$.

10. Describe the end behavior of the polynomial below.

$$f(x) = 5(x + 8)^5(x - 8)^{10}(x + 3)^5(x - 3)^5$$

The solution is the graph below.



General Comment: Remember that end behavior is determined by the leading coefficient AND whether the **sum** of the multiplicities is positive or negative.
