


This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found [here](#).

If you have a suggestion to make the keys better, please fill out the short survey [here](#).

*Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.*

1. Write the equation of the line in the graph below in Standard form  $Ax + By = C$ . Then, choose the intervals that contain  $A$ ,  $B$ , and  $C$ .



The solution is  $3x - 2y = -6$ , which is option A.

- A.  $A \in [1.5, 3.7]$ ,  $B \in [-4.36, -1.01]$ , and  $C \in [-6.3, -4.8]$ \*  $3x - 2y = -6$ , which is the correct option.
- B.  $A \in [-2.2, -0.7]$ ,  $B \in [-1.88, -0.07]$ , and  $C \in [-5.4, -2.1]$   $-1.5x - 1y = -3.0$ , which corresponds to using the opposite (negative) slope of the graph and not removing rational values.
- C.  $A \in [-2.2, -0.7]$ ,  $B \in [-0.22, 1.59]$ , and  $C \in [-0.1, 4.9]$   $-1.5x + 1y = 3.0$ , which corresponds to not removing rational values for Standard Form.
- D.  $A \in [1.5, 3.7]$ ,  $B \in [1.58, 3.46]$ , and  $C \in [4.3, 6.1]$   $3x + 2y = 6$ , which corresponds to using the opposite (negative) slope of the graph, but did everything else correctly.
- E.  $A \in [-5.2, -2.1]$ ,  $B \in [1.58, 3.46]$ , and  $C \in [4.3, 6.1]$   $-3x + 2y = 6$ , which corresponds to not making  $A$  positive (by multiplying the equation by  $-1$ ).

**General Comment:** Standard form is supposed to have  $A > 0$  and all fractions removed.

2. Find the equation of the line described below. Write the linear equation as  $y = mx + b$  and choose the intervals that contain  $m$  and  $b$ .

Perpendicular to  $5x + 3y = 5$  and passing through the point  $(5, 7)$ .

The solution is  $y = 0.60x + 4.00$ , which is option D.

- A.  $m \in [1.6, 2]$   $b \in [3.9, 4.5]$   $y = 1.67x + 4.00$ , which corresponds to using the reciprocal slope ( $1/m$ ).
- B.  $m \in [0.4, 1.2]$   $b \in [-5.3, -3.2]$   $y = 0.60x - 4.00$ , which corresponds to using the correct slope and getting the negative  $y$ -intercept.

C.  $m \in [0.4, 1.2]$   $b \in [1.3, 3.6]$   $y = 0.60x + 2.00$ , which corresponds to correct slope and mis-distributing while simplifying to slope-intercept form.

D.  $m \in [0.4, 1.2]$   $b \in [3.9, 4.5]^*$   $y = 0.60x + 4.00$ , which is the correct option.

E.  $m \in [-1.5, 0.3]$   $b \in [8.9, 12.8]$   $y = -0.60x + 10.00$ , which corresponds to using the negative slope.

**General Comment:** Parallel slope is the same and perpendicular slope is opposite reciprocal. Opposite reciprocal means flipping the fraction and changing the sign (positive to negative or negative to positive).

---

3. **General Comment:** None

4. **General Comment:** None

5. **General Comment:** None

6. **General Comment:** None

7. **General Comment:** None

8. **General Comment:** None

9. **General Comment:** None

10. **General Comment:** None

11. **General Comment:** None

12. **General Comment:** None

13. **General Comment:** None

14. **General Comment:** None

15. **General Comment:** None

16. **General Comment:** None

17. **General Comment:** None

18. **General Comment:** None

19. **General Comment:** None

20. **General Comment:** None

21. **General Comment:** None

22. **General Comment:** None

23. **General Comment:** None

24. **General Comment:** None

25. **General Comment:** None

26. **General Comment:** None

27. **General Comment:** None

28. **General Comment:** None

29. **General Comment:** None

30. **General Comment:** None

31. **General Comment:** None

32. **General Comment:** None

33. **General Comment:** None

34. **General Comment:** None

35. **General Comment:** None

36. **General Comment:** None

37. **General Comment:** None

38. **General Comment:** None

39. **General Comment:** None

40. **General Comment:** None

41. **General Comment:** None

42. **General Comment:** None

43. **General Comment:** None

44. **General Comment:** None

45. **General Comment:** None

46. **General Comment:** None

47. **General Comment:** None

48. **General Comment:** None

49. **General Comment:** None

50. **General Comment:** None

51. **General Comment:** None

52. **General Comment:** None

53. **General Comment:** None

54. **General Comment:** None

55. First, find the equation of the line containing the two points below. Then, write the equation as  $y = mx + b$  and choose the intervals that contain  $m$  and  $b$ .

$(8, -2)$  and  $(-6, 9)$

The solution is  $y = -0.79x + 4.29$ , which is option D.

A.  $m \in [-0.9, 0.4]$   $b \in [14.92, 17.03]$   $y = -0.79x + 15$ , which corresponds to using the correct slope/equation but not distributing correctly using the second point.

B.  $m \in [-0.9, 0.4]$   $b \in [-11.58, -9.33]$   $y = -0.79x - 10$ , which corresponds to using the correct slope/equation but not distributing correctly using the first point.

C.  $m \in [0, 1.8]$   $b \in [12.58, 13.92]$   $y = 0.79x + 13.71$ , which corresponds to using the negative slope and the correct equation.

D.  $m \in [-0.9, 0.4]$   $b \in [4.23, 5.66]^*$   $y = -0.79x + 4.29$ , which is the correct option.

E.  $m \in [-0.9, 0.4]$   $b \in [-4.59, -2.91]$   $y = -0.79x - 4.29$ , which corresponds to using the correct slope and getting the negative y-intercept.

**General Comment:** Remember to keep your points in order when plugging in to the slope formula.

---

56. **General Comment:** None

57. **General Comment:** None

58. **General Comment:** None

59. **General Comment:** None

60. **General Comment:** None

61. **General Comment:** None

62. **General Comment:** None

63. **General Comment:** None

64. **General Comment:** None

65. **General Comment:** None

66. **General Comment:** None

67. **General Comment:** None

68. **General Comment:** None

69. **General Comment:** None

70. **General Comment:** None

71. **General Comment:** None

72. **General Comment:** None

73. **General Comment:** None

74. **General Comment:** None

75. **General Comment:** None

76. **General Comment:** None

77. Solve the equation below. Then, choose the interval that contains the solution.

$$-14(-12x + 5) = -15(9x + 11)$$

The solution is  $x = -0.046$ , which is option D.

- A.  $x \in [1.6, 1.63]^*$   $x = 1.624$ , which corresponds to getting the negative of the actual solution.
- B.  $x \in [-5.13, -5.1]^*$   $x = -5.123$ , which corresponds to not distributing the negative in front of the second parentheses correctly.
- C.  $x \in [-0.02, 0.02]^*$   $x = -0.015$ , which corresponds to not distributing the negative in front of the first parentheses correctly.
- D.  $x \in [-0.06, -0.04]^*$   $x = -0.046$ , which is the correct option.
- E. There are no real solutions. Corresponds to students thinking a fraction means there is no solution to the equation.

**General Comment:** The most common mistake on this question is to not distribute the negative in front of the second fraction correctly. The best way to avoid this is putting the numerator in parentheses, which will help you remember to distribute the negative correctly.

78. **General Comment:** None

79. **General Comment:** None

80. **General Comment:** None

81. **General Comment:** None

82. Solve the linear equation below. Then, choose the interval that contains the solution.

$$\frac{-8x - 8}{5} - \frac{-6x - 7}{2} = \frac{8x - 9}{7}$$

The solution is  $x = -12.389$ , which is option D.

- A.  $x \in [11.83, 15.83]$   $x = 14.833$ , which corresponds to not distributing the negative in front of the second fraction.
- B.  $x \in [-32.11, -30.11]$   $x = -31.111$ , which corresponds to dividing the coefficients in front of  $x$  by the denominator rather than dividing BOTH parts of the numerator by the denominator (or removing the fractions through multiplication).
- C.  $x \in [-3.68, 2.32]$   $x = 0.319$ , which corresponds to dividing the second number in the numerator by the denominator rather than dividing BOTH parts of the numerator by the denominator (or removing the fractions through multiplication).
- D.  $x \in [-16.39, -9.39]^*$   $x = -12.389$ , which is the correct option.
- E. There are no real solutions. Corresponds to students thinking a fraction means there is no solution to the equation.

**General Comment:** If you are having trouble with this problem, try to remove a fraction at a time by multiplying each term by the denominator.

---