1. Solve the equation for x and choose the interval that contains the solution (if it exists).

$$2^{-2x+4} = \left(\frac{1}{9}\right)^{-4x-5}$$

- A. $x \in [-1.81, 0.19]$
- B. $x \in [-6.5, -1.5]$
- C. $x \in [-0.12, 3.88]$
- D. $x \in [2.11, 8.11]$
- E. There is no Real solution to the equation.
- 2. Solve the equation for x and choose the interval that contains the solution (if it exists).

$$\log_5(-3x+6) + 5 = 2$$

- A. $x \in [81, 84]$
- B. $x \in [79, 82]$
- C. $x \in [1, 4]$
- D. $x \in [-10.33, -1.33]$
- E. There is no Real solution to the equation.
- 3. Which of the following intervals describes the Domain of the function below?

$$f(x) = -\log_2(x - 2) - 8$$

- A. $(-\infty, a), a \in [-5, 0]$
- B. $(a, \infty), a \in [0, 5]$
- C. $(-\infty, a], a \in [4, 12]$
- D. $[a, \infty), a \in [-11, -4]$
- E. $(-\infty, \infty)$

4. Solve the equation for x and choose the interval that contains the solution (if it exists).

$$2^{3x+2} = \left(\frac{1}{9}\right)^{2x+4}$$

- A. $x \in [-2.6, -1.5]$
- B. $x \in [-10.9, -9.7]$
- C. $x \in [-0.8, 1.4]$
- D. $x \in [0.8, 2.2]$
- E. There is no Real solution to the equation.
- 5. Which of the following intervals describes the Range of the function below?

$$f(x) = -\log_2(x - 1) - 1$$

- A. $(-\infty, a), a \in [-0.9, 2.4]$
- B. $(-\infty, a), a \in [-1.9, -0.5]$
- C. $[a, \infty), a \in [-0.9, 2.4]$
- D. $[a, \infty), a \in [-1.9, -0.5]$
- E. $(-\infty, \infty)$
- 6. Which of the following intervals describes the Domain of the function below?

$$f(x) = e^{x-6} - 7$$

- A. $(-\infty, a], a \in [-9, -5]$
- B. $(-\infty, a), a \in [-9, -5]$
- C. $[a, \infty), a \in [6, 10]$
- D. $(a, \infty), a \in [6, 10]$
- E. $(-\infty, \infty)$

7. Solve the equation for x and choose the interval that contains the solution (if it exists).

$$\log_3(4x+7) + 6 = 2$$

- A. $x \in [-2.75, 0.25]$
- B. $x \in [-21.75, -15.75]$
- C. $x \in [0.5, 3.5]$
- D. $x \in [-14.25, -5.25]$
- E. There is no Real solution to the equation.
- 8. Which of the following intervals describes the Range of the function below?

$$f(x) = e^{x-6} - 2$$

- A. $(a, \infty), a \in [-3, 0]$
- B. $(-\infty, a), a \in [1, 5]$
- C. $(-\infty, a], a \in [1, 5]$
- D. $[a, \infty), a \in [-3, 0]$
- E. $(-\infty, \infty)$
- 9. Solve the equation for x and choose the interval that contains x (if it exists).

$$25 = \sqrt[4]{\frac{10}{e^{5x}}}$$

- A. $x \in [1.5, 4.8]$
- B. $x \in [-2.1, -0.2]$
- C. $x \in [-21.2, -20.2]$
- D. There is no Real solution to the equation.
- E. None of the above.

10. Solve the equation for x and choose the interval that contains x (if it exists).

$$9 = \sqrt[3]{\frac{12}{e^{9x}}}$$

A.
$$x \in [-3.73, -2.25]$$

B.
$$x \in [-0.66, -0.28]$$

C.
$$x \in [-0.39, -0.07]$$

- D. There is no Real solution to the equation.
- E. None of the above.