1. Subtract the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = x^4 + 8x^3 + 7x + 7 \text{ and } g(x) = \frac{1}{5x + 36}$$

A. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [-7, -3]$

B. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-6.33, -0.33]$

C. The domain is all Real numbers except $x = a$, where $a \in [-11.2, -2.2]$

D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [-6.33, -3.33]$ and $b \in [1.2, 8.2]$

E. The domain is all Real numbers.

---

2. Find the inverse of the function below. Then, evaluate the inverse at $x = 9$ and choose the interval that $f^-1(9)$ belongs to.

$$f(x) = \ln(x - 2) - 5$$

A. $f^{-1}(9) \in [1090.63, 1098.63]$

B. $f^{-1}(9) \in [59866.14, 59873.14]$

C. $f^{-1}(9) \in [1202600.28, 1202606.28]$

D. $f^{-1}(9) \in [1202603.28, 1202608.28]$

E. $f^{-1}(9) \in [51.6, 59.6]$

---

3. Determine whether the function below is 1-1.

$$f(x) = -25x^2 + 30x + 391$$

A. No, because there is an x-value that goes to 2 different y-values.

B. No, because there is a y-value that goes to 2 different x-values.

C. No, because the domain of the function is not $(-\infty, \infty)$.

D. No, because the range of the function is not $(-\infty, \infty)$.

E. Yes, the function is 1-1.

---

4. Find the inverse of the function below. Then, evaluate the inverse at $x = 8$ and choose the interval that $f^-1(8)$ belongs to.

$$f(x) = \ln(x + 5) - 2$$

A. $f^{-1}(8) \in [22019.47, 22022.47]$

B. $f^{-1}(8) \in [442411.39, 442413.39]$

C. $f^{-1}(8) \in [22029.47, 22035.47]$

D. $f^{-1}(8) \in [13.09, 22.09]$

E. $f^{-1}(8) \in [395.43, 399.43]$

---

5. Determine whether the function below is 1-1.

$$f(x) = 9x^2 - 78x + 169$$

A. Yes, the function is 1-1.

B. No, because there is an x-value that goes to 2 different y-values.

C. No, because there is a y-value that goes to 2 different x-values.

D. No, because the range of the function is not $(-\infty, \infty)$.

E. No, because the domain of the function is not $(-\infty, \infty)$.

---

6. Choose the interval below that f composed with g at $x = -1$ is in.

$$f(x) = x^3 + 2x^2 - 3x - 3 \text{ and } g(x) = -2x^3 - 2x^2 + 3x + 2$$

A. $(f \circ g)(-1) \in [0.74, 1.77]$

B. $(f \circ g)(-1) \in [0.74, 1.77]$

C. $(f \circ g)(-1) \in [-6.62, -4.63]$

D. $(f \circ g)(-1) \in [-4.38, -3.54]$

E. It is not possible to compose the two functions.

---

7. Choose the interval below that f composed with g at $x = -1$ is in.

$$f(x) = -3x^3 + 4x^2 + x - 3 \text{ and } g(x) = -2x^3 + 3x^2 + 3x - 2$$

A. $(f \circ g)(-1) \in [-4, 1]$

B. $(f \circ g)(-1) \in [-13, -6]$

C. $(f \circ g)(-1) \in [1, 7]$

D. $(f \circ g)(-1) \in [-29, -19]$

E. It is not possible to compose the two functions.

---

8. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = 15$ and choose the interval that $f^-1(15)$ belongs to.

$$f(x) = 4x^2 + 3$$

A. $f^{-1}(15) \in [1.41, 1.79]$

B. $f^{-1}(15) \in [2.37, 2.82]$

C. $f^{-1}(15) \in [5.29, 6]$

D. $f^{-1}(15) \in [2.06, 2.37]$

E. The function is not invertible for all Real numbers.

---

9. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = 11$ and choose the interval that $f^-1(11)$ belongs to.

$$f(x) = 2x^2 + 5$$

A. $f^{-1}(11) \in [2.52, 2.9]$

B. $f^{-1}(11) \in [1.19, 2.72]$

C. $f^{-1}(11) \in [5.06, 7.17]$

D. $f^{-1}(11) \in [2.97, 4.59]$

E. The function is not invertible for all Real numbers.

---

10. Subtract the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = 5x^3 + 9x^2 + 3x + 3 \text{ and } g(x) = \frac{5}{5x - 34}$$

A. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [7, 13]$

B. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-0.8, 5.2]$

C. The domain is all Real numbers except $x = a$, where $a \in [5.8, 8.8]$

D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [-14.67, -1.67]$ and $b \in [-6.17, 4.83]$

E. The domain is all Real numbers.
