

1. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$20 = \ln \sqrt[6]{\frac{22}{e^{8x}}}$$

- A.  $x \in [-5.4, -3.4]$
  - B.  $x \in [-3.2, -1.4]$
  - C.  $x \in [13, 15.7]$
  - D. There is no Real solution to the equation.
  - E. None of the above.
- 

2. Which of the following intervals describes the Range of the function below?

$$f(x) = -\log_2(x + 6) - 1$$

- A.  $[a, \infty), a \in [-9.2, -5.9]$
  - B.  $(-\infty, a), a \in [-5.2, -0.2]$
  - C.  $(-\infty, a), a \in [-0.1, 4.6]$
  - D.  $[a, \infty), a \in [4.7, 10]$
  - E.  $(-\infty, \infty)$
- 

3. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$5^{-4x-2} = \left(\frac{1}{49}\right)^{-2x+4}$$

- A.  $x \in [0.4, 2.6]$
- B.  $x \in [5.2, 7.2]$
- C.  $x \in [-2, 0]$
- D.  $x \in [-3.9, -2.4]$
- E. There is no Real solution to the equation.

4. Which of the following intervals describes the Range of the function below?

$$f(x) = e^{x-7} - 1$$

- A.  $(a, \infty), a \in [-3.6, 0]$
  - B.  $(-\infty, a), a \in [0.3, 1.5]$
  - C.  $(-\infty, a], a \in [0.3, 1.5]$
  - D.  $[a, \infty), a \in [-3.6, 0]$
  - E.  $(-\infty, \infty)$
- 

5. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$25 = \sqrt[3]{\frac{29}{e^{4x}}}$$

- A.  $x \in [0.76, 1.7]$
  - B.  $x \in [-1.12, -0.65]$
  - C.  $x \in [-20.26, -19.24]$
  - D. There is no Real solution to the equation.
  - E. None of the above.
- 

6. Which of the following intervals describes the Domain of the function below?

$$f(x) = -\log_2(x + 1) + 8$$

- A.  $(a, \infty), a \in [-1.5, -0.8]$
- B.  $(-\infty, a], a \in [-8.6, -7.2]$
- C.  $(-\infty, a), a \in [0.7, 4.1]$
- D.  $[a, \infty), a \in [6.3, 8.2]$
- E.  $(-\infty, \infty)$

7. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_4(2x + 6) + 4 = 3$$

- A.  $x \in [-2.8, -1.67]$
  - B.  $x \in [2.81, 4.24]$
  - C.  $x \in [28.12, 29.65]$
  - D.  $x \in [-2.96, -2.79]$
  - E. There is no Real solution to the equation.
- 

8. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$2^{-3x-5} = 27^{-2x+3}$$

- A.  $x \in [-9, -6.5]$
  - B.  $x \in [1.8, 5]$
  - C.  $x \in [-14.2, -11.5]$
  - D.  $x \in [1.3, 2.4]$
  - E. There is no Real solution to the equation.
- 

9. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_4(2x + 7) + 6 = 2$$

- A.  $x \in [2.5, 12.5]$
- B.  $x \in [119.5, 129.5]$
- C.  $x \in [-5.5, -1.5]$
- D.  $x \in [127.5, 133.5]$
- E. There is no Real solution to the equation.

10. Which of the following intervals describes the Range of the function below?

$$f(x) = -e^{x+8} - 9$$

- A.  $(-\infty, a], a \in [-11, -2]$
  - B.  $(a, \infty), a \in [7, 13]$
  - C.  $(-\infty, a), a \in [-11, -2]$
  - D.  $[a, \infty), a \in [7, 13]$
  - E.  $(-\infty, \infty)$
- 

11. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$10 = \sqrt[5]{\frac{22}{e^{8x}}}$$

- A.  $x \in [-0.9, -0.18]$
  - B.  $x \in [-7.57, -5.58]$
  - C.  $x \in [-1.85, -0.73]$
  - D. There is no Real solution to the equation.
  - E. None of the above.
- 

12. Which of the following intervals describes the Range of the function below?

$$f(x) = \log_2(x - 3) + 2$$

- A.  $(-\infty, a), a \in [1.23, 2.99]$
- B.  $[a, \infty), a \in [2.99, 5.41]$
- C.  $[a, \infty), a \in [-4.36, -2.85]$
- D.  $(-\infty, a), a \in [-2.45, -1.86]$
- E.  $(-\infty, \infty)$

13. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$5^{-5x-4} = 27^{-3x+3}$$

- A.  $x \in [8.87, 9.87]$
  - B.  $x \in [3.8, 5.8]$
  - C.  $x \in [-3.5, -2.5]$
  - D.  $x \in [-12.16, -7.16]$
  - E. There is no Real solution to the equation.
- 

14. Which of the following intervals describes the Domain of the function below?

$$f(x) = e^{x-3} - 5$$

- A.  $(-\infty, a], a \in [-5, -3]$
  - B.  $(-\infty, a), a \in [-5, -3]$
  - C.  $[a, \infty), a \in [2, 12]$
  - D.  $(a, \infty), a \in [2, 12]$
  - E.  $(-\infty, \infty)$
- 

15. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$12 = \sqrt[3]{\frac{24}{e^{6x}}}$$

- A.  $x \in [-6.68, -6.49]$
- B.  $x \in [-0.52, 0.11]$
- C.  $x \in [0.53, 1.91]$
- D. There is no Real solution to the equation.
- E. None of the above.

16. Which of the following intervals describes the Range of the function below?

$$f(x) = \log_2(x - 8) - 5$$

- A.  $(-\infty, a), a \in [1.4, 5.1]$
  - B.  $[a, \infty), a \in [7.8, 10.8]$
  - C.  $(-\infty, a), a \in [-7.6, -3.9]$
  - D.  $[a, \infty), a \in [-8.6, -7.7]$
  - E.  $(-\infty, \infty)$
- 

17. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_4(3x + 6) + 4 = 3$$

- A.  $x \in [-1.93, -1.85]$
  - B.  $x \in [-1.68, -1.07]$
  - C.  $x \in [19.2, 20.36]$
  - D.  $x \in [2.25, 2.53]$
  - E. There is no Real solution to the equation.
- 

18. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$3^{4x-2} = 125^{2x+2}$$

- A.  $x \in [-3.5, -1.3]$
- B.  $x \in [3.8, 7.3]$
- C.  $x \in [-1.6, 0.1]$
- D.  $x \in [1.5, 3]$
- E. There is no Real solution to the equation.

19. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_3(2x + 5) + 6 = 3$$

- A.  $x \in [-23, -13]$
  - B.  $x \in [-7.48, 0.52]$
  - C.  $x \in [11, 20]$
  - D.  $x \in [-11, -4]$
  - E. There is no Real solution to the equation.
- 

20. Which of the following intervals describes the Domain of the function below?

$$f(x) = -e^{x-2} - 6$$

- A.  $[a, \infty), a \in [5, 13]$
  - B.  $(a, \infty), a \in [5, 13]$
  - C.  $(-\infty, a), a \in [-7, -5]$
  - D.  $(-\infty, a], a \in [-7, -5]$
  - E.  $(-\infty, \infty)$
- 

21. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$13 = \sqrt[6]{\frac{26}{e^{6x}}}$$

- A.  $x \in [-15.2, -12.8]$
- B.  $x \in [-0.4, 0.5]$
- C.  $x \in [-2.2, -1.3]$
- D. There is no Real solution to the equation.
- E. None of the above.

22. Which of the following intervals describes the Range of the function below?

$$f(x) = \log_2(x - 5) + 8$$

- A.  $(-\infty, a), a \in [-12, -7]$
  - B.  $[a, \infty), a \in [0, 6]$
  - C.  $(-\infty, a), a \in [7, 11]$
  - D.  $[a, \infty), a \in [-7, -4]$
  - E.  $(-\infty, \infty)$
- 

23. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$3^{-5x-3} = \left(\frac{1}{125}\right)^{-2x+4}$$

- A.  $x \in [-3.4, -1.8]$
  - B.  $x \in [4.7, 7]$
  - C.  $x \in [0.1, 3.2]$
  - D.  $x \in [-1.7, 0.1]$
  - E. There is no Real solution to the equation.
- 

24. Which of the following intervals describes the Domain of the function below?

$$f(x) = e^{x-4} - 9$$

- A.  $(a, \infty), a \in [6, 15]$
- B.  $(-\infty, a), a \in [-10, -7]$
- C.  $[a, \infty), a \in [6, 15]$
- D.  $(-\infty, a], a \in [-10, -7]$
- E.  $(-\infty, \infty)$



25. Solve the equation for  $x$  and choose the interval that contains  $x$  (if it exists).

$$21 = \ln \sqrt[6]{\frac{22}{e^{3x}}}$$

- A.  $x \in [-12.97, -11.97]$
  - B.  $x \in [-42.97, -36.97]$
  - C.  $x \in [-9.12, -4.12]$
  - D. There is no Real solution to the equation.
  - E. None of the above.
- 

26. Which of the following intervals describes the Domain of the function below?

$$f(x) = \log_2(x - 5) - 8$$

- A.  $(-\infty, a), a \in [-5.3, -3.2]$
  - B.  $(-\infty, a], a \in [7.3, 12.2]$
  - C.  $(a, \infty), a \in [3.8, 5.2]$
  - D.  $[a, \infty), a \in [-9.5, -6.9]$
  - E.  $(-\infty, \infty)$
- 

27. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_4(-3x + 7) + 4 = 2$$

- A.  $x \in [-6, -2]$
- B.  $x \in [-12.67, -5.67]$
- C.  $x \in [-1.69, 6.31]$
- D.  $x \in [-6, -2]$
- E. There is no Real solution to the equation.

28. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$2^{-3x+5} = \left(\frac{1}{9}\right)^{-4x-3}$$

- A.  $x \in [-1.29, 0.71]$
  - B.  $x \in [2.13, 7.13]$
  - C.  $x \in [-8, -6]$
  - D.  $x \in [-0.26, 1.74]$
  - E. There is no Real solution to the equation.
- 

29. Solve the equation for  $x$  and choose the interval that contains the solution (if it exists).

$$\log_5(3x + 7) + 6 = 3$$

- A.  $x \in [-4.33, -1.33]$
  - B.  $x \in [-89.33, -82.33]$
  - C.  $x \in [38.33, 41.33]$
  - D.  $x \in [-79.67, -76.67]$
  - E. There is no Real solution to the equation.
- 

30. Which of the following intervals describes the Domain of the function below?

$$f(x) = e^{x-1} - 6$$

- A.  $(-\infty, a), a \in [-8, -5]$
- B.  $(-\infty, a], a \in [-8, -5]$
- C.  $(a, \infty), a \in [3, 10]$
- D.  $[a, \infty), a \in [3, 10]$
- E.  $(-\infty, \infty)$

