

1. For the information provided below, construct a linear model that describes her total costs, C , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$1000 educational expense each year. Before college, Aubrey saved up \$9000. She knows she will need to pay \$1000 in rent a month, \$60 for food a week, and \$32 in other weekly expenses.

- A. $C(x) = 1092$
- B. $C(x) = 10000x$
- C. $C(x) = 1092x$
- D. $C(x) = 10000$
- E. None of the above.

-
2. For the information below, construct a linear model that describes the total time T spent on the path in terms of the distance of a particular part of the path *if we know that the time spent on each path was equal.*

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 5 mph, 10 mph when traveling down a hill, and 7 mph when traveling along a flat portion.

- A. $350.000D$
- B. $22.000D$
- C. $0.443D$
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.

-
3. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the high-quality coffee beans h .

Veronica needs to prepare 250 of blended coffee beans selling for \$4.26 per pound. She has a high-quality bean that sells for \$5.87 a pound and a low-quality bean that sells for \$3.17 a pound.

- A. $C(h) = 5.87h$
- B. $C(h) = -2.70h + 1467.50$
- C. $C(h) = 4.52h$
- D. $C(h) = 2.70h + 792.50$
- E. None of the above.

-
4. Using the situation below, construct a linear model that describes the cost of the coffee beans $C(h)$ in terms of the weight of the high-quality coffee beans h .

Veronica needs to prepare 220 of blended coffee beans selling for \$4.81 per pound. She has a high-quality bean that sells for \$5.49 a pound and a low-quality bean that sells for \$3.24 a pound.

- A. $C(h) = 4.37h$
- B. $C(h) = 2.25h + 712.80$
- C. $C(h) = -2.25h + 1207.80$
- D. $C(h) = 5.49h$
- E. None of the above.

-
5. A town has an initial population of 90000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	89970	89940	89910	89880	89850	89820	89790	89760	89730

- A. Logarithmic
- B. Non-Linear Power
- C. Exponential

- D. Linear
 - E. None of the above
-

6. For the information provided below, construct a linear model that describes her total budget, B , as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$800 educational expense each year. Before college, Aubrey saved up \$10000. She knows she will need to pay \$900 in rent a month, \$40 for food a week, and \$32 in other weekly expenses.

- A. $B(x) = 10000x + 800$
 - B. $B(x) = 10800 - 1188x$
 - C. $B(x) = 800x + 10000$
 - D. $B(x) = 10800 - 972x$
 - E. None of the above.
-

7. What is the **best** way to describe the domain of the scenario below?

Fred is a store manager at Publix. The store normally orders two pallets of water bottles a week and sells 1000 bottles per day. However, a hurricane is coming and Fred expects water bottle sales to increase tenfold for three days, then decrease by half of normal sales for four days. How many more pallets of water bottles should Fred order the week before the hurricane?

- A. Subset of the Integers
- B. Proper subset of the Real numbers
- C. Subset of the Rational numbers
- D. There is no restricted domain in this scenario
- E. Subset of the Natural numbers

-
8. For the information below, construct a linear model that describes the total time T spent on the path in terms of the distance of a particular part of the path *if we know that the time spent on each path was equal.*

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 6 mph, 11 mph when traveling down a hill, and 7 mph when traveling along a flat portion.

- A. $24.000D$
- B. $462.000D$
- C. $0.400D$
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.

-
9. A town has an initial population of 30000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	30000	30020	30032	30041	30048	30053	30058	30062	30065

- A. Linear
- B. Non-Linear Power
- C. Logarithmic
- D. Exponential
- E. None of the above

-
10. What is the **best** way to describe the domain of the scenario below?

Hannah plans to pay off a no-interest loan from her parents. Her loan balance is \$1,000. She plans to pay \$35 at the end of every week until

her balance is \$0. How many weeks will it be until she has paid off her loan?

- A. Subset of the Integers
 - B. Proper subset of the Real numbers
 - C. There is no restricted domain in this scenario
 - D. Subset of the Rational numbers
 - E. Subset of the Natural numbers
-