
This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found here.

If you have a suggestion to make the keys better, please fill out the short survey here.

Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.

1. Choose the equation of the function graphed below.



The solution is None of the above, which is option E.

A.
$$f(x) = -\sqrt[3]{x-8} + 7$$

This would be the correct option if the root degree was 2.

B.
$$f(x) = -\sqrt[3]{x+8} + 7$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 3.

C.
$$f(x) = \sqrt[3]{x-8} + 7$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 3.

D.
$$f(x) = \sqrt[3]{x+8} + 7$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 3.

E. None of the above

* This is correct! The general shape of the graph is not correct for the radical power.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

2. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-49x^2 + 40} - \sqrt{-21x} = 0$$

The solution is that there is one solution and it is x = 1.143, which is option A.

- A. $x \in [0.85, 1.23]$
 - * This is the correct option.
- B. $x_1 \in [-0.89, -0.53]$ and $x_2 \in [-0.86, 3.14]$

x = -0.714 and x = 1.143, which corresponds to not checking that x = -0.714 leads to a negative in at least one of the radicands.

C. $x_1 \in [0.13, 1.01]$ and $x_2 \in [-0.86, 3.14]$

x = 0.714 and x = 1.143, which corresponds to negatives or the absolute value of the values you would have gotten by solving the equation correctly.

D. All solutions lead to invalid or complex values in the equation.

This corresponds to believing both x = -0.714 and x = 1.143 both lead to complex values.

E. $x \in [-0.89, -0.53]$

x = -0.714, which corresponds to thinking this value does not make either radicand negative AND the value x = 1.143 does.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

3. What is the domain of the function below?

$$f(x) = \sqrt[7]{8x - 9}$$

The solution is $(-\infty, \infty)$, which is option A.

- A. $(-\infty, \infty)$
 - * This is the correct option since the radical has an odd power.
- B. The domain is $(-\infty, a]$, where $a \in [0.82, 0.93]$

 $(-\infty, 0.889]$, which corresponds to if the radical had an even power AND reversing the direction of the domain AND using the negative of the correct pivot value.

C. The domain is $[a, \infty)$, where $a \in [0.05, 0.96]$

 $[0.889, \infty)$, which corresponds to if the radical had an even power AND using the negative of the correct pivot value.

D. The domain is $(-\infty, a]$, where $a \in [1.04, 1.86]$

 $(-\infty, 1.125]$, which corresponds to if the radical had an even power AND reversing the direction of the domain.

E. The domain is $[a, \infty)$, where $a \in [1.03, 1.14]$


 $[1.125,\infty)$, which corresponds to if the radical had an even power.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $8x - 9 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


4. Choose the graph of the equation below.


$$f(x) = -\sqrt[3]{x - 14} + 6$$


The solution is the graph below, which is option B.











E. None of the above.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

5. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-6x+5} - \sqrt{-3x-5} = 0$$

The solution is All solutions lead to invalid or complex values in the equation, which is option D.

A. $x \in [2.7, 4.1]$

This corresponds to not checking that the potential solution x = 3.333 leads to a complex value in the original equation.

B. $x_1 \in [0.4, 1.5]$ and $x_2 \in [1.33, 5.33]$

5493 - 4176

x = 0.833 and x = 3.333, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

C.
$$x \in [-0.6, 0.3]$$

x = -0.000, which corresponds to squaring each square root separately and assigning the negative to the third term.

D. All solutions lead to invalid or complex values in the equation.


*x = 3.333 leads to a complex value in the equation, so this is the correct option.

E.
$$x_1 \in [-3.3, -1.4]$$
 and $x_2 \in [-1.17, 2.83]$

x = -1.667 and x = 0.833, which corresponds to solving each radical separately for 0.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

6. Choose the equation of the function graphed below.



The solution is None of the above, which is option E.

A.
$$f(x) = \sqrt{x-8} - 7$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 2.

B.
$$f(x) = -\sqrt{x+8} - 7$$

This would be the correct option if the root degree was 3.

C.
$$f(x) = \sqrt{x+8} - 7$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 2.

D.
$$f(x) = -\sqrt{x-8} - 7$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 2.

- E. None of the above
 - * This is correct! The general shape of the graph is not correct for the radical power.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

7. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{8x-7} - \sqrt{5x+5} = 0$$

The solution is x = 4.0, which is option B.

A. $x \in [0.4, 0.75]$

x = 0.667, which corresponds to squaring each square root separately and assigning the negative to the third term.

- B. $x \in [4, 4.36]$
 - * x = 4.000, which is the correct option.
- C. $x_1 \in [-1.21, -0.69]$ and $x_2 \in [-2.12, 1.88]$

x = -1.000 and x = 0.875, which corresponds to solving each radical separately for 0.

D. $x_1 \in [0.83, 1.02]$ and $x_2 \in [3, 9]$

x = 0.875 and x = 4.000, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

E. All solutions lead to invalid or complex values in the equation.

This corresponds to believing the solution x = 4.000 leads to a complex value in the original equation.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

8. What is the domain of the function below?

$$f(x) = \sqrt[5]{-5x - 9}$$

The solution is $(-\infty, \infty)$, which is option A.

- A. $(-\infty, \infty)$
 - * This is the correct option since the radical has an odd power.
- B. The domain is $(-\infty, a]$, where $a \in [-1.9, -1.1]$

 $(-\infty, -1.800]$, which corresponds to if the radical had an even power.

C. The domain is $(-\infty, a]$, where $a \in [-1.3, -0.3]$

 $(-\infty, -0.556]$, which corresponds to if the radical had an even power AND using the negative of the correct pivot value.

D. The domain is $[a, \infty)$, where $a \in [-2.48, -0.56]$

 $[-1.800, \infty)$, which corresponds to if the radical had an even power AND reversing the direction of the domain.

E. The domain is $[a, \infty)$, where $a \in [-1.03, -0.07]$


 $[-0.556, \infty)$, which corresponds to if the radical had an even power AND reversing the direction of the domain AND using the negative of the correct pivot value.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $-5x - 9 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


9. Choose the graph of the equation below.


$$f(x) = -\sqrt{x-6} + 4$$


The solution is the graph below, which is option A.











E. None of the above.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h,k) is the vertex.

10. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-35x^2 + 54} - \sqrt{33x} = 0$$

The solution is that there is one solution and it is x = 0.857, which is option E.

A. $x \in [-3.9, -1]$

x = -1.800, which corresponds to thinking this value does not make either radicand negative AND the value x = 0.857 does.

B. $x_1 \in [-0.1, 1]$ and $x_2 \in [1.56, 2.76]$

x = 0.857 and x = 1.800, which corresponds to negatives or the absolute value of the values you would have gotten by solving the equation correctly.

C. All solutions lead to invalid or complex values in the equation.

This corresponds to believing both x = -1.800 and x = 0.857 both lead to complex values.

D. $x_1 \in [-3.9, -1]$ and $x_2 \in [0.6, 1.05]$


x = -1.800 and x = 0.857, which corresponds to not checking that x = -1.800 leads to a negative in at least one of the radicands.

E.
$$x \in [-0.1, 1]$$

* This is the correct option.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

11. Choose the equation of the function graphed below.



The solution is None of the above, which is option E.

A.
$$f(x) = -\sqrt{x-12} + 5$$

This would be the correct option if the root degree was 3.

B.
$$f(x) = \sqrt{x-12} + 5$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 2.

C.
$$f(x) = -\sqrt{x+12} + 5$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 2.

D.
$$f(x) = \sqrt{x+12} + 5$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 2.

- E. None of the above
 - * This is correct! The general shape of the graph is not correct for the radical power.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

12. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-14x^2 + 15} - \sqrt{-11x} = 0$$

The solution is that there is one solution and it is x = 1.500, which is option B.

A.
$$x \in [-0.94, -0.59]$$

x = -0.714, which corresponds to thinking this value does not make either radicand negative AND the value x = 1.500 does.

B.
$$x \in [1.22, 2.18]$$

* This is the correct option.

C. All solutions lead to invalid or complex values in the equation.

This corresponds to believing both x = -0.714 and x = 1.500 both lead to complex values.

D.
$$x_1 \in [-0.94, -0.59]$$
 and $x_2 \in [0.5, 4.5]$

x = -0.714 and x = 1.500, which corresponds to not checking that x = -0.714 leads to a negative in at least one of the radicands.

E.
$$x_1 \in [0.64, 0.89]$$
 and $x_2 \in [0.5, 4.5]$

x = 0.714 and x = 1.500, which corresponds to negatives or the absolute value of the values you would have gotten by solving the equation correctly.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

13. What is the domain of the function below?

$$f(x) = \sqrt[4]{-4x + 6}$$

The solution is $(-\infty, 1.500]$, which is option D.

A. $[a, \infty)$, where $a \in [1.04, 1.63]$

 $[1.500, \infty)$, which corresponds to reversing the direction of the domain.

B. $(-\infty, a]$, where $a \in [0.13, 0.89]$

 $(-\infty, 0.667]$, which corresponds to using the negative of the correct pivot value.

C. $(-\infty, \infty)$

This corresponds to the radical having an odd power, but the radical for this question is even.

- D. $(-\infty, a]$, where $a \in [1.08, 2.35]$
 - * $(-\infty, 1.500]$, which is the correct option.
- E. $[a, \infty)$, where $a \in [-0.35, 1.23]$


 $[0.667, \infty)$, which corresponds to reversing the direction of the domain AND using the negative of the correct pivot value.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $-4x + 6 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


14. Choose the graph of the equation below.

$$f(x) = \sqrt{x+12} + 6$$


The solution is the graph below, which is option A.








5493-4176





E. None of the above.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

15. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-6x - 4} - \sqrt{-8x + 4} = 0$$

The solution is All solutions lead to invalid or complex values in the equation., which is option B.

A. $x_1 \in [-0.97, -0.43]$ and $x_2 \in [-0.5, 1.5]$

x = -0.667 and x = 0.500, which corresponds to solving each radical separately for 0.

B. All solutions lead to invalid or complex values in the equation.

*x = 4.000 leads to a complex value in the equation, so this is the correct option.

C. $x \in [-0.5, 0.24]$

x = 0.000, which corresponds to squaring each square root separately and assigning the negative to the third term.

D. $x_1 \in [-0.97, -0.43]$ and $x_2 \in [1, 10]$


x = -0.667 and x = 4.000, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

E. $x \in [2.34, 4.82]$

This corresponds to not checking that the potential solution x = 4.000 leads to a complex value in the original equation.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

16. Choose the equation of the function graphed below.



The solution is $-\sqrt[3]{x-8}-6$, which is option D.

A.
$$f(x) = \sqrt[3]{x-8} - 6$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 3.

B.
$$f(x) = \sqrt[3]{x+8} - 6$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 3.

C.
$$f(x) = -\sqrt[3]{x+8} - 6$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 3.

D.
$$f(x) = -\sqrt[3]{x-8} - 6$$

* This is the correct option.

E. None of the above

You likely though the graphs did not match the power of the radical.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

17. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-9x+6} - \sqrt{-2x+8} = 0$$

The solution is x = -0.2857142857142857, which is option D.

A. All solutions lead to invalid or complex values in the equation.

This corresponds to believing the solution x = -0.286 leads to a complex value in the original equation.

B.
$$x_1 \in [-1.48, -0.24]$$
 and $x_2 \in [-2.33, 3.67]$

x = -0.286 and x = 0.667, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

C. $x_1 \in [0.49, 1.27]$ and $x_2 \in [2, 5]$

x = 0.667 and x = 4.000, which corresponds to solving each radical separately for 0.

D. $x \in [-1.48, -0.24]$

* x = -0.286, which is the correct option.

E. $x \in [1.6, 2.51]$

x = 2.000, which corresponds to squaring each square root separately and assigning the negative to the third term.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

18. What is the domain of the function below?

$$f(x) = \sqrt[7]{7x - 4}$$

The solution is $(-\infty, \infty)$, which is option D.

A. The domain is $[a, \infty)$, where $a \in [-0.24, 1.15]$

 $[0.571, \infty)$, which corresponds to if the radical had an even power.

B. The domain is $(-\infty, a]$, where $a \in [1.1, 2.2]$

 $(-\infty, 1.750]$, which corresponds to if the radical had an even power AND reversing the direction of the domain AND using the negative of the correct pivot value.

C. The domain is $[a, \infty)$, where $a \in [0.88, 2.58]$

 $[1.750, \infty)$, which corresponds to if the radical had an even power AND using the negative of the correct pivot value.

D. $(-\infty, \infty)$

* This is the correct option since the radical has an odd power.

E. The domain is $(-\infty, a]$, where $a \in [-0.2, 1.7]$


 $(-\infty, 0.571]$, which corresponds to if the radical had an even power AND reversing the direction of the domain.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $7x - 4 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


19. Choose the graph of the equation below.

$$f(x) = -\sqrt{x+6} + 6$$


The solution is the graph below, which is option A.








A.



C.



D.

E. None of the above.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

20. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{16x^2 + 49} - \sqrt{-70x} = 0$$

The solution is that there are two solutions and they are x = -3.500 and x = -0.875, which is option A.

A. $x_1 \in [-4.5, -2.6]$ and $x_2 \in [-2.88, 1.12]$

* x = -3.500 and x = -0.875, which is the correct option.

B. All solutions lead to invalid or complex values in the equation.

Corresponds to thinking that x = -3.500 and x = -0.875 lead to negatives in at least one of the radicands.

C. $x \in [-4.5, -2.6]$

x = -3.500, which corresponds to thinking that x = -0.875 leads to a negative in at least one of the radicands.

D. $x_1 \in [0, 4.5]$ and $x_2 \in [3.5, 6.5]$


x = 0.875 and x = 3.500, which are the negative or absolute values of the values you would have gotten by solving the equation correctly.

E.
$$x \in [-1.7, 0.8]$$

x = -0.875, which corresponds to thinking that x = -3.500 leads to a negative in at least one of the radicands.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

21. Choose the equation of the function graphed below.



The solution is $\sqrt[3]{x+10}+7$, which is option C.

A.
$$f(x) = -\sqrt[3]{x - 10} + 7$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 3.

B.
$$f(x) = \sqrt[3]{x-10} + 7$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 3.

C.
$$f(x) = \sqrt[3]{x+10} + 7$$

* This is the correct option.

D.
$$f(x) = -\sqrt[3]{x+10} + 7$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 3.

E. None of the above

You likely though the graphs did not match the power of the radical.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

22. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{-20x^2 - 24} - \sqrt{47x} = 0$$

The solution is all potential solutions lead to complex values in the equation., which is option B.

- A. $x_1 \in [0.24, 2.82]$ and $x_2 \in [-0.2, 1.5]$
 - x = 1.600 and x = 0.750, which corresponds to getting the negatives of the values that make the equation 0.
- B. All solutions lead to invalid or complex values in the equation.
 - * This is the correct option.
- C. $x \in [-2.16, -1.15]$
 - x = -1.600, which corresponds to not checking that this value makes at least one of the radicands negative.
- D. $x \in [-1.47, 0.11]$
 - x = -0.750, which corresponds to not checking that this value makes at least one of the radicands negative.
- E. $x_1 \in [-2.16, -1.15]$ and $x_2 \in [-2.9, 0.3]$
 - x = -1.600 and x = -0.750, which corresponds to not checking that BOTH values make at least one of the radicands negative.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

23. What is the domain of the function below?

$$f(x) = \sqrt[4]{-7x - 4}$$

The solution is $(-\infty, -0.571]$, which is option A.

- A. $(-\infty, a]$, where $a \in [-1.5, 4.7]$
 - * $(-\infty, -0.571]$, which is the correct option.
- B. $[a, \infty)$, where $a \in [-1, 1.3]$

 $[-0.571, \infty)$, which corresponds to reversing the direction of the domain.

C. $(-\infty, \infty)$

This corresponds to the radical having an odd power, but the radical for this question is even.

D. $[a, \infty)$, where $a \in [-3.9, -1]$

 $[-1.750, \infty)$, which corresponds to reversing the direction of the domain AND using the negative of the correct pivot value.

E. $(-\infty, a]$, where $a \in [-1.9, -1.3]$


 $(-\infty, -1.750]$, which corresponds to using the negative of the correct pivot value.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $-7x - 4 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


24. Choose the graph of the equation below.


$$f(x) = \sqrt[3]{x-6} - 7$$


The solution is the graph below, which is option D.











Summer C 2021

E. None of the above.

5493 - 4176

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h,k) is the vertex.

25. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{9x - 3} - \sqrt{-2x + 7} = 0$$

The solution is x = 0.90909090909091, which is option C.

A. $x_1 \in [-0.07, 0.35]$ and $x_2 \in [3.5, 4.5]$

x = 0.333 and x = 3.500, which corresponds to solving each radical separately for 0.

B. $x_1 \in [-0.07, 0.35]$ and $x_2 \in [-2.09, 1.91]$

x = 0.333 and x = 0.909, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

C. $x \in [0.52, 1.09]$

* x = 0.909, which is the correct option.

D. All solutions lead to invalid or complex values in the equation.


This corresponds to believing the solution x = 0.909 leads to a complex value in the original equation.

E.
$$x \in [-0.5, -0.15]$$

x = -0.364, which corresponds to squaring each square root separately and assigning the negative to the third term.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

26. Choose the equation of the function graphed below.



The solution is None of the above, which is option E.

A.
$$f(x) = \sqrt[3]{x+6} - 6$$

This corresponds to switching the coefficient AND switching the x-value of the vertex with the root degree as 3.

B.
$$f(x) = \sqrt[3]{x-6} - 6$$

This corresponds to switching the coefficient and having the correct vertex with the root degree as 3.

C.
$$f(x) = -\sqrt[3]{x+6} - 6$$

This corresponds to the correct coefficient and switching the x-value of the vertex with the root degree as 3.

D.
$$f(x) = -\sqrt[3]{x-6} - 6$$

This would be the correct option if the root degree was 2.

- E. None of the above
 - * This is correct! The general shape of the graph is not correct for the radical power.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

27. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{9x + 8} - \sqrt{6x + 6} = 0$$

A.
$$x_1 \in [-1.1, -1]$$
 and $x_2 \in [-1.46, -0.82]$

x = -1.000 and x = -0.889, which corresponds to solving each radical separately for 0.

B.
$$x \in [-4.88, -4.46]$$

x = -4.667, which corresponds to squaring each square root separately and assigning the negative to the third term.

C.
$$x_1 \in [-0.89, -0.83]$$
 and $x_2 \in [-0.73, -0.45]$

x = -0.889 and x = -0.667, which corresponds to solving the equation correctly and including the value that makes the first square root 0.

D. All solutions lead to invalid or complex values in the equation.

This corresponds to believing the solution x = -0.667 leads to a complex value in the original equation.

E.
$$x \in [-0.77, -0.5]$$

* x = -0.667, which is the correct option.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solution leads to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!

28. What is the domain of the function below?

$$f(x) = \sqrt[4]{-6x - 9}$$

The solution is $(-\infty, -1.500]$, which is option B.

A.
$$[a, \infty)$$
, where $a \in [-0.8, 1.4]$

 $[-0.667, \infty)$, which corresponds to reversing the direction of the domain AND using the negative of the correct pivot value.

B. $(-\infty, a]$, where $a \in [-2.8, -1.14]$

* $(-\infty, -1.500]$, which is the correct option.

C. $[a, \infty)$, where $a \in [-2.7, -0.7]$

 $[-1.500, \infty)$, which corresponds to reversing the direction of the domain.

D. $(-\infty, a]$, where $a \in [-1.36, 0.56]$

 $(-\infty, -0.667]$, which corresponds to using the negative of the correct pivot value.

E. $(-\infty, \infty)$


This corresponds to the radical having an odd power, but the radical for this question is even.


General Comment: Remember that we cannot take the even root of a negative number - this is why the domain is only sometimes restricted! If we have an even root, we solve $-6x - 9 \ge 0$. Since this is an inequality, remember to flip the inequality if we divide by a negative number.


29. Choose the graph of the equation below.


$$f(x) = -\sqrt[3]{x+14} + 3$$


The solution is the graph below, which is option D.











E. None of the above.

General Comment: Remember that the general form of a radical equation is $f(x) = a\sqrt[b]{x-h} + k$, where a is the leading coefficient (and in this case, we assume is either 1 or -1), b is the root degree (in this case, either 2 or 3), and (h, k) is the vertex.

30. Solve the radical equation below. Then, choose the interval(s) that the solution(s) belongs to.

$$\sqrt{16x^2 - 18} - \sqrt{-12x} = 0$$

The solution is that there is one solution and it is x = -1.500, which is option A.

- A. $x \in [-2.2, -0.4]$
 - * This is the correct option.
- B. All solutions lead to invalid or complex values in the equation.

This corresponds to believing both x = -1.500 and x = 0.750 both lead to complex values.

C. $x_1 \in [0.5, 1.2]$ and $x_2 \in [1.17, 1.59]$

x = 0.750 and x = 1.500, which corresponds to negatives or the absolute value of the values you would have gotten by solving the equation correctly.

D. $x \in [0.5, 1.2]$

x = 0.750, which corresponds to thinking this value does not make either radicand negative AND the value x = -1.500 does.

E. $x_1 \in [-2.2, -0.4]$ and $x_2 \in [-0.12, 1.42]$

x = -1.500 and x = 0.750, which corresponds to not checking that x = 0.750 leads to a negative in at least one of the radicands.

General Comment: Distractors are different based on the number of solutions. For example, if the question is designed to have 0 options, then the distractors are solving the equation and not checking that the solutions lead to complex numbers (because plugging them in makes the value under the square root negative). Remember that after solving, we need to make sure our solution does not make the original equation take the square root of a negative number!