

This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found [here](#).

If you have a suggestion to make the keys better, please fill out the short survey [here](#).

Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.

1. To estimate the one-sided limit of the function below as x approaches 2 from the left, which of the following sets of numbers should you use?

$$\frac{\frac{2}{x} - 1}{x - 2}$$

The solution is {1.9000, 1.9900, 1.9990, 1.9999}, which is option E.

- A. {2.0000, 2.1000, 2.0100, 2.0010}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

- B. {2.0000, 1.9000, 1.9900, 1.9990}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

- C. {1.9000, 1.9900, 2.0100, 2.1000}

These values would estimate the limit at the point and not a one-sided limit.

- D. {2.1000, 2.0100, 2.0010, 2.0001}

These values would estimate the limit of 2 on the right.

- E. {1.9000, 1.9900, 1.9990, 1.9999}

This is correct!

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

2. Based on the information below, which of the following statements is always true?

$$f(x) \text{ approaches } \infty \text{ as } x \text{ approaches } 3.$$

The solution is $f(x)$ is undefined when x is close to or exactly 3., which is option C.

- A. $f(x)$ is close to or exactly ∞ when x is large enough.

- B. $f(x)$ is close to or exactly 3 when x is large enough.

- C. $f(x)$ is undefined when x is close to or exactly 3.

- D. x is undefined when $f(x)$ is close to or exactly ∞ .

- E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 3. It says **absolutely nothing** about what is happening exactly at $f(3)$!

3. To estimate the one-sided limit of the function below as x approaches 4 from the left, which of the following sets of numbers should you use?

$$\frac{\frac{4}{x} - 1}{x - 4}$$

The solution is $\{3.9000, 3.9900, 3.9990, 3.9999\}$, which is option A.

- A. $\{3.9000, 3.9900, 3.9990, 3.9999\}$

This is correct!

- B. $\{3.9000, 3.9900, 4.0100, 4.1000\}$

These values would estimate the limit at the point and not a one-sided limit.

- C. $\{4.0000, 3.9000, 3.9900, 3.9990\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 4 doesn't help us estimate the limit.

- D. $\{4.1000, 4.0100, 4.0010, 4.0001\}$

These values would estimate the limit of 4 on the right.

- E. $\{4.0000, 4.1000, 4.0100, 4.0010\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 4 doesn't help us estimate the limit.

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

4. Evaluate the one-sided limit of the function $f(x)$ below, if possible.

$$\lim_{x \rightarrow 7^+} \frac{-9}{(x+7)^3} + 4$$

The solution is $f(7)$, which is option A.

- A. $f(7)$

- B. $-\infty$


- C. ∞

- D. The limit does not exist

- E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

5. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x)$ does not exist.



The solution is 1, which is option B.

- A. 3
- B. 1
- C. -2
- D. Multiple a make the statement true.
- E. No a make the statement true.

General Comment: General Comments: Remember that the limit does not exist if the left-hand and right-hand limits do not match.

6. Based on the information below, which of the following statements is always true?

$f(x)$ approaches 13.648 as x approaches 1.

The solution is None of the above are always true., which is option E.

- A. $f(13) = 1$
- B. $f(13)$ is close to or exactly 1
- C. $f(1) = 13$
- D. $f(1)$ is close to or exactly 13
- E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 1. It says **absolutely nothing** about what is happening exactly at $f(1)$!

7. Evaluate the one-sided limit of the function $f(x)$ below, if possible.

$$\lim_{x \rightarrow 7^+} \frac{-1}{(x+7)^3} + 7$$

The solution is $f(7)$, which is option C.

- A. $-\infty$
- B. ∞
- C. $f(7)$
- D. The limit does not exist
- E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

8. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 7} \frac{\sqrt{7x - 24} - 5}{6x - 42}$$

The solution is 0.117, which is option D.

- A. 0.100
You likely memorized how to solve the similar homework problem and used the same formula here.
- B. 0.017
You likely learned L'Hospital's Rule in a previous course, but misapplied it here.
- C. ∞
You likely believed that since the denominator is equal to 0, the limit is infinity.
- D. 0.117
* This is the correct option.
- E. None of the above

If you got a limit that does not match any of the above, please contact the coordinator.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 7$.

9. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 9} \frac{\sqrt{9x - 65} - 4}{3x - 27}$$

The solution is None of the above, which is option E.

- A. 1.000
You likely tried to use a shortcut to find the limit of a function that only works for when the numerator/denominator are polynomials.
- B. 0.125
You likely memorized how to solve the similar homework problem and used the same formula here.
- C. 0.042
You likely learned L'Hospital's Rule in a previous course, but misapplied it here.

D. ∞


You likely believed that since the denominator is equal to 0, the limit is infinity.

E. None of the above

* This is the correct option as the limit is 0.375.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 9$.

10. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x)$ does not exist.



The solution is 1, which is option B.

A. -2

B. 1

C. 3

D. Multiple a make the statement true.

E. No a make the statement true.

General Comment: General Comments: Remember that the limit does not exist if the left-hand and right-hand limits do not match.

11. To estimate the one-sided limit of the function below as x approaches 6 from the right, which of the following sets of numbers should you use?

$$\frac{\frac{6}{x} - 1}{x - 6}$$

The solution is $\{6.1000, 6.0100, 6.0010, 6.0001\}$, which is option D.

A. $\{5.9000, 5.9900, 5.9990, 5.9999\}$

These values would estimate the limit of 6 on the left.

B. {6.0000, 6.1000, 6.0100, 6.0010}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 6 doesn't help us estimate the limit.

C. {5.9000, 5.9900, 6.0100, 6.1000}

These values would estimate the limit at the point and not a one-sided limit.

D. {6.1000, 6.0100, 6.0010, 6.0001}

This is correct!

E. {6.0000, 5.9000, 5.9900, 5.9990}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 6 doesn't help us estimate the limit.

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

12. Based on the information below, which of the following statements is always true?

$f(x)$ approaches ∞ as x approaches 4.

The solution is $f(x)$ is undefined when x is close to or exactly 4., which is option C.

A. $f(x)$ is close to or exactly ∞ when x is large enough.

B. $f(x)$ is close to or exactly 4 when x is large enough.

C. $f(x)$ is undefined when x is close to or exactly 4.

D. x is undefined when $f(x)$ is close to or exactly ∞ .

E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 4. It says **absolutely nothing** about what is happening exactly at $f(4)$!

13. To estimate the one-sided limit of the function below as x approaches 1 from the left, which of the following sets of numbers should you use?

$$\frac{\frac{1}{x} - 1}{x - 1}$$

The solution is {0.9000, 0.9900, 0.9990, 0.9999}, which is option B.

A. {0.9000, 0.9900, 1.0100, 1.1000}

These values would estimate the limit at the point and not a one-sided limit.

B. {0.9000, 0.9900, 0.9990, 0.9999}

This is correct!

C. {1.0000, 1.1000, 1.0100, 1.0010}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 1 doesn't help us estimate the limit.

D. {1.0000, 0.9000, 0.9900, 0.9990}

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 1 doesn't help us estimate the limit.

E. $\{1.1000, 1.0100, 1.0010, 1.0001\}$

These values would estimate the limit of 1 on the right.

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

14. Evaluate the one-sided limit of the function $f(x)$ below, if possible.

$$\lim_{x \rightarrow 7^+} \frac{5}{(x+7)^4} + 9$$

The solution is $f(7)$, which is option A.

A. $f(7)$

B. ∞


C. $-\infty$

D. The limit does not exist

E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

15. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x) = 0$.



The solution is Multiple a make the statement true., which is option D.

A. 0

B. 3

C. -4

D. Multiple a make the statement true.

E. No a make the statement true.

General Comment: General Comments: There can be multiple a values that make the statement true! For the limit, draw a horizontal line and determine if an x value makes the limit exist.

16. Based on the information below, which of the following statements is always true?

$f(x)$ approaches 19.045 as x approaches 8.

The solution is None of the above are always true., which is option E.

- A. $f(19)$ is close to or exactly 8
- B. $f(19) = 8$
- C. $f(8) = 19$
- D. $f(8)$ is close to or exactly 19
- E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 8. It says **absolutely nothing** about what is happening exactly at $f(8)$!

17. Evaluate the one-sided limit of the function $f(x)$ below, if possible.

$$\lim_{x \rightarrow 6^-} \frac{-8}{(x-6)^3} + 2$$

The solution is ∞ , which is option C.

- A. $-\infty$
- B. $f(6)$
- C. ∞
- D. The limit does not exist
- E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

18. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 4} \frac{\sqrt{7x-3} - 5}{2x-8}$$

The solution is None of the above, which is option E.

- A. ∞

You likely believed that since the denominator is equal to 0, the limit is infinity.

- B. 1.323

You likely tried to use a shortcut to find the limit of a function that only works for when the numerator/denominator are polynomials.

- C. 0.050

You likely learned L'Hospital's Rule in a previous course, but misapplied it here.

D. 0.100

You likely memorized how to solve the similar homework problem and used the same formula here.

E. None of the above

* This is the correct option as the limit is 0.350.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 4$.

19. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 7} \frac{\sqrt{5x - 10} - 5}{3x - 21}$$

The solution is None of the above, which is option E.

A. 0.100

You likely memorized how to solve the similar homework problem and used the same formula here.

B. 0.745

You likely tried to use a shortcut to find the limit of a function that only works for when the numerator/denominator are polynomials.

C. ∞

You likely believed that since the denominator is equal to 0, the limit is infinity.

D. 0.033


You likely learned L'Hospital's Rule in a previous course, but misapplied it here.

E. None of the above

* This is the correct option as the limit is 0.167.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 7$.

20. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x)$ does not exist.



The solution is 1, which is option A.

- A. 1
- B. 3
- C. -2
- D. Multiple a make the statement true.
- E. No a make the statement true.

General Comment: General Comments: Remember that the limit does not exist if the left-hand and right-hand limits do not match.

21. To estimate the one-sided limit of the function below as x approaches 2 from the left, which of the following sets of numbers should you use?

$$\frac{\frac{2}{x} - 1}{x - 2}$$

The solution is $\{1.9000, 1.9900, 1.9990, 1.9999\}$, which is option A.

- A. $\{1.9000, 1.9900, 1.9990, 1.9999\}$

This is correct!

- B. $\{1.9000, 1.9900, 2.0100, 2.1000\}$

These values would estimate the limit at the point and not a one-sided limit.

- C. $\{2.1000, 2.0100, 2.0010, 2.0001\}$

These values would estimate the limit of 2 on the right.

- D. $\{2.0000, 2.1000, 2.0100, 2.0010\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

- E. $\{2.0000, 1.9000, 1.9900, 1.9990\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

22. Based on the information below, which of the following statements is always true?

As x approaches 2, $f(x)$ approaches ∞ .

The solution is $f(x)$ is undefined when x is close to or exactly 2., which is option B.

- A. $f(x)$ is close to or exactly 2 when x is large enough.
- B. $f(x)$ is undefined when x is close to or exactly 2.
- C. x is undefined when $f(x)$ is close to or exactly ∞ .
- D. $f(x)$ is close to or exactly ∞ when x is large enough.
- E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 2. It says **absolutely nothing** about what is happening exactly at $f(2)$!

23. To estimate the one-sided limit of the function below as x approaches 2 from the right, which of the following sets of numbers should you use?

$$\frac{\frac{2}{x} - 1}{x - 2}$$

The solution is $\{2.1000, 2.0100, 2.0010, 2.0001\}$, which is option D.

- A. $\{1.9000, 1.9900, 1.9990, 1.9999\}$

These values would estimate the limit of 2 on the left.

- B. $\{2.0000, 2.1000, 2.0100, 2.0010\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

- C. $\{2.0000, 1.9000, 1.9900, 1.9990\}$

If we get $\frac{0}{0}$ or $\frac{\infty}{\infty}$, the value 2 doesn't help us estimate the limit.

- D. $\{2.1000, 2.0100, 2.0010, 2.0001\}$

This is correct!

- E. $\{1.9000, 1.9900, 2.0100, 2.1000\}$

These values would estimate the limit at the point and not a one-sided limit.

General Comment: General Comments: To evaluate a one-sided limit, we want to put numbers close to the limit. We can't use the limit value itself if it results in $\frac{0}{0}$ or $\frac{\infty}{\infty}$

24. Evaluate the one-sided limit of the function $f(x)$ below, if possible.


$$\lim_{x \rightarrow 2^-} \frac{-6}{(x+2)^3} + 2$$

The solution is $f(2)$, which is option B.

- A. ∞
- B. $f(2)$
- C. $-\infty$
- D. The limit does not exist
- E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

25. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x) = 3$.



The solution is Multiple a make the statement true., which is option D.

- A. -2
- B. $-\infty$
- C. 1
- D. Multiple a make the statement true.
- E. No a make the statement true.

General Comment: General Comments: There can be multiple a values that make the statement true! For the limit, draw a horizontal line and determine if an x value makes the limit exist.

26. Based on the information below, which of the following statements is always true?

$f(x)$ approaches ∞ as x approaches 4.

The solution is $f(x)$ is undefined when x is close to or exactly 4., which is option C.

- A. $f(x)$ is close to or exactly 4 when x is large enough.
- B. x is undefined when $f(x)$ is close to or exactly ∞ .

- C. $f(x)$ is undefined when x is close to or exactly 4.
- D. $f(x)$ is close to or exactly ∞ when x is large enough.
- E. None of the above are always true.

General Comment: The limit tells you what happens as the x -values approach 4. It says **absolutely nothing** about what is happening exactly at $f(4)$!

27. Evaluate the one-sided limit of the function $f(x)$ below, if possible.

$$\lim_{x \rightarrow -4^-} \frac{-9}{(x+4)^7} + 6$$

The solution is ∞ , which is option C.

- A. $-\infty$
- B. $f(-4)$
- C. ∞
- D. The limit does not exist
- E. None of the above

General Comment: General comments: You should be able to graph the rational function displayed. If not, go back to Module 7 to learn about the general shape of rational functions.

28. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 8} \frac{\sqrt{5x-4} - 6}{3x-24}$$

The solution is None of the above, which is option E.

- A. ∞

You likely believed that since the denominator is equal to 0, the limit is infinity.

- B. 0.028

You likely learned L'Hospital's Rule in a previous course, but misapplied it here.

- C. 0.745

You likely tried to use a shortcut to find the limit of a function that only works for when the numerator/denominator are polynomials.

- D. 0.083

You likely memorized how to solve the similar homework problem and used the same formula here.

- E. None of the above

* This is the correct option as the limit is 0.139.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 8$.

29. Evaluate the limit below, if possible.

$$\lim_{x \rightarrow 7} \frac{\sqrt{5x-10} - 5}{6x-42}$$

The solution is None of the above, which is option E.

A. 0.017

You likely learned L'Hospital's Rule in a previous course, but misapplied it here.

B. 0.100

You likely memorized how to solve the similar homework problem and used the same formula here.

C. ∞

You likely believed that since the denominator is equal to 0, the limit is infinity.

D. 0.373


You likely tried to use a shortcut to find the limit of a function that only works for when the numerator/denominator are polynomials.

E. None of the above

* This is the correct option as the limit is 0.083.

General Comment: General comments: It is difficult to imagine the graph of this function, so you need to test values close to $x = 7$.

30. For the graph below, find the value(s) a that makes the statement true: $\lim_{x \rightarrow a} f(x) = -\infty$.



The solution is Multiple a make the statement true., which is option D.

A. $-\infty$

B. 3

C. -2

D. Multiple a make the statement true.

E. No a make the statement true.

General Comment: General Comments: There can be multiple a values that make the statement true! For the limit, draw a horizontal line and determine if an x value makes the limit exist.
