



Dual Plumbed Site - User Manual

Version 1.0.1





DOCUMENT VERSION HISTORY

Version	Date	Author/ Reviewed By	Changes	SFPUC Review Date	SFPUC Approval Date	SFPUC Reviewed By	SFPUC Approved By
1.0.0	18 Nov 2019 -	Darsana	Initial Draft Copy				
1.0.1	9 Mar 2020	Darsana	Review corrections updated; new sections added				



TABLE OF CONTENTS

CHAPTER 1	7
INTRODUCTION.....	7
1.1 About CCAMS	7
1.2 About CCAMS Dual Plumbed Enhancement	7
1.3 Benefits of Dual Plumbed Enhancement	7
1.4 Purpose of the Document.....	7
1.5 Intended User	8
CHAPTER 2	9
GETTING STARTED	9
2.1 Pre-Login Page Features	9
2.1.1 Applying for Initial Cross-Connection Test	9
2.2 Roles and Privileges	11
2.3 Application Settings for the Dual Plumbed Sites	12
CHAPTER 3	14
MANAGING DUAL PLUMBED SITES	14
3.1 Managing Dual Plumbed Site Customer Requests	14
3.1.1 Approving the Initial Cross-Connection Test Request	14
3.1.2 Rejecting the Initial Cross-Connection Test Request.....	17
3.2 Creating a Dual Plumbed Site	18

Chapter 1

Introduction

1.1 About CCAMS

Cross Connection Assembly Management System (CCAMS) is an application developed for the Water Quality Division of San Francisco Public Utilities Commission (SFPUC) to monitor and control applicable backflow Assemblies.

1.2 About CCAMS Dual Plumbed Enhancement

The Dual Plumbed Enhancement is to manage the workflow and compliance of the dual plumbed sites in CCAMS by the WQD department.

The enhancement for the dual plumbed sites is implemented for the below-mentioned process areas:

1. Site management for Dual Plumbing
2. Notice generation and management
3. Test Management for Dual plumbing
4. DPH process for Dual plumbing

1.3 Benefits of Dual Plumbed Enhancement

WQD Department can avail the following benefits in using the Enhanced CCAMS application:

- Conversion of normal sites to dual plumbed sites and the management of the same.
- Testing (annual inspection and cross-connection tests) for the dual plumbed site.
- Managing the emails, notices, and history of dual plumbed sites.
- Managing the DPH enforcement process for the dual plumbed sites.

1.4 Purpose of the Document

The purpose of the document is to explain the usability of Dual plumbed site business functionalities and features in the CCAMS application.



The general features in the CCAMS application are not explained in this document as it is the same for the dual plumbed environment also.

1.5 Intended User

This document is intended for the users who are involved in testing and managing the dual plumbed sites.

This document explains features and functionalities about dual plumbed sites only and hence the user should know the features and functionalities of the existing CCAMS application (according to his/her role) and the workflows related to the dual plumbed sites.

Chapter 2

Getting Started

2.1 Pre-Login Page Features

To log on to CCAMS, click on the following link or type the following web address in your browser and press enter key.


<http://ccams.sfwater.org>

The pre-login page has a button to download the Application form to request for initial cross-connection test. This is intended for the customer. Customers can download the initial cross-connection test application, fill in the details required, and submit the same through email or through any other conventional methods.

2.1.1 Applying for Initial Cross-Connection Test

Dual Plumbed Initial Cross-connection test is requested by the customer who has already a corresponding site registered in CCAMS.

- Step 1.** Click  to download the initial cross-connection test application form.



The application form will be displayed.



Save Cancel

Requestor Information

Date of Application : 12/15/2019 

Owner's/Responsible Agent's Name :

Service Address : * Zip Code :

Billing Address : Zip Code :

Phone Number : Email Address :

Contact for Cross-Connection Test

Name of Contact for Cross-Connection Test : *

Phone Number : *

Email Address : *

Dual Plumbed Site Information

Building Type : *

Source of Auxiliary Water : *

Auxiliary Water Type : *

of Floors : * # of Fixtures : *

Estimated Cost : \$0.00 [View Fees](#)

Brief description of facility : (max of 500 characters)

Save Cancel

Figure 2-1 - Application Form for the Initial Cross-connection test (page 1)

Step 2. Enter the details in the **Requestor Information**, **Contact for Cross-connection Test** and **Dual Plumbed Site Information** sections.

Optional: Click View Fees button to view the fee details for the fixtures.

Step 3. Click **Save**.



Initial test request submitted successfully. Initial test request is pending for Administrator approval.

Download Close

Requestor Information

Date of Application : 02/12/2020 

Owner's/Responsible Agent's Name : SFDPU - Bureau of Urban Fores

Service Address : * ***Alemany Blvd/ Chester Ave Zip Code : 94124

Billing Address : * ***Alemany Blvd/ Chester Ave Zip Code : 94124

Phone Number : (123)456-7890 Email Address : darsana.sivaraman@jenesystec

Contact for Cross-Connection Test

Name of Contact for Cross-Connection Test : Peter

Phone Number : * (123)456-7890

Email Address : * darsana.sivaraman@jenesystec

Dual Plumbed Site Information

Building Type : * Mixed-use

Source of Auxiliary Water : * Onsite Recycling Facility

Auxiliary Water Type : * Rainwater

of Floors : * 4 # of Fixtures : * 50

Estimated Cost : \$0.00 [View Fees](#)

Brief description of facility : (max of 500 characters)

Download Close



Message is displayed for the successful submission of the initial test request.
Download button is displayed on the page.

- Step 4.** Click the **Download** button to download the form in the PDF format. Customer should send this PDF to the CCAMS Administrator.

2.2 Roles and Privileges

The end-users of the dual plumbed site pages are the CCAMS tester and the customer.

The customer has only access to the pre-login page where the form for the initial cross-connection test is displayed on click of the “Applying for Initial Cross-Connection Test” button.

CCAMS Tester is provided with restricted access to the dual plumbed site features and pages. Below mentioned are the usually accessible pages for the CCAMS tester.

1. Dashboard > Test Management > Dual Plumbed – PIC Search
2. Dashboard > Test Management > Dual Plumbed – Test History search

The user with full privileges of the CCAMS dual plumbed sites can manage the dual plumbed sites. The dual plumbed site management activities are spanned in the below-mentioned pages of CCAMS.

1. Dashboard > Customers > Dual Plumbed – Approve Initial Cross-Connection Test
2. Dashboard > Site Management > Dual Plumbed – Site Search
3. Dashboard > Test Management > Dual Plumbed – PIC Search
4. Dashboard > Test Management > Dual Plumbed – Test History search
5. Dashboard > Mail Management > Dual Plumbed – Pending Email Queue
6. Dashboard > Mail Management > Dual Plumbed – Mail History Search
7. Dashboard > Log > Dual Plumbed – Mail Notices Log
8. Dashboard > DPH > Dual Plumbed – DPH Enforcement
9. Dashboard > DPH > Dual Plumbed – Approve Test Form
10. Dashboard > Reports > Dual Plumbed – Hours spend of Shut-down test by SFPUC employees
11. Dashboard > Reports > Dual Plumbed Building Reports

Apart from the above, the pages in the Dashboard > Master Entries that are applicable for the dual plumbed sites are:

- Dual plumbed – DPH Process
- Building Type



- Auxiliary Water Source
- Auxiliary Water Type
- Fixture Fee

2.3 Application Settings for the Dual Plumbed Sites

The settings for Dual plumbed sites are provided in the Dual Plumbed Site settings section of the Application Settings.

Step 1. In the Administration tab click **Application Settings** and scroll down to the **Dual Plumbing Site Settings** section.

Test History Search Disclaimer For WQD Admin : *

All information entered on this test report by WQD on behalf of the certified tester are based on a written test report that was signed and submitted to our office by the certified tester of record.

Dual Plumbing Site settings

Initial Test Notice Generation Date & Time : * 23 12:00 AM

Cross-Connection Test Notice Generation Date & Time : * 23 12:00 AM

Visual Inspection Test Notice Generation Date & Time : * 23 12:00 AM

Cross-Connection Test Cycle Year : * 4

of Days Dual Plumbed Site Test Results Remain Editable : * 5

of Days Dual Plumbed Site Test Results Remain Cancel : * 5

of Days for Dual Plumbed Site DPH Process from Initial/Cross-Connection Test Notice : * 65

of Days for Dual Plumbed Site DPH Process from Visual Inspection Notice : * 65

Turn ON/OFF Visual Inspection Test : ☒

Sent Notice to Representative Email : ☒

Division Director : * Division Director

Cross Connection Test Form Signature : * Maximum image upload size 1MB :

Dual Plumbed Site Document Location : C:\CCAMS\Site\DualPlumbedSite

Mobile Application Settings

FIGURE 2-2: Dual Plumbed Setting section in the Application Settings

Field	Description
Initial Test Notice Generation Date & Time*	Select the Date and Time. If an initial test is due for a month, on the prior month of the dual plumbed test month, initial test notice will be generated automatically on the selected date and time.
Cross-Connection Test Notice Generation Date & Time*	Select the Date and Time. If the cross-connection test is due for a month, on the prior month of the dual plumbed test month, cross-connection test notice will be generated automatically on the selected date and time.
Visual Inspection Test Notice Generation Date & Time*	Select the Date and Time. If a visual inspection is due for a month, on the prior month of the dual plumbed test month, visual inspection test notice will be generated automatically on the selected date and time.



Field	Description
Cross-Connection Test Cycle Year*	Enter the number of years (say “n”). On every “n”th year, the cross-connection test will be due.
# of Days Dual Plumbed Site Test Results Remain Editable*	Enter the number of days. The test results are editable up to those number of days after the first entry of test results.
# of Days Dual Plumbed Site Test Results Remain Cancel*	Enter the number of days. Test results can be canceled within the specified number of days
# of Days for Dual Plumbed Site DPH Process from Initial/Cross-Connection Test Notice*	Enter the number of days. The Initial/Cross-Connection test site will be referred to DPH after the specified number of days.
# of Days for Dual Plumbed Site DPH Process from Visual Inspection Notice*	Enter the number of days. The visual inspection site will be referred to DPH after the specified number of days.
Send Notice to Representative Email	Select the checkbox if the email notices are to be sent to the Representative email.
Turn ON/OFF Visual Inspection Test	Check the checkbox to turn on the visual inspection test.
Sent Notice to Representative Email	Check the checkbox to send notice to the email of the representative
Division Director*	Enter the name of the Division Director. This name will be displayed under the Division Director in the Test Certificate.
Cross Connection Test Form Signature. * Maximum image upload size 1MB:	Click Select button and upload the image of the Test Form Signature.
Dual Plumbed Site Document Location	The location in which the dual plumbed site document is stored.

Chapter 3

Managing Dual Plumbed Sites

Managing the dual plumbed sites include Creating, Searching, Viewing, Editing, Deactivating/Activating, Adding/Viewing Comments, changing the Scheduled test month, Generating out-of-cycle notice, transferring and referring to DPH. Dual Plumbed site management is accessible only to the administrator.

Dual plumbed site is created from an existing site in CCAMS. That is, a dual plumbed site can be created only if that site is already available in the CCAMS application.

3.1 Managing Dual Plumbed Site Customer Requests


If the Administrator receives the request for initial cross-connection test through the CCAMS application, he/she can create the dual plumbed site via **Customers > Dual Plumbed - Approve Initial Cross-connection Test**.

3.1.1 Approving the Initial Cross-Connection Test Request


When a customer generate a request for Initial cross-connection test and download the initial cross-connection test request PDF, the corresponding request is received in the CCAMS. Customer should forward the downloaded request PDF to the CCAMS Administrator. Initial cross-connection test is approved/rejected by the CCAMS Administrator.

To Approve the Initial Cross-connection test request:

Step 1. Navigate to **Customers > Dual Plumbed – Initial Cross Connection Test**.



Approve Initial cross connection request page is displayed that lists all the initial cross-connection test requests.



Step 2. In the Actions column click **Accept. Approve/Create Dual Plumbed Site** page is displayed.



San Francisco WaterPowerSewer
Services of the San Francisco Public Utilities Commission

Welcome Jon Spangenberg | Help

My Profile ChangePassword Logout

Home Site Management Assembly Management Test Management Mail Management User Management Master Entries Reports Customers Administration DPH Log

Approve/Create Dual Plumbed Site

Approve Cancel

Requestor Information

Request Date : 02/27/2020
Date of Application : 02/27/2020
Owner's/Responsible Agent's Name : Test
Service Address : * service address Zip Code :
Billing Address : * testfs Zip Code :
Phone Number : Email Address : *

Contact for Cross-Connection Test

Name of Contact for Cross-Connection Test : * kalyan
Phone Number : * (334)334-3333
Email Address : * kalyan@test.com

Dual Plumbed Site Information

Building Type : * Residential
Source of Auxiliary Water : * Onsite Recycling Facility Auxiliary Water Type : * Greywater
of Floors : * 230 # of Fixtures : * 233
Estimated Cost : \$1,560.00
Brief description of facility : (max of 500 characters)
Tss dsfdfsfsdfsf

Search Site

Enter Tap# / SPID# To Select Site : * View Site

Approve Cancel

Step 3. Enter the Tap #/ SPID # in the Search Site box and click **View Site**. Site Details are displayed.

Search Site

Enter Tap# / SPID# To Select Site : * 724-140-0932 View Site

Site Information

Tap Number : 096460
SPID : 724-140-0932
Account Number : 7241400000
Service Address : 1 12th Av
Customer Name : Mountain Lake Condo Assn
Block Number : 1346
System Number : 3810011 - San Francisco Water System

Tap Status :
SPID Status : R
Account Status : Active

Phone Number : (650) 614-4984
Email :
Lot Number : 009
Notify New Accounts : ☐

Dual Plumbed Site Information

Is Dual Plumbing Site : * ☒
Dual Plumbing Test Month : * Select Test Month
Upload Application for Water Quality to Conduct Initial Cross-Connection Test : (The maximum file upload size is 10MB.) Select...
Upload Complete Application Floor plan/s Fixture checklist : (The maximum file upload size is 10MB.) Select...

Approve Comments:

Approve Comments : *

Approve Cancel

Step 4. In the Dual Plumbed Site Information Section, select the **Test Month**.


Step 5. Click the **Select** button next to “Upload Application for Water Quality to Conduct Initial Cross-Connection Test” and upload the Application request submitted by the customer.

Step 6. Click the **Select** button next to “Upload Complete Application Floor plan/s Fixture checklist :” and upload the relevant checklist if any.

Step 7. Enter Approval comments in the text area and click **Approve**.




Initial Cross-connection test request approval message is displayed and the corresponding record is removed from the “Approve Initial Cross Connection Request” page.




3.1.2 Rejecting the Initial Cross-Connection Test Request

To Reject the Initial Cross-connection test request:

Step 1. Navigate to **Customers > Dual Plumbed – Initial Cross Connection Test**.



Approve Initial cross connection request page is displayed that lists all the initial cross-connection test requests.



Step 2. In the Actions column click **Reject**. **Reject Dual Plumbed Site** page is displayed.



San Francisco WaterPowerSewer
Services of the San Francisco Public Utilities Commission

Welcome Jon Spangenberg | Help

Home Site Management Assembly Management Test Management Mail Management User Management Master Entries Reports **Customers** Administration DPH Log

My Profile Change Password Logout

Reject Dual Plumbed Site

Reject **Cancel**

Requestor Information

Request Date : 02/27/2020
Date of Application : 02/27/2020
Owner's/Responsible Agent's Name : Test
Service Address : service address Zip Code :
Billing Address : testsf Zip Code :
Phone Number : Email Address :

Contact for Cross-Connection Test

Name of Contact for Cross-Connection Test : kalyan
Phone Number : (334)334-3333
Email Address : kalyan@test.com

Dual Plumbed Site Information


Building Type : Residential
Source of Auxiliary Water : Onsite Recycling Facility
Auxiliary Water Type : Greywater
of Floors : 230
of Fixtures : 233
Estimated Cost : \$1,580.00
Brief description of facility : (max of 500 characters)
Tes dsfdfsdfsf

Reject Comments:

Reject Comments :

Reject **Cancel**

Step 3. Enter the Reject Comments and click **Reject**. The request rejected message is displayed and the corresponding request is removed from the “Approve Initial Cross-connection test request” page.



3.2 Creating a Dual Plumbed Site

If the Administrator has received the test request offline, then he/she can create the dual plumbed site via **Site Management > Site Search**.

Step 1. In the **Site Management** tab, click **Site Search**.



 **San Francisco WaterPowerSewer**
Services of the San Francisco Public Utilities Commission

Welcome Jon Spangenberg | [Help](#)

[My Profile](#) [ChangePassword](#) [Logout](#)

[Home](#) [Site Management](#) [Assembly Management](#) [Test Management](#) [Mail Management](#) [User Management](#) [Master Entries](#) [Reports](#) [Customers](#) [Administration](#) [DPH](#) [Log](#)

Site Search

Service Address Like AND Page Size: 10

Service Address Like AND

-- Select Notice --

Drag a column header and drop it here to group by that column

	Actions	SPID	Tap#	Test Mo	PIC#	Svc Name	Svc Address	Type	Ovr	#ActDue	#Act	#Pass	#Fail	Cmts
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	724-140-0931	991617	AUG		Beacon Retail, Lp	266- & King St	STANDARD	☐	0	0	0	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site		Muni	JAN	CBJB2523	SFDPW - Bureau of Urban Forestry	***Alemany Blvd/ Chester Ave	MUNI	☒	1	1	0	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site		Muni	SEP	MAWF6755	JC Decaux	*1 Broadway/Pier 7	COMM	☐	0	1	1	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt	497-102-0162	019707	JAN	CNRE1142	SFDPW - Bureau of Urban Forestry	001-1120 Dolores Street Islands	MUNI	☒	1	1	0	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	724-140-0932	096460	SEP	FALE5543	Mountain Lake Condo Assn	1 12th Av	STANDARD	☐	0	1	1	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	234-540-0713	172958	OCT	IYFT2210	Reynal, Victoire	1 16th Av	STANDARD	☐	0	1	1	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	126-230-0965	081746	SEP	JARU9015	Alabadi, Faranak	1 25th Av	STANDARD	☐	0	1	1	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	346-291-0940	059783	JAN	NMVK0935	Hearst Bldg.	1 3rd St	STANDARD	☐	1	1	0	0	+
☐	View Edit Sched 1st Notice PDF >>Assy +Assy +Cmnt	718-691-0723	206454	AUG	HLGF7921	Baker St Homeowners Assn	1 Baker St	STANDARD	☐	1	1	0	0	+
☐	View Edit Sched >>Assy +Assy +Cmnt Create Dual Plumbed Site	397-491-0874	198043	FEB	PJNE8053	AAT One Beach, LLC	1 Beach St	STANDARD	☐	4	4	0	0	+

Displaying items 0 - 0 of 0

FIGURE 3-1: Site search page

Step 2. Click **Create Dual Plumbed Site**.