

Village Health Report – August 2025

Village: Sundarpur

Reported Symptoms: 14 cases of body rashes, 18 cases of body rashes

Water Test: pH 6.9, Turbidity 17 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Rajnagar

Reported Symptoms: 10 cases of body rashes, 6 cases of stomach pain, 3 cases of cough

Water Test: pH 6.7, Turbidity 7 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Lakshmipur

Reported Symptoms: 18 cases of diarrhea, 5 cases of body rashes, 10 cases of stomach pain, 12 cases of vomiting

Water Test: pH 7.0, Turbidity 3 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Devipur

Reported Symptoms: 12 cases of diarrhea, 15 cases of diarrhea

Water Test: pH 6.9, Turbidity 13 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Shantigram

Reported Symptoms: 14 cases of body rashes, 13 cases of stomach pain, 11 cases of dehydration, 14 cases of vomiting

Water Test: pH 6.4, Turbidity 16 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Rampur

Reported Symptoms: 16 cases of body rashes, 7 cases of body rashes, 12 cases of jaundice

Water Test: pH 6.9, Turbidity 10 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Harinagar

Reported Symptoms: 13 cases of body rashes, 4 cases of cough, 11 cases of jaundice

Water Test: pH 6.6, Turbidity 14 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Nandipur

Reported Symptoms: 3 cases of dehydration, 4 cases of stomach pain, 19 cases of diarrhea, 9 cases of vomiting

Water Test: pH 7.2, Turbidity 19 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Bhavanipur

Reported Symptoms: 18 cases of cough, 4 cases of dehydration, 15 cases of dehydration

Water Test: pH 6.8, Turbidity 17 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Chandrapur

Reported Symptoms: 2 cases of diarrhea, 6 cases of cough, 14 cases of body rashes

Water Test: pH 6.2, Turbidity 7 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Basantpur

Reported Symptoms: 11 cases of stomach pain, 9 cases of fever, 17 cases of body rashes, 10 cases of diarrhea

Water Test: pH 6.8, Turbidity 12 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Madhopur

Reported Symptoms: 11 cases of stomach pain, 14 cases of body rashes, 13 cases of cough

Water Test: pH 7.1, Turbidity 5 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Rajapur

Reported Symptoms: 18 cases of stomach pain, 14 cases of jaundice, 2 cases of cough

Water Test: pH 6.8, Turbidity 18 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Gopalpur

Reported Symptoms: 18 cases of dehydration, 19 cases of jaundice, 7 cases of vomiting, 14 cases of body rashes

Water Test: pH 7.0, Turbidity 5 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Sitapur

Reported Symptoms: 20 cases of body rashes, 6 cases of stomach pain, 7 cases of dehydration, 12 cases of body rashes

Water Test: pH 7.1, Turbidity 17 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Haripur

Reported Symptoms: 2 cases of fever, 17 cases of stomach pain

Water Test: pH 7.3, Turbidity 16 NTU, E. Coli detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Kishanganj

Reported Symptoms: 19 cases of jaundice, 5 cases of jaundice

Water Test: pH 6.2, Turbidity 20 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Balrampur

Reported Symptoms: 15 cases of vomiting, 14 cases of dehydration, 13 cases of cough, 17 cases of stomach pain

Water Test: pH 6.4, Turbidity 2 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Dharmapur

Reported Symptoms: 13 cases of diarrhea, 12 cases of dehydration, 2 cases of fever, 16 cases of fever

Water Test: pH 6.5, Turbidity 14 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Jaynagar

Reported Symptoms: 7 cases of fever, 6 cases of stomach pain

Water Test: pH 7.3, Turbidity 4 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Balrampur-21

Reported Symptoms: 13 cases of diarrhea, 11 cases of stomach pain

Water Test: pH 6.9, Turbidity 6 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Chandrapur-22

Reported Symptoms: 2 cases of body rashes, 17 cases of jaundice, 20 cases of diarrhea

Water Test: pH 6.6, Turbidity 15 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Chandrapur-23

Reported Symptoms: 16 cases of dehydration, 16 cases of jaundice

Water Test: pH 6.4, Turbidity 2 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Jaynagar-24

Reported Symptoms: 3 cases of diarrhea, 19 cases of body rashes, 14 cases of fever, 6 cases of cough

Water Test: pH 6.5, Turbidity 10 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Lakshmipur-25

Reported Symptoms: 14 cases of diarrhea, 20 cases of stomach pain, 3 cases of fever

Water Test: pH 7.1, Turbidity 10 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Sitapur-26

Reported Symptoms: 3 cases of jaundice, 5 cases of cough, 11 cases of dehydration

Water Test: pH 6.6, Turbidity 19 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Balrampur-21-27

Reported Symptoms: 12 cases of jaundice, 2 cases of diarrhea, 13 cases of cough

Water Test: pH 6.7, Turbidity 9 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Harinagar-28

Reported Symptoms: 2 cases of fever, 11 cases of vomiting

Water Test: pH 6.7, Turbidity 20 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-22-29

Reported Symptoms: 3 cases of body rashes, 9 cases of jaundice, 16 cases of diarrhea

Water Test: pH 6.2, Turbidity 13 NTU, E. Coli detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-30

Reported Symptoms: 14 cases of stomach pain, 6 cases of diarrhea, 20 cases of fever, 5 cases of vomiting

Water Test: pH 6.5, Turbidity 12 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-22-29-31

Reported Symptoms: 7 cases of stomach pain, 8 cases of cough

Water Test: pH 7.5, Turbidity 6 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Madhopur-32

Reported Symptoms: 16 cases of dehydration, 11 cases of fever, 20 cases of stomach pain

Water Test: pH 6.4, Turbidity 13 NTU, E. Coli detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Shantigram-33

Reported Symptoms: 14 cases of diarrhea, 16 cases of cough

Water Test: pH 6.7, Turbidity 7 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Devipur-34

Reported Symptoms: 16 cases of dehydration, 11 cases of jaundice, 14 cases of dehydration

Water Test: pH 7.3, Turbidity 4 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Rajnagar-35

Reported Symptoms: 16 cases of vomiting, 17 cases of dehydration

Water Test: pH 6.5, Turbidity 16 NTU, E. Coli detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Balrampur-21-27-36

Reported Symptoms: 5 cases of dehydration, 2 cases of dehydration, 8 cases of stomach pain, 6 cases of diarrhea

Water Test: pH 6.7, Turbidity 15 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Nandipur-37

Reported Symptoms: 12 cases of vomiting, 3 cases of cough, 11 cases of cough

Water Test: pH 7.4, Turbidity 16 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Sitapur-26-38

Reported Symptoms: 20 cases of fever, 6 cases of body rashes, 6 cases of diarrhea

Water Test: pH 6.5, Turbidity 4 NTU, E. Coli detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Haripur-39

Reported Symptoms: 18 cases of dehydration, 19 cases of stomach pain

Water Test: pH 6.7, Turbidity 16 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Nandipur-37-40

Reported Symptoms: 18 cases of body rashes, 4 cases of dehydration, 14 cases of cough

Water Test: pH 6.1, Turbidity 10 NTU, No bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-22-29-41

Reported Symptoms: 20 cases of dehydration, 4 cases of fever

Water Test: pH 7.4, Turbidity 18 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Haripur-39-42

Reported Symptoms: 12 cases of body rashes, 3 cases of stomach pain

Water Test: pH 7.5, Turbidity 6 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Harinagar-43

Reported Symptoms: 10 cases of body rashes, 9 cases of jaundice

Water Test: pH 7.1, Turbidity 19 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Madhopur-44

Reported Symptoms: 8 cases of diarrhea, 2 cases of fever, 6 cases of dehydration, 16 cases of body rashes

Water Test: pH 6.3, Turbidity 2 NTU, E. Coli detected

Risk Level: LOW

Village Health Report – August 2025

Village: Devipur-45

Reported Symptoms: 11 cases of fever, 6 cases of cough, 6 cases of fever

Water Test: pH 7.0, Turbidity 4 NTU, No bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Rajapur-46

Reported Symptoms: 12 cases of diarrhea, 7 cases of stomach pain, 17 cases of diarrhea, 19 cases of cough

Water Test: pH 7.4, Turbidity 14 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Madhopur-47

Reported Symptoms: 17 cases of body rashes, 16 cases of jaundice, 12 cases of body rashes, 5 cases of stomach pain

Water Test: pH 6.6, Turbidity 12 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Rajnagar-48

Reported Symptoms: 12 cases of vomiting, 3 cases of jaundice

Water Test: pH 6.8, Turbidity 13 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Dharmapur-49

Reported Symptoms: 12 cases of stomach pain, 18 cases of cough, 16 cases of cough

Water Test: pH 6.8, Turbidity 5 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Shantigram-33-50

Reported Symptoms: 14 cases of diarrhea, 14 cases of dehydration

Water Test: pH 6.1, Turbidity 16 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Gopalpur-51

Reported Symptoms: 8 cases of cough, 5 cases of diarrhea, 13 cases of stomach pain

Water Test: pH 7.0, Turbidity 10 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Rajnagar-35-52

Reported Symptoms: 19 cases of body rashes, 19 cases of stomach pain

Water Test: pH 6.7, Turbidity 12 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Gopalpur-51-53

Reported Symptoms: 11 cases of dehydration, 18 cases of jaundice, 17 cases of fever, 7 cases of body rashes

Water Test: pH 6.1, Turbidity 16 NTU, E. Coli detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Chandrapur-22-29-31-54

Reported Symptoms: 17 cases of body rashes, 17 cases of vomiting

Water Test: pH 6.3, Turbidity 10 NTU, E. Coli detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Jaynagar-55

Reported Symptoms: 4 cases of diarrhea, 17 cases of fever, 4 cases of stomach pain, 18 cases of diarrhea

Water Test: pH 7.4, Turbidity 18 NTU, No bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Gopalpur-51-56

Reported Symptoms: 17 cases of cough, 9 cases of vomiting, 4 cases of dehydration

Water Test: pH 6.2, Turbidity 20 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Devipur-34-57

Reported Symptoms: 6 cases of vomiting, 4 cases of vomiting

Water Test: pH 7.4, Turbidity 16 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Chandrapur-22-29-41-58

Reported Symptoms: 3 cases of fever, 14 cases of jaundice

Water Test: pH 6.4, Turbidity 19 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Rajnagar-48-59

Reported Symptoms: 3 cases of cough, 2 cases of dehydration, 6 cases of cough, 19 cases of cough

Water Test: pH 6.9, Turbidity 20 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Jaynagar-24-60

Reported Symptoms: 13 cases of cough, 9 cases of stomach pain, 2 cases of diarrhea

Water Test: pH 6.9, Turbidity 17 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Rajnagar-61

Reported Symptoms: 4 cases of cough, 12 cases of diarrhea, 18 cases of fever

Water Test: pH 7.0, Turbidity 15 NTU, E. Coli detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Devipur-45-62

Reported Symptoms: 20 cases of stomach pain, 14 cases of fever

Water Test: pH 7.1, Turbidity 18 NTU, E. Coli detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Jaynagar-24-60-63

Reported Symptoms: 11 cases of diarrhea, 4 cases of diarrhea

Water Test: pH 6.7, Turbidity 11 NTU, No bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Sundarpur-64

Reported Symptoms: 13 cases of diarrhea, 18 cases of jaundice, 20 cases of body rashes

Water Test: pH 6.5, Turbidity 15 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Nandipur-37-40-65

Reported Symptoms: 8 cases of diarrhea, 19 cases of diarrhea

Water Test: pH 7.3, Turbidity 5 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Rajnagar-48-66

Reported Symptoms: 5 cases of diarrhea, 11 cases of stomach pain, 9 cases of diarrhea

Water Test: pH 7.2, Turbidity 19 NTU, E. Coli detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Chandrapur-22-29-41-58-67

Reported Symptoms: 16 cases of jaundice, 19 cases of cough

Water Test: pH 6.4, Turbidity 3 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Dharmapur-49-68

Reported Symptoms: 7 cases of cough, 18 cases of body rashes, 18 cases of jaundice

Water Test: pH 6.3, Turbidity 17 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Chandrapur-23-69

Reported Symptoms: 8 cases of stomach pain, 2 cases of cough, 11 cases of jaundice, 5 cases of dehydration

Water Test: pH 7.2, Turbidity 11 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-23-69-70

Reported Symptoms: 11 cases of vomiting, 10 cases of body rashes, 6 cases of dehydration

Water Test: pH 6.2, Turbidity 8 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Harinagar-71

Reported Symptoms: 19 cases of fever, 13 cases of dehydration

Water Test: pH 7.0, Turbidity 13 NTU, E. Coli and coliform bacteria detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Rajnagar-35-52-72

Reported Symptoms: 5 cases of dehydration, 6 cases of vomiting

Water Test: pH 6.7, Turbidity 16 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-22-29-41-58-73

Reported Symptoms: 13 cases of dehydration, 18 cases of diarrhea

Water Test: pH 6.2, Turbidity 2 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Devipur-74

Reported Symptoms: 18 cases of dehydration, 5 cases of diarrhea, 8 cases of cough

Water Test: pH 6.2, Turbidity 18 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Sundarpur-75

Reported Symptoms: 6 cases of vomiting, 8 cases of stomach pain

Water Test: pH 6.2, Turbidity 9 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Rampur-76

Reported Symptoms: 6 cases of cough, 7 cases of diarrhea

Water Test: pH 7.5, Turbidity 17 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Harinagar-43-77

Reported Symptoms: 17 cases of fever, 14 cases of diarrhea

Water Test: pH 6.3, Turbidity 17 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Nandipur-37-40-78

Reported Symptoms: 19 cases of vomiting, 12 cases of body rashes, 14 cases of jaundice, 9 cases of diarrhea

Water Test: pH 6.7, Turbidity 5 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Lakshmipur-25-79

Reported Symptoms: 6 cases of vomiting, 7 cases of jaundice, 17 cases of cough, 9 cases of dehydration

Water Test: pH 7.4, Turbidity 18 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Sundarpur-75-80

Reported Symptoms: 14 cases of fever, 4 cases of fever

Water Test: pH 6.5, Turbidity 4 NTU, No bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Rajnagar-35-52-81

Reported Symptoms: 13 cases of diarrhea, 8 cases of vomiting

Water Test: pH 6.6, Turbidity 10 NTU, E. Coli detected

Risk Level: HIGH

Village Health Report – August 2025

Village: Nandipur-37-82

Reported Symptoms: 6 cases of diarrhea, 6 cases of vomiting, 4 cases of body rashes

Water Test: pH 6.9, Turbidity 13 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Rajnagar-48-83

Reported Symptoms: 16 cases of cough, 8 cases of diarrhea

Water Test: pH 6.3, Turbidity 11 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Dharmapur-49-84

Reported Symptoms: 13 cases of cough, 19 cases of body rashes, 11 cases of vomiting, 17 cases of diarrhea

Water Test: pH 6.9, Turbidity 16 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Nandipur-37-82-85

Reported Symptoms: 9 cases of diarrhea, 10 cases of dehydration

Water Test: pH 6.1, Turbidity 11 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Rajapur-86

Reported Symptoms: 8 cases of fever, 20 cases of stomach pain, 13 cases of stomach pain

Water Test: pH 7.0, Turbidity 18 NTU, No bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Shantigram-87

Reported Symptoms: 16 cases of fever, 9 cases of body rashes, 13 cases of diarrhea, 3 cases of cough

Water Test: pH 6.0, Turbidity 12 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Chandrapur-30-88

Reported Symptoms: 5 cases of cough, 5 cases of stomach pain

Water Test: pH 6.4, Turbidity 4 NTU, Slight bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Devipur-89

Reported Symptoms: 18 cases of fever, 11 cases of dehydration, 10 cases of body rashes

Water Test: pH 6.8, Turbidity 18 NTU, No bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Harinagar-71-90

Reported Symptoms: 3 cases of fever, 20 cases of vomiting

Water Test: pH 6.1, Turbidity 15 NTU, Slight bacterial presence

Risk Level: LOW

Village Health Report – August 2025

Village: Rajnagar-35-91

Reported Symptoms: 11 cases of dehydration, 12 cases of cough

Water Test: pH 6.1, Turbidity 7 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Chandrapur-30-88-92

Reported Symptoms: 8 cases of cough, 6 cases of vomiting, 20 cases of stomach pain

Water Test: pH 7.0, Turbidity 19 NTU, No bacterial presence

Risk Level: MEDIUM-HIGH

Village Health Report – August 2025

Village: Chandrapur-22-29-31-93

Reported Symptoms: 6 cases of body rashes, 4 cases of cough, 2 cases of stomach pain, 3 cases of jaundice

Water Test: pH 6.1, Turbidity 19 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Devipur-94

Reported Symptoms: 14 cases of fever, 19 cases of vomiting, 8 cases of vomiting, 17 cases of jaundice

Water Test: pH 6.5, Turbidity 14 NTU, E. Coli detected

Risk Level: LOW

Village Health Report – August 2025

Village: Devipur-34-57-95

Reported Symptoms: 8 cases of vomiting, 20 cases of vomiting

Water Test: pH 6.8, Turbidity 5 NTU, E. Coli and coliform bacteria detected

Risk Level: LOW

Village Health Report – August 2025

Village: Dharmapur-49-84-96

Reported Symptoms: 19 cases of body rashes, 13 cases of cough, 14 cases of fever, 20 cases of stomach pain

Water Test: pH 6.3, Turbidity 15 NTU, Slight bacterial presence

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Shantigram-97

Reported Symptoms: 6 cases of body rashes, 14 cases of vomiting, 15 cases of body rashes

Water Test: pH 7.0, Turbidity 6 NTU, E. Coli and coliform bacteria detected

Risk Level: MEDIUM

Village Health Report – August 2025

Village: Devipur-34-57-98

Reported Symptoms: 20 cases of vomiting, 5 cases of cough

Water Test: pH 6.4, Turbidity 17 NTU, Slight bacterial presence

Risk Level: HIGH

Village Health Report – August 2025

Village: Chandrapur-30-88-99

Reported Symptoms: 16 cases of vomiting, 13 cases of stomach pain, 17 cases of dehydration

Water Test: pH 6.1, Turbidity 7 NTU, E. Coli detected

Risk Level: LOW

Village Health Report – August 2025

Village: Rajnagar-35-52-100

Reported Symptoms: 12 cases of cough, 7 cases of jaundice

Water Test: pH 6.3, Turbidity 6 NTU, No bacterial presence

Risk Level: MEDIUM