Assignment 1

Name: Darshak Rairakhia

ID: 1001637657

In this assignment I have implemented Kernel K-NN classification from scratch and the functions to evaluate with a k-fold cross validation.

After comparing the accuracies for all the three datasets for Euclidean distance, Polynomial Kernel distance, Sigmoid Kernel distance and Radial basis kernel I got these results:

1. DATASET: Iris.data

Maximum Accuracy for Euclidean distance: 100%

Maximum Accuracy for Polynomial Kernel distance: 100%

Maximum Accuracy for Radial Basis kernel distance: 93%

Maximum Accuracy for Sigmoid Kernel distance: 33.33%

DATASET: yeast_csv.csv

Maximum Accuracy for Euclidean distance: 32%

Maximum Accuracy for Polynomial Kernel distance: 36%

Maximum Accuracy for Radial Basis kernel distance: 38.51%

Maximum Accuracy for Sigmoid Kernel distance: 26.35%

3. DATASET: wdbc csv.csv

Maximum Accuracy for Euclidean distance: 98.214%

Maximum Accuracy for Polynomial Kernel distance: 98.214%

Maximum Accuracy for Radial Basis kernel distance: 69.64%

Maximum Accuracy for Sigmoid Kernel distance: 60.71%

References:

- 1. https://machinelearningmastery.com/tutorial-to-implement-k-nearest-neighbors-in-python-from-scratch/
- 2. https://machinelearningmastery.com/implement-resampling-methods-scratch-python/
- 3. https://www.researchgate.net/profile/Kai-Yu7/publication/220578072 Kernel Nearest Neighbor Algorithm/links/02e7e533620f1ac895000000/Kernel-Nearest-Neighbor-Algorithm.pdf