DR. C.V. RAMAN UNIVERSITY

MINI PROJECT REPORT

ON

PERSONAL WEBSITE

By

DARSHAN BHIMRAO BHOSALE

Enrolment No: CV185030020

Under Guidance of

Mr. Deepak R. Prajapati

in partial fulfilment of requirement for the degree of

BACHELOR OF COMPUTER APPLICATIONS

DEPARTMENT OF COMPUTER AND INFORMATION TECHNOLOGY
DR. C.V. RAMAN UNIVERSITY
2018-2019

CERTIFICATE OF ORIGINALITY

This is to certify that the project report entitled "Personal Website" submitted to

DR. C.V. University in partial fulfilment of the requirement for the award of the

degree of BACHELOR OF COMPUTER APPLICATIONS, is an authentic

and original work carried out by Mr. DARSHAN BHIMRAO BHOSALE with

enrolment no. CV185030020 under my guidance.

The matter embodied in this project is genuine work done by the student and has not

been submitted whether to this University or to any other University / Institute for

the fulfilment of the requirements of any course of study.

……………………….   ...…………………….

Signature of the Student: Signature of the Guide

Student Name: Date: …………………

DARSHAN B. BHOSALE

Date: 26/03/2019

Enrolment No CV185030020

DR. C.V. RAMAN UNIVERSITY

Department Of Computer & Information Technology

CERTIFICATE

This is to certify that, **Mr. DARSHAN BHIMRAO BHOSALE** *has satisfactorily completed the FYBCA. Project entitled,* **"Personal Website"**. *This work is being submitted in partial fulfilment for the award of degree of Bachelor of Computer Application, for the academic year 2018-2019, under my guidance.*

Mr. Deepak R. Prajapati

Project In-Charge

Mr.Deepak R. Prajapati

IT Coodinator

Dr. Neeta M. Patil

Principal

ACKNOWLEDGEMENT

I thanks to the people and the persons who directly and indirectly helped me through out this project, there are some issue developed during the developing of this website but thanks to those who helped me in to solve and overcome from the problem .And also thank to all staff who directed us in making / developing of this project.

ABSTRACT

In this we are working on the project, with the help of html and CSS. This two language are important in making and developing of the website or a single web page, the developer need to know this language to build any king of website. However there are many other language present in the market but this two are the basic building block of making of application which is used on internet.

The other language help use to developed the better interface, which make the website or webpage more interactive and more user friendly. which lead to attract more customer. website are make for many purpose such as e-commerce website, educational website etc.

The html use to put the value or the content which you see on the page, and CSS used to give design to the particular element or the whole box or container , there are more other language e such as JavaScript and jQuery which help to make the website or webpage more interactive and user friendly.

TABLE OF CONTENTS

INTRODUCTION

In this I am working on project, in this I am building the website. There are many language used to making of webpage or any website, but the most common and simple language are HTML and CSS, both have different versions which support the many upgraded element. There are serval different versions such as HTML5 and CSS3 which is the latest and effective versions.

In this I am working on the website related to bikes, because most of the people love the bikes. the purpose behind this, is it's one of the things that people like to watch and need information about this. or other then it make's me learn how to make and develop a certain webpage and website.

There are certain different language use to produce more interactive interface in development of webpage and website. the language are java script, j query, bootstrap etc. which make it easy to use and make the interactive website and webpages.

PURPOSE OF THE PROJECT

The designer of the website also known as the frontend developer, this the person which work on the specific front part of website. this is responsible for the looking of the website and the event or the interface of the site. the functional website make using of both front-end and back-end developer. for both you need to know good about certain language.

- Get to know about the making of website
- Learning the different language used in making of website
- How to make interactive about site.
- If you need to be a front-end developer then you need to develop the sites, which improve your capability.

CODING OF PAGES

LAND PAGE:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
 <head>
  <meta charset="utf-8">
  <link rel="stylesheet" href="land.css">
  <title>Royal Enfield</title>
 </head>
 <body>
   <fieldset class="form">
     <legend class="upper"> <b>Login Form</b> </legend>
     <label class="email"> E-mail <b>:</b><br>
      <input type="text" name="email" class="email">
     </label>
     <label class="nm">Name <b>:</b> <br>
     <input type="text" Name="name" class="nm">
```

```
        </label>
        <label class="no"> Number <b> :</b> <br>
         <input type="text" name="number" class="no"><br>

        </label>
        <label class="give">
        <input type="submit" name="login" class="give" value="login">
        </label>
        <label class="sign">
       <input type="submit" name="signup" class="sign" value="sign up">
        </label>
      </fieldset>
      <div class="company">
       <h1> <b>Royal</b></h1>
       </div>

      <div class="build">
       <h1> <b>Enfield</b></h1>
      </div>
      <div class="sub">
        <b>Love by Darshan Bhosale .</b>
      </div>

    <div class="button">
      <a href="home.html" class="btn">Let get started</a> <br>
      </div>
 </body>
</html>
```

SOURCE CODE CSS:-

```
*{
 padding: 0;
 margin: 0;
}
.id{
 margin-top:-665px;
```

```
  margin-left: 670px;
  height: 660px;
  width: 685px;
  background-color: lightgrey;
}
body{
  background: url(pics/enfield_1.jpg);
  background-size: cover;
  border-width: 1px;
  border-color: white;
}
.form{
  height:400px;
  width: 300px;
  margin-left: 850px;
  margin-top: 90px;
  border-width: 3px;
  border-radius: 10px;
  border-color: black;
  background: linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5));
  color: white;

}
.email{
  font-size:20px;
  padding: 4px;
  margin: 4px;
  margin-left: 10px;
}
.upper{
  font-size:30px;
  margin-left: 90px;
}
.nm{
font-size: 20px;
margin: 4px;
padding: 4px;
```

```css
padding-top: 4px;
margin-left: 10px;
}
 .no{
  font-size:20px;
  padding: 4px;
  margin: 4px;
  margin-left: 10px;
}
 .give{
  margin-top: 40px;
  border: 2px;
  border-color: black;
  padding: 5px;
  font-size: 20px;
  border-radius: 3px;
  margin-left:20px;
  background: black'
  color:white;
}
 .sign{
  margin-top: -10%;
  padding-right: 20px;
  border: 2px;
  border-color: black;
  padding: 5px;
  font-size: 20px;
  border-radius: 3px;
  margin-left:50px;

}

 .company{
  color:        #ccccb3;
  font-size: 60px;
  margin-top: -500px;
  margin-left: 10px;
```

```
 font-style:normal;
 font-family:serif;
}

.build{
 color:#ccccb3;
 font-size: 60px;
 margin-top:0px;
 margin-left: 40px;
}
.sub{
 color:#ccccb3;
 font-size: 30px;
 margin-left: 80px;
}
.btn{

 border-radius: 2px;
 border: 1px solid white;
 padding: 10px 30px;
 margin:6px;
 color: white;
 text-decoration: none;
 transition: 0.6s ease;
 background:linear-gradient(rgba(0,0,0,0.5),rgba(0,0,0,0.5 ));

}
.btn:hover{
 background:linear-gradient(rgba(0,0,0,0.9),rgba(0,0,0,0.9 ));
 color: white;
}
.button{
  position: absolute;
  top: 80%;
  right: 14%;
  transform: translate(-50%,-50%);
}
```

HOME PAGE:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```
    <meta charset="utf-8">
    <link rel="stylesheet" href="home.css">

    <title>Home</title>
  </head>
  <body>
    <div class="menu">
       <div class="logo">
            <a href="#"><img src="pics/logo.png"></a>
            </div>
       <nav>
       <ul>
       <li><a href="about.html">About Us<a></li>
       <li><a href="moter.html">Motor-cycles<a></li>
       <li class="active"><a href="home.html">Home<a></li>
       </ul>
       </nav>
    </div>

  <div class="para">
   </div>
  <fieldset class="second">
    <div class="div_1">
      <h1 style="font-size:28px; color:white; font-family:sans-serif; margin-left:
34%">HISTORY</h1>
      <p style="text-align: left;font-size: 18px">Royal Enfield is an  Indian motorcycle
manufacturing brand with the tag of "the oldest global motorcycle brand in continuous
productionts it's made for police and army, for patrolling the country's border.</p>
    </div>
  </fieldset>
    <footer>
    <p style="color: white">E-mail: darshanbhosale5384@gmail.com /
darshanbhosale7754@gmail.com <br>Contact No.: +918451011900 /
+919967281033</p> </footer>
   </body>
</html>
```

SOURCE CODE CSS:-

```css
*{
 margin: 0;
 padding: 0;
}
 body{
 }
.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
 background-color: black;
 }
 ul li{
    float: right;
 display: inline-block;
 line-height: 60px;
 position:relative;
 text-transform: none;
 }
 ul li a{
   text-decoration: none;
 font-size: 18px;
 font-family: arial;
 color:white;
 padding: 0 20px;
 display:block;
```

```
 border: 10px ;
 transition: 0.9s;
 margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
   color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
 .para{
 background: url(pics/royal.jpg);
 background-size: cover;
 height:750px;
 width: 100%;
 font-size: 30px;
 color: white;
text-align: center;
}
.second{
 height: 750px;
 width: 100%;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.3),rgba(0, 0, 0, 0.3)), url(pics/photo.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white;
  text-align: center;
  margin-top: 50px;
  margin-left: 10px;
```

```
 }

 .div_1{
   height : 250px ;
   width :400px ;
   padding-left:  10px;
   padding-top: 10px;
   margin-left:30px;
   margin-top:180px;
   background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
   font-size: 19px;
   border:3px;
   border-radius:10px;
   border-color:black;
   font-family:monospace;

 }
 .container li{
   padding-top: 30px;
 }
/*------footer-------*/
footer{
    text-align: center;
    background-color: black;
    position: relative;
    padding-top: 10px;
    height: 50px;
    margin-top: 0px;
    clear: both;
}
```

MOTOR-CYCLES:-

SOURCE CODE HTML:-

<!DOCTYPE html>

<html>

  <head>

```html
    <meta charset="utf-8">
    <link rel="stylesheet" href="moter.css">
    <title>Motorcycles</title>
  </head>
  <body>
    <div class="menu">
      <div class="logo">
            <a href="#"><img src="pics/logo.png"></a>
            </div>
      <div class="menu">
       <nav>
       <ul>
       <li><a href="about.html">About Us<a></li>
       <li class="active"><a href="moter.html" >Motor-cycles </a></li>
       <li><a href="home.html">Home<a></li>
       </ul>
       </nav>
    </div>

      <fieldset class="custom1">
       <div class="div_1">
         <h4 class="heading"><a href="interceptor.html"><b>Interceptor</b></a></h4>
       </div>
      </fieldset>

    <fieldset class="custom2">
     <div class="div_2">
       <h4 class="heading"><a href="Contental.html"><b>Continental
GT</b></a></h4>
     </div>
    </fieldset>

    <fieldset class="custom3">
     <div class="div_3">
       <h4 class="heading"><a href="himalayan.html" color="white"
><b>Himalayan</b></a></h4>
     </div>
```

```
      </fieldset>

      <fieldset class="custom4">
       <div class="div_4">
         <h4 class="heading"><a href="Thunderbird.html"><b>Thunderbird</b></a></h4>
       </div>
      </fieldset>

      <fieldset class="custom5">
       <div class="div_5">
         <h4 class="heading"><a href="Classic.html"><b>Classic</b></a></h4>
       </div>
      </fieldset>
      <fieldset class="custom6">
       <div class="div_6">
         <h4 class="heading"><a href="bullet.html"><b>Bullet</b></a></h4>
       </div>
      </fieldset>
      <footer>
      <p style="color: white">E-mail: darshanbhosale5384@gmail.com /
darshanbhosale7754@gmail.com <br>Contact No.: +918451011900 /
+919967281033</p>
      </footer>
    </body>
</html>
```

SOURCE CODE CSS:-

```
*{
margin:0;
padding: 0;
}

body{
   background-color: lightgray;
}
.logo img{
```

```css
    float: left;
    max-width:13%;
    width: auto;
    outline: none !important;
    display: block;
    vertical-align: middle;
    border-style: none;
    padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
 background-color: black;
 }
 ul li{
    float: right;
 display: inline-block;
 line-height: 60px;
 position:relative;
 text-transform: none;
 }
ul li a{
   text-decoration: none;
 font-size: 16px;
 font-family: arial;
 color:white;
 padding: 0 20px;
 display:block;
 border: 10px ;
 transition: 0.9s;
 margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
 color: white;
```

```
}
ul li.active a{
    background-color: red;
    color: white;
}
.custom1{
  margin-top: 10%;
  margin-left: 40px;
  border: 1px solid black;
  border-radius: 5px;
  background: url(pics/interceptor_edit.jpg);
  background-size: cover;
  height: 300px;
  width: 400px;
}
.custom1 .heading{
  font-size: 33px;
  text-decoration: none;
  text-align: center;
  font-family: serif;
}
.custom1 .div_1{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom1:hover{
  background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/interceptor_edit.jpg);

}

.custom2{
  margin-top: -22.5%;
  margin-left:480px;
  border: 1px solid black;
  border-radius: 5px;
```

```
  background:linear-gradient(rgba(0, 0, 0, 0.3),rgba(0, 0, 0, 0.3)),
url(pics/Continental.jpg);
  background-size: cover;
  height: 300px;
  width: 400px;
}
.custom2 .heading{
  font-size: 33px;
  color:white;
  text-align: center;
  font-family: serif;
}
.custom2 .div_2{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom2:hover{
  background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/Continental.jpg);
  color:white;

}

.custom3{
  margin-top: -22.5%;
  margin-left: 920px;
  border: 1px solid black;
  border-radius: 5px;
  background: url(pics/Himalayan.jpg);
  background-size: cover;
  height: 300px;
  width: 400px;
}
.custom3 .heading{
  font-size: 33px;
  color:white;
```

```
   text-align: center;
   font-family: serif;
}
.custom3 .div_3{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom3:hover{
  background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/Himalayan.jpg);

}

.custom4{
  margin-top: 7%;
  margin-left: 40px;
  border: 1px solid black;
  border-radius: 5px;
  background: url(pics/Thunderbird_edit.jpg);
  background-size: cover;
  height: 300px;
  width: 400px;
}
.custom4 .heading{
  font-size: 33px;
  color:white;
  text-align: center;
  font-family: serif;
}
.custom4 .div_4{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom4:hover{
```

```css
background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/Thunderbird_edit.jpg);


}

.custom5{
  margin-top:-22.5%;
margin-left:480px;
border: 1px solid black;
border-radius: 5px;
background: url(pics/Classic_edit.jpg);
background-size: cover;
height: 300px;
width: 400px;
}
.custom5 .heading{
  font-size: 33px;
  color:white;
  text-align: center;
  font-family: serif;
}
.custom5 .div_5{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom5:hover{
  background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/Classic_edit.jpg);


}

.custom6{margin-top: -22.5%;
margin-left: 920px;
border: 1px solid black;
border-radius: 5px;
background: url(pics/bullet_edit.jpg);
```

```
background-size: cover;
height: 300px;
width: 400px;
}
.custom6 .heading{
  font-size: 33px;
  color:white;
  text-align: center;
  font-family: serif;
}
.custom6 .div_6{
  background:linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0, 0.8));
  margin-top: 130px;
  height: 50px;
}
.custom6:hover{
  background: linear-gradient(rgba(0, 0, 0, 0.8),rgba(0, 0, 0,
0.8)),url(pics/bullet_edit.jpg);

}
/*------footer-------*/
footer{
   text-align: center;
   background-color: black;
   position: relative;
   padding-top: 10px;
   height: 50px;
   margin-top: 400px;
   clear: both;
}
```

INTERCEPTOR:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```html
  <meta charset="utf-8">
  <link rel="stylesheet" href="inc.css">

  <title>Interceptor</title>
 </head>
 <body>
  <div class="menu">
    <div class="logo">
        <a href="#"><img src="pics/logo.png"></a>
        </div>
    <div class="menu">
     <nav>
     <ul>
     <li><a href="about.html">About Us<a></li>
     <li class="active"><a href="moter.html">Motor-cycles<a></li>
     <li><a href="home.html">Home<a></li>
     </ul>
     </nav>
   </div>
 <div class="para">
  <h2>The story</h2>
   <p>Inspire by the 60's interceptor with it's greatest following the american west cost.
fitting perfectly in easy going , fun narattive of the time, The new  interceptor 650 Twin
remagines the sun-drenched California beach lifestyle. This modern classic is the
essence of a British roadster with a dash of a California Desert Racer blending timeless
style and contemporary performance.</p>
  </div>
 <fieldset class="second">
  <div class="div_1">
    <h1>Specification </h1>
    <table>
    <tr><b><td>Engine Type </td></b> <td>: 4 stroke, Parallel Twin, Single Over
Head Camshaft (SOHC) </td></tr> <br>
    <tr><b><td>Engine Displacement (CC)</td></b> <td>: 648 cc </td></tr> <br>
    <tr><b><td>Power (PS@rpm)</td></b>         <td>: 47.65 PS @ 7100
rpm</td></tr><br>
```

```
    <tr><b><td>Torque (Nm@rpm) </td></b><td>: 52 Nm @ 4000 rpm</td>
</tr></tr><br>
    <tr><b><td>Transmission </td></b><td>: Manual 6-speed</td> </tr></tr><br>
    <tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
    <tr><b><td>Mileage </td></b><td>: 25.93 kmpl</td> </tr></tr><br>
    <tr><b><td>Top Speed (Km/h)</td></b>  <td>: 146.96 kmph</td></tr> <br>
    <tr><b><td>Tyre Type    </td></b>  <td>: Tubeless</td></tr> <br>
    <tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
    </table>
   </div>
  </fieldset>
 </body>
</html>
```

SOURCE CODE CSS:-

```css
*{
 margin: 0;
 padding: 0;
}
 body{
 }

.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
```

```
background-color: black;
 }
 ul li{
     float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
    text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
    background-color: red;
    color: white;
}
.para{
 background: url(pics/inc.jpg);
 background-size: cover;
 height:600px;
 width: 100%;
 font-size: 28px;
 color: black;
 text-align: center;
```

```
}
.para h2{
 font-family: fantasy;
 margin-left:-66%;
 padding-top: 100px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 18px;
 margin-top: 10px;
 padding-left: 90px;
}
.second{
 height: 700px;
 width: 99%;
 margin-top: 0px;
  padding:5px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/inc_2.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white !important;
  text-align: center;
  margin-top: 0px;
  margin-left: 10px;
 }

 .div_1{
  height : 350px ;
  width :650px ;
  padding-left:  30px;
  padding-top: 10px;
  margin-left:30px;
```

```
   margin-top:200px;
   background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
   font-size: 14px;
   border:3px;
   color: white;
   border-radius:10px;
   border-color:black;
   font-family:monospace;

}
.div_1 table{
 margin-top: -100px;
}
.div_1 h1{
 margin-left: 30.5%;
}
.container li{
 padding-top: 30px;
}
```

CONTINENTAL GT:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```
    <meta charset="utf-8">
    <link rel="stylesheet" href="cont.css">

    <title>Contental GT</title>
  </head>
  <body>
    <div class="menu">
       <div class="logo">
            <a href="#"><img src="pics/logo.png"></a>
            </div>
      <div class="menu">
       <nav>
       <ul>
       <li><a href="about.html">About us<a></li>
       <li class="active"><a href="moter.html">Motor-cycles<a></li>
       <li><a href="home.html">Home<a></li>
       </ul>
       </nav>
     </div>

  <div class="para">
    <h2>The story</h2>
      <p>Drawing insipartaion from the cafe racer culture of 1950s and 60s, the new
contentaial  GT 650 Twin recaptures the spirit of our contential GT 250. A design icon ,
the perfect blend of tradition  & modernity , with its  scuplated tank, eager attitude  and a
tucked-in riding  position , all hallmarks of a traditional cafe racer, is perfect for carving
up the back roads or a ton of fun  in the city.  </p>
   </div>
  <fieldset class="second">
    <div class="div_1">
      <h1>Specification </h1>
      <table>
      <tr><b><td>Engine Type </td></b> <td>: 4 stroke, Parallel Twin, Single Over
Head Camshaft (SOHC) </td></tr> <br>
      <tr><b><td>Engine Displacement (CC)</td></b> <td>: 648 cc </td></tr> <br>
      <tr><b><td>Power (PS@rpm)</td></b>         <td>: 47.65 PS @ 7100
rpm</td></tr><br>
```

```
    <tr><b><td>Torque (Nm@rpm) </td></b><td>: 52 Nm @ 4000 rpm</td>
</tr></tr><br>
    <tr><b><td>Transmission </td></b><td>: Manual 6-speed</td> </tr></tr><br>
    <tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
    <tr><b><td>Mileage </td></b><td>: 25.86 kmpl</td> </tr></tr><br>
    <tr><b><td>Top Speed (Km/h)</td></b> <td>: 150.96 kmph</td></tr> <br>
    <tr><b><td>Tyre Type    </td></b> <td>: Tubeless</td></tr> <br>
    <tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
  </table>
  </div>
 </fieldset>
 </body>
</html>
```

SOURCE CODE CSS:-

```css
*{
 margin: 0;
 padding: 0;
}
 body{
 }

.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
```

```
background-color: black;
 }
 ul li{
    float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
    text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
    background-color: red;
    color: white;
}
.para{
 background: url(pics/cont.jpg);
 background-size: cover;
 height:700px;
 width: 100%;
 font-size: 28px;
 color: black;
 text-align: center;
```

```
}
.para h2{
 font-family: fantasy;
 margin-left: 42%;
 padding-top: 80px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 18px;
 margin-top: 10px;
 padding-left: 810px;
}
.second{
 height: 700px;
 width: 100%;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/con_1.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white !important;
  text-align: center;
  margin-top: 0px;
  margin-left: 10px;
 }

 .div_1{
  height : 350px ;
  width :650px ;
  padding-left:  30px;
  padding-top: 10px;
  margin-left: 20px;
  margin-top:170.5px;
```

```
background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
font-size: 14px;
border:3px;
color: white;
border-radius:10px;
border-color:black;
font-family:monospace;

}
.div_1 table{
 margin-top: -100px;
}
.div_1 h1{
 margin-left: 30.5%;
}
.container li{
 padding-top: 30px;
}
```

HIMALAYAN:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
 <head>
```

```
  <meta charset="utf-8">
  <link rel="stylesheet" href="him.css">

  <title>Himalayan</title>
 </head>
 <body>
  <div class="menu">
    <div class="logo">
        <a href="#"><img src="pics/logo.png"></a>
        </div>
    <div class="menu">
     <nav>
     <ul>
     <li><a href="about.html">About us<a></li>
     <li class="active"><a href="moter.html">Motor-cycles<a></li>
     <li><a href="home.html">Home<a></li>
     </ul>
     </nav>
   </div>
 <div class="para">
  <h2>The story</h2>
   <p>Decades of ecpeditions . thousands of kilometers of travesing the most
challenging terrain .years of living and envoving with a machine that responds to the
mountains . that's how we made the himalayan , our first dual-purpose motorcycle . here
is how it was built to the tough, versatile , and adaptable to all kind of terrain. </p>
  </div>
 <fieldset class="second">
  <div class="div_1">
   <h1>Specification </h1>
   <table>
   <tr><b><td>Engine Type </td></b> <td>: Single Cylinder, 4 stroke, Air cooled,
SOHC, Fuel Injection </td></tr> <br>
   <tr><b><td>Engine Displacement (CC)</td></b> <td>: 411 cc </td></tr> <br>
   <tr><b><td>Power (PS@rpm)</td></b>        <td>: 24.83 PS @ 6500
rpm</td></tr><br>
   <tr><b><td>Torque (Nm@rpm) </td></b><td>: 32 Nm @ 4250 rpm</td>
</tr></tr><br>
```

```
<tr><b><td>Transmission </td></b><td>: Manual 5-speed</td> </tr></tr><br>
<tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
<tr><b><td>Mileage </td></b><td>: 34.53 kmpl</td> </tr></tr><br>
<tr><b><td>Top Speed (Km/h)</td></b>  <td>: 122 kmph</td></tr> <br>
<tr><b><td>Tyre Type    </td></b>  <td>: Tube</td></tr> <br>
<tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
</table>
</div>
</fieldset>
</body>
</html>
```

SOURCE CODE CSS:-

```
*{
 margin: 0;
 padding: 0;
}
 body{
 }

.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
 background-color: black;
  }
```

```
 ul li{
     float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
    text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
.para{
 background: url(pics/royal.jpg);
 background-size: cover;
 height:750px;
 width: 100%;
 font-size: 28px;
 color: white;
text-align: center;
}
.para h2{
```

```
  font-family: fantasy;
  margin-left:-66%;
  padding-top: 80px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 20px;
 margin-top: 10px;
 padding-left: 90px;
}
.second{
 height: 700px;
 width: 1349px;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/him_1.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white !important;
  text-align: center;
  margin-top: 0px;
  margin-left: 10px;
 }

 .div_1{
  height : 350px ;
  width : 700px ;
  padding-left:  30px;
  padding-top: 10px;
  margin-left: 600px;
  margin-top:190px;
  background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.7));
  font-size: 14px;
```

```
 border:3px;
 color: white;
 border-radius:10px;
 border-color:black;
 font-family:monospace;

}
.div_1 table{
 margin-top: -100px;
}
.div_1 h1{
 margin-left: 35%;
}
.container li{
 padding-top: 30px;
}
```

THUNDERBIRD:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```
<meta charset="utf-8">
<link rel="stylesheet" href="bird.css">

<title>Thunderbird</title>
</head>
<body>
 <div class="menu">
   <div class="logo">
        <a href="#"><img src="pics/logo.png"></a>
        </div>
    <div class="menu">
     <nav>
     <ul>
      <li><a href="about.html">About us<a></li>
      <li class="active"><a href="moter.html">Motor-cycles<a></li>
      <li><a href="home.html">Home<a></li>
      </ul>
      </nav>
    </div>
 <div class="para">
   <h2>The story</h2>
   <p>If you seek a quiet , unhurried ride on an open highway ,the thunserbird is for
you. it is the definitive crusier that makes you feel at home on the highway . bringing
you clser to open skies and alife made for leisure motorcycling.</p>
   </div>
  <fieldset class="second">
   <div class="div_1">
    <h1>Specification </h1>
    <table>
    <tr><b><td>Engine Type </td></b> <td>: Single Cylinder, 4 Stroke </td></tr>
<br>
    <tr><b><td>Engine Displacement (CC)</td></b> <td>: 499 cc </td></tr> <br>
    <tr><b><td>Power (PS@rpm)</td></b>        <td>: 27.5 PS @ 5250
rpm</td></tr><br>
    <tr><b><td>Torque (Nm@rpm) </td></b><td>: 41.3 Nm @ 4000 rpm</td>
</tr></tr><br>
    <tr><b><td>Transmission </td></b><td>: Manual 5-speed</td> </tr></tr><br>
```

```
<tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
<tr><b><td>Mileage </td></b><td>: 30 kmpl</td> </tr></tr><br>
<tr><b><td>Top Speed (Km/h)</td></b>  <td>: 130 kmph</td></tr> <br>
<tr><b><td>Tyre Type    </td></b>  <td>: Tube</td></tr> <br>
<tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
</table>
</div>
</fieldset>
</body>
</html>
```

SOURCE CODE CSS:-

```
*{
 margin: 0;
 padding: 0;
}
 body{
 }

.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
 background-color: black;
  }
  ul li{
```

```
    float: right;
 display: inline-block;
 line-height: 60px;
 position:relative;
 text-transform: none;
  }
 ul li a{
    text-decoration: none;
 font-size: 16px;
 font-family: arial;
 color:white;
 padding: 0 20px;
 display:block;
 border: 10px ;
 transition: 0.9s;
 margin-right: 15px;
 }

 ul li a:hover{
   background-color:red;
color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
.para{
 background: url(pics/bird.jpg);
 background-size: cover;
 height:700px;
 width: 100%;
 font-size: 28px;
 color:ghostwhite;
text-align: center;
}
.para h2{
 font-family: fantasy;
```

```
  margin-left:-66%;
  padding-top: 100px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 20px;
 margin-top: 10px;
 padding-left: 90px;
}
.second{
 height: 700px;
 width: 100%;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/bird_1.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white !important;
  text-align: center;
  margin-top: 0px;
  margin-left: 10px;
 }

 .div_1{
  height : 350px ;
  width :430px ;
  padding-left:  30px;
  padding-top: 10px;
  margin-left:30px;
  margin-top:220px;
  background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
  font-size: 14px;
  border:3px;
```

```
  color: white;
  border-radius:10px;
  border-color:black;
  font-family:monospace;

}
.div_1 table{
  margin-top: -100px;
}
.div_1 h1{
  margin-left: 21.5%;
}
.container li{
  padding-top: 30px;
}
```

CLASSIC:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```
<meta charset="utf-8">
<link rel="stylesheet" href="classic.css">

<title>Classic</title>
</head>
<body>
  <div class="menu">
    <div class="logo">
        <a href="#"><img src="pics/logo.png"></a>
        </div>
    <div class="menu">
     <nav>
     <ul>
     <li><a href="about.html">Abou us<a></li>
     <li class="active"><a href="moter.html">Motor-cycles<a></li>
     <li><a href="home.html">Home<a></li>
     </ul>
     </nav>
   </div>
  <div class="para">
   <h2>The story</h2>
<p>The classic desert storm comes to you with a 'sand' paint scheme. reminiscent of the
war era. A time when royal enfield motorcycles provedtheir capabilities and battle
worthniess by impeccable service to soldiers in the harsh conditions of the desert. This
motorcycle brings you the   plesye of modern motorcycling while reflecting the aura of
eternal classic styling.  </p>
  </div>
  <fieldset class="second">
   <div class="div_1">
     <h1>Specification </h1>
     <table>
     <tr><b><td>Engine Type </td></b> <td>: Single Cylinder, 4-Stroke, Spark Ignition
</td></tr> <br>
     <tr><b><td>Engine Displacement (CC)</td></b> <td>: 499 cc </td></tr> <br>
     <tr><b><td>Power (PS@rpm)</td></b>        <td>: 27.5 PS @ 5250
rpm</td></tr><br>
```

```
    <tr><b><td>Torque (Nm@rpm) </td></b><td>: 41.3 Nm @ 4000 rpm</td>
</tr></tr><br>
    <tr><b><td>Transmission </td></b><td>: Manual 5-speed</td> </tr></tr><br>
    <tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
    <tr><b><td>Mileage </td></b><td>: 32 kmpl</td> </tr></tr><br>
    <tr><b><td>Top Speed (Km/h)</td></b>  <td>: 130 kmph</td></tr> <br>
    <tr><b><td>Tyre Type    </td></b>  <td>: Tube</td></tr> <br>
    <tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
    </table>
  </div>
 </fieldset>
 </body>
</html>
```

SOURCE CODE CSS:-

```css
*{
 margin: 0;
 padding: 0;
}
 body{
 }

.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
```

```
background-color: black;
 }
 ul li{
    float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
   text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
.para{
 background: url(pics/desert.jpg);
 background-size: cover;
 height:800px;
 width: 100%;
 font-size: 28px;
 color: white;
 text-align: center;
```

```
}
.para h2{
 font-family: fantasy;
 margin-left:-66%;
 padding-top: 100px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 20px;
 margin-top: 10px;
 padding-left: 90px;
}
.second{
 height: 900px;
 width: 100%;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/bullet_1.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
.second p{
 font-size: 25px;
 color: white !important;
 text-align: center;
 margin-top: 0px;
 margin-left: 10px;
}

.div_1{
 height : 350px ;
 width :550px ;
 padding-left:  30px;
 padding-top: 10px;
 margin-left:80px;
 margin-top:180px;
```

```
background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
font-size: 14px;
border:3px;
color: white;
border-radius:10px;
border-color:black;
font-family:monospace;

}
.div_1 table{
 margin-top: -100px;
}
.div_1 h1{
 margin-left: 27.5%;
}
.container li{
 padding-top: 30px;
}
```

BULLET:-

SOURCE CODE HTML:-

<!DOCTYPE html>
<html>
 <head>

```html
  <meta charset="utf-8">
  <link rel="stylesheet" href="bullet.css">
   <title>Bullet</title>
 </head>
 <body>
  <div class="menu">
    <div class="logo">
         <a href="#"><img src="pics/logo.png"></a>
         </div>
   <div class="menu">
    <nav>
    <ul>
    <li><a href="about.html">About us<a></li>
    <li class="active"><a href="moter.html">Motor-cycles<a></li>
    <li><a href="home.html">Home<a></li>
    </ul>
    </nav>
   </div>
 <div class="para">
  <h2>The story</h2>
    <p>What started in 1932 continues to deliver pure motorcycling experinces across
generations of riders. Bullet, the quintessential Royal Enfield, is today the longest
running motorcycle in history to be in conyinuous production. A unique, hand-painted
fuel tank, th distinct thump and a standing testimony to Royal Enfield's philosophy of
simple design and resilient build make Bullet a living legacy on two wheels.</p>
  </div>
 <fieldset class="second">
   <div class="div_1">
    <h1>Specification </h1>
    <table>
    <tr><b><td>Engine Type </td></b> <td>: Single Cylinder, 4-Stroke, Spark Ignition
</td></tr> <br>
    <tr><b><td>Engine Displacement (CC)</td></b> <td>: 499 cc </td></tr> <br>
    <tr><b><td>Power (PS@rpm)</td></b        <td>: 27.5 PS @ 5250
rpm</td></tr><br>
    <tr><b><td>Torque (Nm@rpm) </td></b><td>: 41.3 Nm @ 4000 rpm</td>
</tr></tr><br>
```

```
    <tr><b><td>Transmission </td></b><td>: Manual 5-speed</td> </tr></tr><br>
    <tr><b><td>Fuel Type</td></b> <td>: Petrol</td></tr> <br>
    <tr><b><td>Mileage </td></b><td>: 30 kmpl</td> </tr></tr><br>
    <tr><b><td>Top Speed (Km/h)</td></b>  <td>: 138 kmph</td></tr> <br>
    <tr><b><td>Tyre Type    </td></b>  <td>: Tube</td></tr> <br>
    <tr><b><td>Wheels Type </td> </b><td>        : Spoke </td></tr><br>
    </table>
  </div>
 </fieldset>
 </body>
</html>
```

SOURCE CODE CSS:-

```
*{
 margin: 0;
 padding: 0;
}
 body{
 }
.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
 nav{
  border-radius: 6px;
width: 100%;
height: 60px;
background-color: black;
 }
 ul li{
```

```css
    float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
   text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
.para{
 background: url(pics/stand1.jpg);
 background-size: cover;
 height:600px;
 width: 100%;
 font-size: 28px;
 color: white;
text-align: center;
}
.para h2{
 font-family: fantasy;
```

```
  margin-left:52%;
  padding-top: 100px;
}
.para p{
 text-align: left;
 width: 300px;
 font-size: 20px;
 margin-top: 10px;
 padding-left: 670px;
}
.second{
 height: 850px;
 width: 100%;
 margin-top: 0px;
 background:linear-gradient(rgba(0, 0, 0, 0.5),rgba(0, 0, 0, 0.5)), url(pics/stand2.jpg);
 background-size: cover;
 border: 1px;
 border-color: black;
}
 .second p{
  font-size: 25px;
  color: white !important;
  text-align: center;
  margin-top: 0px;
  margin-left: 10px;
 }

 .div_1{
  height : 350px ;
  width :550px ;
  padding-left:  30px;
  padding-top: 10px;
  margin-left: 65px;
  margin-top:220px;
  background:linear-gradient(rgba(0,0,0,0.8),rgba(0,0,0,0.6));
  font-size: 14px;
  border:3px;
```

```
  color: white;
  border-radius:10px;
  border-color:black;
  font-family:monospace;

}
.div_1 table{
  margin-top: -100px;
}
.div_1 h1{
  margin-left: 27.5%;
}
.container li{
  padding-top: 30px;
}
```

ABOUT US:-

SOURCE CODE HTML:-

```
<!DOCTYPE html>
<html>
  <head>
```

```
  <meta charset="utf-8">
  <link rel="stylesheet" href="about.css">
  <title>About</title>
 </head>
 <body>
  <div class="menu">
    <div class="logo">
          <a href="#"><img src="pics/logo.png"></a>
          </div>
    <div class="menu">
     <nav>
     <ul>
     <li class="active"><a href="about.html">About us<a></li>
     <li><a href="moter.html">Motor-cycles<a></li>
     <li><a href="home.html">Home<a></li>
     </ul>
     </nav>
   </div>
   <fieldset class="ID">
 <h1 style="color:white;"><i> History  </i></h1>
 <div class="container">
```

\<p>   Royal Enfield is an Indian motorcycle manufacturing brand with the tag of "the oldest global motorcycle brand in continuous production" manufactured in factories in Chennai in India. Licensed from Royal Enfield by the indigenous Indian Madras Motors, it is now a subsidiary of Eicher Motors Limited, an Indian automaker. The company makes the Royal Enfield Bullet, and other single-cylinder motorcycles. First produced in 1901, Royal Enfield is the oldest motorcycle brand in the world still in production, with the Bullet model enjoying the longest motorcycle production run of all time.\</p>

`<h1 style="color:white;"><i> In 1891 </i></h1>`

\<p>   1891 R.W. Smith and Albert Eadie take over the Townsend Cycle Company in Redditch, UK. Soon after, they start supplying precision machine parts to the Royal Enfield Small Arms Factory in Enfield, Middlesex. Their undertaking is renamed the Enfield Manufacturing Company Limited.\</p>

`<h1 style="color:white;"><i> In 1999  </i></h1>`

<p>   Utilising the design skills of Austrian experts AVL, production of a revised 350cc all-aluminum lean-burn Bullet engine, known as the A350, begins at a new Royal Enfield plant near Jaipur, Rajasthan.</p>
    </div>
 </fieldset>
  <footer>
  <p style="color: white">E-mail: darshanbhosale5384@gmail.com / darshanbhosale7754@gmail.com
Contact No.: +918451011900 / +919967281033
 Land Page</p> </footer>
 </body>
</html>

SOURCE CODE CSS:-

```
*{
 padding: 0;
 margin: 0;
}
body{
 background-image: url("pics/bullet_1.jpg");
 background-size: cover;
}
.logo img{
   float: left;
   max-width:13%;
   width: auto;
   outline: none !important;
   display: block;
   vertical-align: middle;
   border-style: none;
   padding: 16px;
}
nav{
  border-radius: 6px;
 width: 100%;
 height: 60px;
 background-color: black;
```

```
 }
 ul li{
    float: right;
display: inline-block;
line-height: 60px;
position:relative;
text-transform: none;
 }
ul li a{
   text-decoration: none;
font-size: 16px;
font-family: arial;
color:white;
padding: 0 20px;
display:block;
border: 10px ;
transition: 0.9s;
margin-right: 15px;
 }

 ul li a:hover{
  background-color:red;
color: white;
}
ul li.active a{
   background-color: red;
   color: white;
}
.container li{
 padding-top: 30px;
}
.ID{
 height : 380px ;
 width :900px;
 text-align: left;
 padding-left:  10px;
 padding-top: 10px;
```

```css
    margin-left:50px;
    margin-top:50px;
    background:linear-gradient(rgba(0,0,0,0.7),rgba(0,0,0,0.5));
    font-size: 18px;
    border:3px;
    color: white;
    border-radius:10px;
    border-color:black;
}
h1{
    text-align: center;
}
/*------footer-------*/
footer{
    text-align: center;
    background-color: black;
    position: relative;
    padding-top: 10px;
    height: 60px;
    margin-top: 400px;
    clear: both;
}
```

ADVANTAGE AND DISADVANTAGE

Advantage :-

1. This website is a knowledgeable website.
2. Specially made for the bike riders and bike lover.
3. Provide the info about the one of the global and the oldest manufacture of the bikes.
4. More user friendly.

Disadvantage :

1. This made only on certain topics.
2. Font-size and font-family are different from each others.
3. Picture are of different themes.