




Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)


▲ 0–49 50–89 90–100



METRICS

Expand view

▲ First Contentful Paint 3.1 s	▲ Largest Contentful Paint 3.1 s
Total Blocking Time 0 ms	Cumulative Layout Shift 0.051
▲ Speed Index 3.1 s	



Show audits relevant to: All FCP LCP CLS

INSIGHTS

 Render-blocking requests — Est savings of 2,750 ms



Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (1)

URL	Transfer Size	Duration
Google Fonts Cdn	1.3 KiB	2,910 ms
/css2?family=... (fonts.googleapis.com)	1.3 KiB	2,910 ms
localhost 1st Party	14.8 KiB	420 ms
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69....css (localhost)	0.7 KiB	
...tokens/base.css (localhost)	2.0 KiB	80 ms
...tokens/effects.css (localhost)	2.3 KiB	80 ms
...tokens/spacing.css (localhost)	1.5 KiB	80 ms
...tokens/colors.css (localhost)	3.7 KiB	80 ms
...tokens/typography.css (localhost)	4.0 KiB	80 ms
...tokens/fonts.css (localhost)	0.8 KiB	

 Network dependency tree



[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 1,463 ms

Initial Navigation

- /index.html (localhost) - 49 ms, 2.52 KiB
- ...tokens/fonts.css (localhost) - 48 ms, 0.79 KiB
- /css2?family=... (fonts.googleapis.com) - 1,202 ms, 1.35 KiB

...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **1,463 ms**, 47.43 KiB

...v12/ieVn2YZDL....woff2 (fonts.gstatic.com) - **1,447 ms**, 34.39 KiB

/src/main.tsx?t=178... (localhost) - **49 ms**, 2.63 KiB

/src/App.tsx?t=178... (localhost) - **60 ms**, 24.91 KiB

...sections/Nav.tsx?t=178... (localhost) - **69 ms**, 9.49 KiB

 /src/icons.tsx (localhost) - **76 ms**, 4.11 KiB

...sections/Contact.tsx?t=178... (localhost) - **76 ms**, 14.45 KiB

...sections/Closing.tsx (localhost) - **76 ms**, 7.79 KiB

...sections/Footer.tsx (localhost) - **76 ms**, 13.74 KiB

...sections/Proof.tsx (localhost) - **75 ms**, 10.86 KiB

...sections/HowWeWork.tsx (localhost) - **75 ms**, 11.21 KiB

...sections/WhyIndependent.tsx (localhost) - **75 ms**, 17.88 KiB

...sections/SoftwareFactory.tsx?t=178... (localhost) - **74 ms**, 11.24 KiB

...sections/Principles.tsx?t=178... (localhost) - **73 ms**, 37.78 KiB

...sections/Industries.tsx (localhost) - **73 ms**, 10.57 KiB

...sections/ServicesFull.tsx?t=178... (localhost) - **73 ms**, 21.63 KiB

...sections/Vision.tsx?t=178... (localhost) - **72 ms**, 13.28 KiB

...sections/WhoWeAre.tsx?t=178... (localhost) - **72 ms**, 10.94 KiB

...sections/Approach.tsx (localhost) - **72 ms**, 13.82 KiB

...sections/Shift.tsx (localhost) - **71 ms**, 8.11 KiB

...sections/FeatureBand.tsx (localhost) - **70 ms**, 7.12 KiB

...sections/Hero.tsx?t=178... (localhost) - **70 ms**, 14.40 KiB

/src/ds.tsx?t=178... (localhost) - **69 ms**, 7.95 KiB

...deps/react-dom_client.js?v=3d7376be (localhost) - **60 ms**, 1.33 KiB

...deps/chunk-373CG7ZK.js?v=3d7376be (localhost) - **75 ms**, 906.58 KiB

...deps/react.js?v=3d7376be (localhost) - **60 ms**, 0.45 KiB

...deps/chunk-REFQX4J5.js?v=3d7376be (localhost) - **64 ms**, 76.43 KiB

...styles/site.css?t=178... (localhost) - **61 ms**, 38.45 KiB

...deps/react_jsx-dev-runtime.js?v=3d7376be (localhost) - **60 ms**, 36.40 KiB

/@vite/client (localhost) - **49 ms**, 134.78 KiB

 ...client/env.mjs (localhost) - **56 ms**, 4.21 KiB

/@react-refresh (localhost) - **56 ms**, 115.08 KiB

...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69....css (localhost) - **48 ms**, 0.72 KiB

...tokens/base.css (localhost) - **48 ms**, 1.95 KiB

...tokens/effects.css (localhost) - **48 ms**, 2.25 KiB

...tokens/spacing.css (localhost) - **48 ms**, 1.46 KiB

...tokens/colors.css (localhost) - **48 ms**, 3.65 KiB

...tokens/typography.css (localhost) - **48 ms**, 3.98 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://images.unsplash.com/	link

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin	Est LCP savings
https://fonts.googleapis.com	940 ms

Document request latency — Est savings of 2 KiB

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- Avoids redirects
- Server responds quickly (observed 3 ms)
- No compression applied

Improve image delivery — Est savings of 1,892 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

	URL	Resource Size	Est Savings
localhost 1st Party		2,111.3 KiB	1,892.3 KiB
	/assets/ai-humans.png (localhost)	2,111.3 KiB	1,892.3 KiB
img	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		1,872.2 KiB

URL	Resource Size	Est Savings
	This image file is larger than it needs to be (1619x907) for its displayed dimensions (1604x839). Use responsive images to reduce the image download size.	177.5 KiB

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads.

CLS

Unscored

Element	Layout shift score
Total	0.051
 section#top.hero	0.035
div.hero__inner	0.015
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	Web font
...v12/ieVn2YZDL....woff2 (fonts.gstatic.com)	Web font

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#).

Unscored

Statistic	Element	Value
Total elements		884
DOM depth	path	13
Most children	 main#main-content	15

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP

Unscored

Subpart	Duration
Time to first byte	10 ms
Element render delay	1,350 ms

p.hero__lead.reveal

3rd parties



3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
ekhagklcjbdpajgpjgmbionohlpdbjgc	0 KiB	25 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-all.js	0 KiB	5 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/schema.js	0 KiB	5 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate.js	0 KiB	2 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/inject.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/proxy.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/browser-polyfill.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities_item.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/zotero.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/date.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/term.js	0 KiB	1 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/identity.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/pageSaving.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/itemSaver.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/utilities_translate.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/http.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/rdfparser.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/progressWindow_inject.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/openurl.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/resource/zoteroTypeSchemaData.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messages.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/api.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translator.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messagingGeneric.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/debug.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/cachedTypes.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/messaging_inject.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/uri.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/singlefile.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate_item.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translateWeb.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/integration/connectorIntegration.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-unicode-zotero.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/http.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/virtualOffscreenTranslate.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/zotero_config.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/modalPrompt_inject.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/sandboxManager.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/init.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/promise.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/schema.js	0 KiB	0 ms
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/i18n.js	0 KiB	0 ms
Unpkg 	79 KiB	20 ms
...umd/lucide.min.js (unpkg.com)	79 KiB	20 ms
kjacjjdnoddpbbccjilcajfhhbdhkp	0 KiB	14 ms

3rd party	Transfer size	Main thread time
chrome-extension://kjacjjdnodnpbbcjilcajfhbdkpgk/src/content/index.js	0 KiB	14 ms
fcoeoabgfenejglbffodgkbbkcdhcgfn	0 KiB	1 ms
chrome-extension://fcoeoabgfenejglbffodgkbbkcdhcgfn/assets/agent-visual-indicator.js-CW8zgsee.js	0 KiB	1 ms
chrome-extension://fcoeoabgfenejglbffodgkbbkcdhcgfn/assets/accessibility-tree.js-CCweLwU2.js	0 KiB	0 ms
eifflpmocdbdmepbjaopkhhbfmdgijcc	0 KiB	1 ms
chrome-extension://eifflpmocdbdmepbjaopkhhbfmdgijcc/js/contentScript.js	0 KiB	1 ms
Google Fonts Cdn	83 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v12/ieVn2YZDL....woff2 (fonts.gstatic.com)	34 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
unsplash.com	499 KiB	0 ms
/photo-148...-67cf0d13bc1b?auto=format&fit=crop&w=1800&q=80 (images.unsplash.com)	433 KiB	0 ms
/photo-152...-d14cc237f11d?auto=format&fit=crop&w=1200&q=80 (images.unsplash.com)	66 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

Image elements do not have explicit [width](#) and [height](#) ^

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

URL	
localhost 1st Party	
img	/assets/softfinitly-horizontal-dark.svg (localhost)
img	/assets/softfinitly-horizontal-dark.svg (localhost)

Minify CSS — Est savings of 2 KiB



Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored



If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

URL	Transfer Size	Est Savings
localhost 1st Party	3.7 KiB	2.1 KiB
...tokens/colors.css (localhost)	3.7 KiB	2.1 KiB

Minify JavaScript — Est savings of 860 KiB



Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP Unscored



If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

URL	Transfer Size	Est Savings
localhost 1st Party	1,603.6 KiB	767.2 KiB
...deps/chunk-373CG7ZK.js?v=3d7376be (localhost)	906.3 KiB	331.7 KiB
/@vite/client (localhost)	134.5 KiB	117.0 KiB
/@react-refresh (localhost)	114.8 KiB	104.6 KiB
...deps/chunk-REFQX4J5.js?v=3d7376be (localhost)	76.1 KiB	31.0 KiB
...sections/Principles.tsx?t=178... (localhost)	37.5 KiB	22.3 KiB
/src/App.tsx?t=178... (localhost)	24.6 KiB	16.4 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/...js (localhost)	70.1 KiB	15.0 KiB
...deps/react_jsx-dev-runtime.js?v=3d7376be (localhost)	36.1 KiB	14.0 KiB
...sections/ServicesFull.tsx?t=178... (localhost)	21.3 KiB	12.8 KiB

URL	Transfer Size	Est Savings
...sections/WhyIndependent.tsx (localhost)	17.6 KiB	9.6 KiB
...sections/Contact.tsx?t=178... (localhost)	14.2 KiB	8.6 KiB
...sections/Hero.tsx?t=178... (localhost)	14.1 KiB	8.1 KiB
...sections/Footer.tsx (localhost)	13.5 KiB	8.1 KiB
...sections/Approach.tsx (localhost)	13.5 KiB	7.7 KiB
...sections/Vision.tsx?t=178... (localhost)	13.0 KiB	7.1 KiB
...sections/SoftwareFactory.tsx?t=178... (localhost)	11.0 KiB	6.0 KiB
...sections/HowWeWork.tsx (localhost)	10.9 KiB	5.9 KiB
...sections/WhoWeAre.tsx?t=178... (localhost)	10.7 KiB	5.7 KiB
...sections/Proof.tsx (localhost)	10.6 KiB	5.7 KiB
...sections/Industries.tsx (localhost)	10.3 KiB	5.7 KiB
...sections/Nav.tsx?t=178... (localhost)	9.2 KiB	5.1 KiB
/src/ds.tsx?t=178... (localhost)	7.7 KiB	4.5 KiB
...sections/Shift.tsx (localhost)	7.8 KiB	4.1 KiB
...sections/Closing.tsx (localhost)	7.5 KiB	3.8 KiB
...client/env.mjs (localhost)	3.9 KiB	3.5 KiB
...sections/FeatureBand.tsx (localhost)	6.8 KiB	3.2 KiB
Unattributable	214.1 KiB	92.5 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/xregexp-all.js	74.9 KiB	31.1 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/translation/translate.js	34.7 KiB	14.4 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities.js	18.4 KiB	7.9 KiB

URL	Transfer Size	Est Savings
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/browser-polyfill.js	8.5 KiB	5.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/proxy.js	13.2 KiB	5.1 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/utilities_item.js	11.2 KiB	4.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/utilities/date.js	8.3 KiB	3.4 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/rdfparser.js	6.5 KiB	3.2 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/http.js	7.3 KiB	3.2 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/itemSaver.js	7.2 KiB	3.0 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/rdf/identity.js	6.1 KiB	3.0 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/pageSaving.js	7.7 KiB	2.9 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/translate/utilities_translate.js	5.4 KiB	2.6 KiB
chrome-extension://ekhagklcjbdpajgpjgmbionohlpdbjgc/inject/progressWindow_inject.js	5.0 KiB	2.4 KiB

Reduce unused JavaScript — Est savings of 616 KiB ^

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

URL	Transfer Size	Est Savings
localhost 1st Party	1,052.5 KiB	507.2 KiB
...deps/chunk-373CG7ZK.js?v=3d7376be (localhost)	906.3 KiB	428.1 KiB

URL	Transfer Size	Est Savings
...react-dom/cjs/react-dom.development.js	887.9 KiB	424.4 KiB
...scheduler/cjs/scheduler.development.js	16.5 KiB	3.7 KiB
...deps/chunk-REFQX4J5.js?v=3d7376be (localhost)	76.1 KiB	51.0 KiB
...cjs/react.development.js	75.2 KiB	51.0 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/...js (localhost)	70.1 KiB	28.1 KiB
Unattributable	136.7 KiB	109.2 KiB
chrome-extension://kjacjjdnoddpbbcjilcajfhbdkpgk/src/content/index.js	102.0 KiB	83.5 KiB
chrome-extension://ekhagklcjbpaigpjgmbionohlpdbjgc/translate/translation/translate.js	34.7 KiB	25.6 KiB

Avoid enormous network payloads — Total size was 4,451 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (4)

URL	Transfer Size
localhost 1st Party	3,414.8 KiB
/assets/ai-humans.png (localhost)	2,111.6 KiB
...deps/chunk-373CG7ZK.js?v=3d7376be (localhost)	906.6 KiB
/@vite/client (localhost)	134.8 KiB
/@react-refresh (localhost)	115.1 KiB
...deps/chunk-REFQX4J5.js?v=3d7376be (localhost)	76.4 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/...js (localhost)	70.4 KiB
unsplash.com	499.0 KiB

URL	Transfer Size
/photo-148...-67cf0d13bc1b?auto=format&fit=crop&w=1800&q=80 (images.unsplash.com)	432.6 KiB
/photo-152...-d14cc237f11d?auto=format&fit=crop&w=1200&q=80 (images.unsplash.com)	66.4 KiB
Unpkg Cdn	79.3 KiB
...umd/lucide.min.js (unpkg.com)	79.3 KiB
Google Fonts Cdn	47.4 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47.4 KiB

○ Avoid non-composited animations — 6 animated elements found



Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
select#pl-select-1.pl-select__el	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: border-top-color	border-top-color
div.pl-field__wrap	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: border-top-color	border-top-color
div.hero__wordmark.reveal	
Effect has unsupported timing parameters	transform
div.pl-field__wrap	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color

Element	Name
Unsupported CSS Property: border-top-color	border-top-color
div.pl-field__wrap	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: border-top-color	border-top-color
p.hero__lead.reveal	
Effect has unsupported timing parameters	transform

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (15)

Hide

Use efficient cache lifetimes

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Duplicated JavaScript

^

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display

^

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). Unscored

Forced reflow

^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

○

INP breakdown

^

Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

○

LCP request discovery

^

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#). Unscored



Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more.](#)

JavaScript execution time — 0.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#). TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	584 ms	26 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...sections/Nav.tsx?t=178... (localhost)	321 ms	17 ms	0 ms
/index.html (localhost)	263 ms	9 ms	0 ms
Unattributable	68 ms	6 ms	0 ms
Unattributable	68 ms	6 ms	0 ms

Minimizes main-thread work — 0.8 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	278 ms
Style & Layout	229 ms
Rendering	142 ms
Script Evaluation	81 ms
Script Parsing & Compilation	40 ms
Parse HTML & CSS	5 ms
Garbage Collection	5 ms

☐ Avoid long main-thread tasks



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

Page didn't prevent back/forward cache restoration



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

Captured at Jun 25, 2026,
8:52 PM GMT+2
Initial page load

Emulated Desktop with
Lighthouse 13.2.0
Custom throttling

Single page session

Using Chromium 149.0.0.0
with devtools

Generated by **Lighthouse** 13.2.0 | [File an issue](#)