



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

 0–49

50–89


90–100



METRICS

Expand view

 First Contentful Paint 1.7 s	 Largest Contentful Paint 3.2 s
Total Blocking Time 0 ms	Cumulative Layout Shift 0.069
Speed Index 1.7 s	



Show audits relevant to: All FCP LCP CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 120 ms

▲

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
localhost 1st Party	27.4 KiB	330 ms
...tokens/tokens.all.css (localhost)	12.7 KiB	80 ms
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69....css (localhost)	0.7 KiB	80 ms
...tokens/base.css (localhost)	2.0 KiB	
...tokens/effects.css (localhost)	2.3 KiB	
...tokens/spacing.css (localhost)	1.5 KiB	
...tokens/fonts.css (localhost)	0.7 KiB	80 ms
...tokens/colors.css (localhost)	3.7 KiB	80 ms
...tokens/typography.css (localhost)	4.0 KiB	

▲ Network dependency tree

▲

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: 93 ms

Initial Navigation

- http://localhost:5173 - 36 ms, 3.22 KiB
 - /src/main.tsx (localhost) - 46 ms, 4.33 KiB
 - /src/App.tsx (localhost) - 58 ms, 24.16 KiB
 - ...sections/Nav.tsx (localhost) - 69 ms, 9.57 KiB
 - /src/icons.tsx (localhost) - 81 ms, 10.08 KiB

...deps/lucide-react.js?v=e11a84b3 (localhost) - **93 ms**, 1,379.91 KiB

...sections/Footer.tsx (localhost) - **81 ms**, 13.84 KiB

...sections/WhyIndependent.tsx (localhost) - **80 ms**, 17.88 KiB

...sections/Contact.tsx (localhost) - **80 ms**, 14.52 KiB

...sections/Closing.tsx (localhost) - **80 ms**, 7.79 KiB

...sections/Proof.tsx (localhost) - **80 ms**, 10.86 KiB

...sections/Principles.tsx (localhost) - **80 ms**, 37.76 KiB

...sections/HowWeWork.tsx (localhost) - **80 ms**, 11.21 KiB

...sections/Industries.tsx (localhost) - **80 ms**, 10.57 KiB

...sections/ServicesFull.tsx (localhost) - **80 ms**, 21.62 KiB

...sections/Approach.tsx (localhost) - **79 ms**, 13.82 KiB

...sections/SoftwareFactory.tsx (localhost) - **79 ms**, 11.24 KiB

...sections/Vision.tsx (localhost) - **79 ms**, 13.28 KiB

...sections/WhoWeAre.tsx (localhost) - **79 ms**, 10.92 KiB

...sections/Shift.tsx (localhost) - **71 ms**, 8.11 KiB

...sections/FeatureBand.tsx (localhost) - **71 ms**, 8.12 KiB

...sections/Hero.tsx (localhost) - **69 ms**, 14.31 KiB

/src/ds.tsx (localhost) - **69 ms**, 8.03 KiB

...deps/react-dom_client.js?v=e11a84b3 (localhost) - **57 ms**, 1.33 KiB

...deps/chunk-BCXODTBQ.js?v=e11a84b3 (localhost) - **80 ms**, 906.58 KiB

...styles/site.css (localhost) - **61 ms**, 38.44 KiB

...deps/react_jsx-dev-runtime.js?v=e11a84b3 (localhost) - **54 ms**, 36.40 KiB

...deps/chunk-2YIMICFJ.js?v=e11a84b3 (localhost) - **60 ms**, 77.66 KiB

...deps/react.js?v=e11a84b3 (localhost) - **57 ms**, 0.45 KiB

...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69....css (localhost) - **56 ms**, 0.72 KiB

...tokens/base.css (localhost) - **71 ms**, 1.95 KiB

...tokens/effects.css (localhost) - **71 ms**, 2.25 KiB

...tokens/spacing.css (localhost) - **71 ms**, 1.46 KiB

...tokens/colors.css (localhost) - **63 ms**, 3.65 KiB

...tokens/fonts.css (localhost) - **63 ms**, 0.67 KiB

...tokens/typography.css (localhost) - **63 ms**, 3.98 KiB

...tokens/tokens.all.css (localhost) - **57 ms**, 12.69 KiB

/@react-refresh (localhost) - **54 ms**, 115.08 KiB

/@vite/client (localhost) - **42 ms**, 134.78 KiB

...client/env.mjs (localhost) - **52 ms**, 4.21 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	link
https://fonts.gstatic.com/	link
https://images.unsplash.com/	link

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Document request latency — Est savings of 2 KiB

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responds quickly (observed 5 ms)

No compression applied


Improve image delivery — Est savings of 76 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL		Resource Size	Est Savings
localhost	1st Party	108.4 KiB	75.9 KiB
img	/assets/ai-humans.webp (localhost)	108.4 KiB	75.9 KiB
	This image file is larger than it needs to be (1498x839) for its displayed dimensions (849x444). Use responsive images to reduce the image download size.		75.9 KiB

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored


Element	Layout shift score
Total	0.069
 section#top.hero	0.063
 div.hero__inner	0.006
...v12/ieVn2YZDL....woff2 (fonts.gstatic.com)	Web font
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	Web font

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays.

LCP

Unscored

Subpart	Duration
Time to first byte	10 ms
Element render delay	220 ms
 p.hero__lead	

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content.

Unscored

3rd party	Transfer size	Main thread time
Google Fonts Cdn	82 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v12/ieVn2YZDL....woff2 (fonts.gstatic.com)	34 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
unsplash.com	280 KiB	0 ms

3rd party	Transfer size	Main thread time
/photo-148...-67cf0d13bc1b? auto=format&fit=crop&w=1400&q=72 (images.unsplash.com)	280 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲

Minify JavaScript — Est savings of 1,027 KiB

^

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP
LCP Unscored



If your build system minifies JS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

URL	Transfer Size	Est Savings
localhost 1st Party	2,998.7 KiB	1,026.6 KiB
...deps/chunk-BCXODTBQ.js?v=e11a84b3 (localhost)	906.3 KiB	331.7 KiB
...deps/lucide-react.js?v=e11a84b3 (localhost)	1,379.6 KiB	249.0 KiB
/@vite/client (localhost)	134.5 KiB	117.0 KiB
/@react-refresh (localhost)	114.8 KiB	104.6 KiB
...deps/chunk-2YIMICFJ.js?v=e11a84b3 (localhost)	77.4 KiB	31.5 KiB
...sections/Principles.tsx (localhost)	37.5 KiB	22.3 KiB
/src/App.tsx (localhost)	23.9 KiB	15.8 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/...js (localhost)	70.1 KiB	15.0 KiB
...deps/react_jsx-dev-runtime.js?v=e11a84b3 (localhost)	36.1 KiB	14.0 KiB
...sections/ServicesFull.tsx (localhost)	21.3 KiB	12.8 KiB
...sections/WhyIndependent.tsx (localhost)	17.6 KiB	9.6 KiB

URL	Transfer Size	Est Savings
...sections/Contact.tsx (localhost)	14.2 KiB	8.7 KiB
...sections/Footer.tsx (localhost)	13.6 KiB	8.2 KiB
...sections/Hero.tsx (localhost)	14.0 KiB	8.2 KiB
...sections/Approach.tsx (localhost)	13.5 KiB	7.7 KiB
...sections/Vision.tsx (localhost)	13.0 KiB	7.1 KiB
/src/icons.tsx (localhost)	9.8 KiB	6.7 KiB
...sections/SoftwareFactory.tsx (localhost)	11.0 KiB	6.0 KiB
...sections/HowWeWork.tsx (localhost)	10.9 KiB	5.9 KiB
...sections/WhoWeAre.tsx (localhost)	10.6 KiB	5.7 KiB
...sections/Proof.tsx (localhost)	10.6 KiB	5.7 KiB
...sections/Industries.tsx (localhost)	10.3 KiB	5.7 KiB
...sections/Nav.tsx (localhost)	9.3 KiB	5.2 KiB
/src/ds.tsx (localhost)	7.8 KiB	4.6 KiB
...sections/Shift.tsx (localhost)	7.8 KiB	4.1 KiB
...sections/Closing.tsx (localhost)	7.5 KiB	3.8 KiB
...sections/FeatureBand.tsx (localhost)	7.8 KiB	3.8 KiB
...client/env.mjs (localhost)	3.9 KiB	3.5 KiB
/src/main.tsx (localhost)	4.0 KiB	2.9 KiB

▲ Reduce unused JavaScript — Est savings of 559 KiB



Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript](#). FCP LCP Unscored



If you are not server-side rendering, [split your JavaScript bundles](#) with `React.lazy()`. Otherwise, code-split using a third-party library such as [loadable-components](#).

URL	Transfer Size	Est Savings
localhost 1st Party	2,433.3 KiB	558.9 KiB
...deps/chunk-BCXODTBQ.js?v=e11a84b3 (localhost)	906.3 KiB	457.3 KiB
...react-dom/cjs/react-dom.development.js	887.9 KiB	453.6 KiB
...scheduler/cjs/scheduler.development.js	16.5 KiB	3.7 KiB
...deps/chunk-2YIMICFJ.js?v=e11a84b3 (localhost)	77.4 KiB	45.6 KiB
...cjs/react.development.js	75.2 KiB	45.6 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/....js (localhost)	70.1 KiB	28.1 KiB
...deps/lucide-react.js?v=e11a84b3 (localhost)	1,379.6 KiB	27.8 KiB
...lucide-react/dist/esm/icons/index.mjs	54.9 KiB	27.4 KiB

Minify CSS — Est savings of 9 KiB

^

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) FCP LCP Unscored



If your build system minifies CSS files automatically, ensure that you are deploying the production build of your application. You can check this with the React Developer Tools extension. [Learn more.](#)

URL	Transfer Size	Est Savings
localhost 1st Party	16.3 KiB	8.8 KiB
...tokens/tokens.all.css (localhost)	12.7 KiB	6.7 KiB
...tokens/colors.css (localhost)	3.7 KiB	2.1 KiB

Avoid enormous network payloads — Total size was 3,551 KiB

^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (2)

URL	Transfer Size
localhost 1st Party	2,831.5 KiB
...deps/lucide-react.js?v=e11a84b3 (localhost)	1,379.9 KiB
...deps/chunk-BCXODTBQ.js?v=e11a84b3 (localhost)	906.6 KiB
/@vite/client (localhost)	134.8 KiB
/@react-refresh (localhost)	115.1 KiB
/assets/ai-humans.webp (localhost)	108.7 KiB
...deps/chunk-2YIMICFJ.js?v=e11a84b3 (localhost)	77.7 KiB
...polaris-design-system-ff4f726e-aab1-4c1d-81b4-8d99d607ad69/...js (localhost)	70.4 KiB
...styles/site.css (localhost)	38.4 KiB
unsplash.com	279.8 KiB
/photo-148...-67cf0d13bc1b?auto=format&fit=crop&w=1400&q=72 (images.unsplash.com)	279.8 KiB
Google Fonts Cdn	47.4 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47.4 KiB

○ Avoid non-composited animations — 4 animated elements found



Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS Unscored

Element	Name
	a.pl-btn.pl-btn--ghost.pl-btn--lg
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: border-right-color	border-right-color

Element	Name
Unsupported CSS Property: color	color
Unsupported CSS Property: border-top-color	border-top-color
 a.pl-btn.pl-btn--primary.pl-btn--sm	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: color	color
Unsupported CSS Property: border-top-color	border-top-color
 a.pl-btn.pl-btn--primary.pl-btn--lg	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: color	color
Unsupported CSS Property: border-top-color	border-top-color
button.pl-btn.pl-btn--primary.pl-btn--lg.pl-btn--block	
Unsupported CSS Property: border-bottom-color	border-bottom-color
Unsupported CSS Property: border-left-color	border-left-color
Unsupported CSS Property: box-shadow	box-shadow
Unsupported CSS Property: border-right-color	border-right-color
Unsupported CSS Property: color	color
Unsupported CSS Property: border-top-color	border-top-color

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

Use efficient cache lifetimes



A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Optimize DOM size



A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) Unscored

Statistic	Element		Value
Total elements			866
DOM depth	path		13
Most children		main#main-content	15

Duplicated JavaScript



Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored

Font display



Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides.](#) Unscored

Forced reflow



A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

☐ INP breakdown



Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

☐ LCP request discovery



[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

Legacy JavaScript



Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you

know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) FCP LCP Unscored

Modern HTTP

^

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP](#). FCP LCP Unscored

Optimize viewport for mobile

^

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. Unscored

meta

Reduce unused CSS

^

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). FCP LCP Unscored

○

User Timing marks and measures

^

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks](#). Unscored

 Use the React DevTools Profiler, which makes use of the Profiler API, to measure the rendering performance of your components. [Learn more](#).

JavaScript execution time — 0.0 s

^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#). TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	288 ms	35 ms	1 ms
http://localhost:5173	228 ms	12 ms	0 ms
...deps/chunk-BCXODTBQ.js?v=e11a84b3 (localhost)	59 ms	23 ms	1 ms
Unattributable	94 ms	2 ms	0 ms

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	94 ms	2 ms	0 ms

Minimizes main-thread work — 0.4 s



Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	194 ms
Style & Layout	112 ms
Script Evaluation	38 ms
Rendering	37 ms
Garbage Collection	4 ms
Script Parsing & Compilation	3 ms
Parse HTML & CSS	1 ms

○ Avoid long main-thread tasks



Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

Image elements have explicit `width` and `height`



Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

Page didn't prevent back/forward cache restoration



Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) Unscored

■ Captured at Jun 25, 2026,
11:29 PM GMT+2
■ Initial page load

■ Emulated Desktop with
Lighthouse 13.2.0
■ Custom throttling

■ Single page session
■ Using Chromium 149.0.0.0
with devtools

Generated by **Lighthouse** 13.2.0 | [File an issue](#)