Status	Finished
Started	Sunday, 11 October 2026, 2:25 PM
Completed	Sunday, 11 October 2026, 2:29 PM
Duration	4 mins 31 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

A variable that is defined inside any function or a block is known as a _____.

a. Function Variable
b. Local variable ✓
c. inside variable
d. Global variable

Question **2**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a _____.

a. All of the mentioned
b. library function
c. user defined function ✓
d. built in functions

Question **3**

Correct

Mark 1.00 out of 1.00

cal(n1) : What is n1?

a. Argument ✓
b. None of the mentioned
c. Parameter
d. Keyword

Question **4**

Correct

Mark 1.00 out of 1.00

The part of the program where a variable is accessible is known as the _____ of that variable

a. part
b. module
c. none of the mentioned
d. scope ✓

Question **5**

Correct

Mark 1.00 out of 1.00

_____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a. Datatype
b. Function ✓
c. Token
d. Operator

Question **6**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

a. All of the mentioned ✓
b. We can create function with argument(s) and no return value.
c. We can create function with no argument and no return value.
d. We can create function with no argument and with return value(s)

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is not the scope of variable?

a. Local
b. Global
c. Outside ✓
d. None of the mentioned

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

a. It increases reusability.
b. It increases readability of program.
c. It makes debugging easier.
d. All of the mentioned ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def outer_fun(a, b):
    def inner_fun(c, d):
        return c + d
        return inner_fun(a, b)
    return a
result = outer_fun(5, 10)
print(result)
```

a. 15
b. Syntax Error
c. 5 ✓
d. (15,5)

Question **10**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. List
b. Tuple ✓
c. Dictionary
d. String

Question **11**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. input( )
b. dictionary( ) ✓
c. print( )
d. tuple( )

Question **12**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. send
b. give
c. return ✓
d. take

Question **13**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called _____ times.

a. Multiple times ✓
b. 2
c. 3
d. 5

Question **14**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

a. [1, 2, 3, 4]
b. [4, 5, 6]
c. 7
d. [7] ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def sayHello():
    print('Hello World!')
sayHello()
sayHello()
```

a. 'Hello World!'
'Hello World!'

b. Hello
Hello

c. Hello World! ✓
Hello World!

d. None of the mentioned