LAB – 4: Cascading Style Sheets (CSS): Create Mypage.html using an external style sheet.

Adding CSS: External, Internal and Inline

Code:

1. MyPage.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>My Page - CSS Assignment</title>
  <link rel="stylesheet" href="style.css">

  <style>

  table,
  th {
    border: 2px solid black;
    border-collapse: collapse;
    height: 50px;
    width: 1000px;
  }
```

```
    tr:nth-child(even) {
        background-color: rgb(117, 148, 148);
    }

    tr:nth-child(odd) {
        background-color: rgb(166, 176, 176);
    }

    </style>
</head>
<body>

    <h1><center>Welcome to My Page</center></h1>

    <div class="menu">
        <h3>Main Menu</h3>
        <ul>
            <li><a href="#">Home</a></li>
            <li><a href="#">About Us</a></li>
            <li><a href="#">Contact</a></li>
        </ul>
    </div>

    <div>
        <p>My name is Darshan Ajudiya.</p>
```

```
    <p class="formatted-text">
      I am a student of Birla Vishvakarama Mahavidhyalaya college. I am currently pursuing my B.Tech in Computer Engineering. I have a keen interest in web development and enjoy creating responsive and user-friendly websites.
    </p>
  </div>

  <div class="home">
   <h2 style="color: rgb(56, 183, 86)">
    <b><center>Data Highlights - Census 2011</center></b>
   </h2>

   <h4 style="color: rgb(225, 225, 53)">
    <center>Population (in Crore)</center>
   </h4>

   <table align="center">
    <tr>
     <th></th>
     <th>2001</th>
     <th>2011</th>
     <th>Difference</th>
    </tr>
    <tr>
     <th>India</th>
```

```
      <th>102.9</th>
      <th>121.0</th>
      <th>18.1</th>
    </tr>
    <tr>
      <th>Rural</th>
      <th>74.3</th>
      <th>83.3</th>
      <th>9.0</th>
    </tr>
    <tr>
      <th>Urban</th>
      <th>28.6</th>
      <th>37.7</th>
      <th>9.1</th>
    </tr>
  </table>
 </div>

</body>
</html>
```

2. style.css

```
body {
   background-color: red;
   color: white;
}

h1, h2, h3, h4, h5, h6 {
   font-style: normal;
   font-size: 150%;
}

p {
   font-family: Arial, sans-serif;
   font-weight: bold;
}

.formatted-text {
   text-transform: capitalize;
   text-decoration: underline;
   text-indent: 1cm;
}

ul li {
   list-style-type: circle;
}

li {
```

```
    border-top: 2px solid white;
    border-right: 2px solid white;
    margin: 1cm;
    padding: 5px;
}

a:link {
    color: white;
}
a:visited {
    color: lightgray;
}
a:hover {
    color: yellow;
    font-size: 1.2em;
}
```

Output:



3. Extra1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Responsive Navigation Menu</title>
  <style>
    /* General styling */
    body {
      font-family: Arial, sans-serif;
      margin: 0;
```

```
}

/* 1. Remove default list styling */
ul.nav-menu {
  list-style-type: none;
  margin: 0;
  padding: 0;
  background-color: #333; /* Dark background */
  overflow: hidden;

  /* 2. Use flexbox for horizontal layout */
  display: flex;
  flex-wrap: wrap;
}

li.nav-item a {
  display: block;
  color: white;
  text-align: center;
  padding: 14px 20px;
  text-decoration: none;
}

/* 3. Change background color on hover */
li.nav-item a:hover {
  background-color: #4CAF50; /* Green on hover */
```

```
        color: white;
      }

      /* 4. Media Query: Vertical on screens less than 600px */
      @media screen and (max-width: 600px) {
        ul.nav-menu {
          flex-direction: column; /* Stacks items vertically */
        }
        li.nav-item {
          width: 100%;
          text-align: center;
          border-bottom: 1px solid #444; /* Separator lines for mobile */
        }
      }
    </style>
  </head>
  <body>

    <h2>Responsive Menu Demo</h2>
    <p>Welcome to my website...</p>

    <ul class="nav-menu">
      <li class="nav-item"><a href="#home">Home</a></li>
      <li class="nav-item"><a href="#services">Services</a></li>
      <li class="nav-item"><a href="#about">About</a></li>
      <li class="nav-item"><a href="#contact">Contact</a></li>
```

```
  </ul>


</body>
</html>
```

Output:

4. Extra2.html

```
<!DOCTYPE html>
<html lang="en">


<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Introduction to JavaScript</title>
  <style>
```

```
body {
   font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
   margin: 0;
   padding: 0;
   background-color: #f0f0f0;
   display: flex;
   flex-direction: column;
   min-height: 100vh;
}

div, header, nav, main, aside, footer {
   box-sizing: border-box;
}

header {
   background-color: #f7df1e; /* JS Yellow color */
   color: black;
   padding: 20px;
   text-align: center;
   border-bottom: 5px solid #d4be11;
   width: 100%;
}

nav {
   background-color: #333;
   color: white;
```

```
    padding: 10px;
    text-align: center;
}

nav a {
    color: white;
    padding: 14px 20px;
    text-decoration: none;
    display: inline-block;
}

nav a:hover {
    background-color: #555;
    color: #f7df1e;
}

.container {
    display: flex;
    flex: 1;
    flex-wrap: wrap;
    padding: 20px;
    gap: 20px;
}

main {
    flex: 3;
```

```
    background-color: white;
    padding: 20px;
    border: 1px solid #ddd;
    line-height: 1.6;
  }

  aside {
    flex: 1;
    background-color: #fff3cd;
    padding: 20px;
    border: 2px dashed #ffc107;
  }

  /* Added a small style for code blocks */
  code {
    background-color: #eee;
    padding: 2px 5px;
    border-radius: 3px;
    font-family: monospace;
    color: #d63384;
  }

  footer {
    background-color: #333;
    color: white;
    padding: 20px;
```

```
        text-align: center;
        border-top: 5px solid #222;
        width: 100%;
        margin-top: auto;
      }

      @media (max-width: 600px) {
        .container {
          flex-direction: column;
        }
      }
    </style>
  </head>

  <body>

    <header>
      <h1>JavaScript Tutorial</h1>
    </header>

    <nav>
      <a href="#">Home</a>
      <a href="#">Learn JS</a>
      <a href="#">References</a>
      <a href="#">Exercises</a>
    </nav>
```

```
  <div class="container">
    <main>
      <h2>Introduction to JavaScript</h2>

      <p><strong>JavaScript (JS)</strong> is the world's most popular programming language. It is the programming language of the Web. JavaScript is easy to learn and widely used to create interactive web pages.</p>

      <h3>Why Study JavaScript?</h3>
      <p>JavaScript is one of the <strong>3 languages</strong> all web developers must learn:</p>
      <ol>
        <li><strong>HTML</strong> to define the content of web pages.</li>
        <li><strong>CSS</strong> to specify the layout of web pages.</li>
        <li><strong>JavaScript</strong> to program the behavior of web pages.</li>
      </ol>

      <h3>What Can JavaScript Do?</h3>
      <p>JavaScript can change HTML content, attribute values, and styles (CSS). It can also hide or show HTML elements.</p>

      <div style="background: #f9f9f9; padding: 15px; border-left: 5px solid #f7df1e; margin: 20px 0;">
        <h4>Example Syntax</h4>
        <p>Here is how you might change text inside an element:</p>
        <code>document.getElementById("demo").innerHTML = "Hello JavaScript!";</code>
```

```
        </div>

        <p>Unlike HTML and CSS, which are markup and style languages, JavaScript is a true
<strong>programming language</strong> that supports variables, loops, functions, and
objects.</p>
      </main>

      <aside>
        <h3>JS Topics</h3>
        <p>Quick navigation for this tutorial:</p>
        <ul style="list-style-type: square; padding-left: 20px;">
          <li><a href="#" style="text-decoration:none; color:#333;">JS Output</a></li>
          <li><a href="#" style="text-decoration:none; color:#333;">JS Statements</a></li>
          <li><a href="#" style="text-decoration:none; color:#333;">JS Syntax</a></li>
          <li><a href="#" style="text-decoration:none; color:#333;">JS Variables</a></li>
          <li><a href="#" style="text-decoration:none; color:#333;">JS Operators</a></li>
          <li><a href="#" style="text-decoration:none; color:#333;">JS Functions</a></li>
        </ul>
      </aside>
    </div>

    <footer>
      <p>JavaScript Tutorial &copy; 2026 | Designed with CSS Box Model</p>
    </footer>

</body>
```

</html>

Output:


You are signed in as 565da
File not found
File not found
My Page - CSS Assignment
Responsive Navigation Menu
Introduction to JavaScript
http://127.0.0.1:3000/Extra2.html
JavaScript Tutorial
Home
Learn JS
References
Exercises
Introduction to JavaScript
JavaScript (JS) is the world's most popular programming language. It is the programming language of the Web. JavaScript is easy to learn and widely used to create interactive web pages.
Why Study JavaScript?
JavaScript is one of the 3 languages all web developers must learn:
1. HTML to define the content of web pages.
2. CSS to specify the layout of web pages.
3. JavaScript to program the behavior of web pages.
What Can JavaScript Do?
JavaScript can change HTML content, attribute values, and styles (CSS). It can also hide or show HTML elements.
Example Syntax
Here is how you might change text inside an element:
document.getElementById("demo").innerHTML = "Hello JavaScript!";
Unlike HTML and CSS, which are markup and style languages, JavaScript is a true programming language that supports variables, loops, functions, and objects.
JS Topics
Quick navigation for this tutorial:
JS Output
JS Statements
JS Syntax
JS Variables
JS Operators
JS Functions
JavaScript Tutorial © 2026 | Designed with CSS Box Model