

Machine Learning 3

1. Which of the following is an application of clustering?
 - a. Biological network analysis
 - b. Market trend prediction
 - c. Topic modeling
 - d. All of the above
2. On which data type, we cannot perform cluster analysis?
 - a. Time series data
 - b. Text data
 - c. Multimedia data
 - d. None
3. Netflix's movie recommendation system uses-
 - a. Supervised learning
 - b. Unsupervised learning
 - c. Reinforcement learning and Unsupervised learning
 - d. All of the above
4. The final output of Hierarchical clustering is-
 - a. The number of cluster centroids
 - b. The tree representing how close the data points are to each other
 - c. A map defining the similar data points into individual groups
 - d. All of the above
5. Which of the step is not required for K-means clustering?
 - a. A distance metric
 - b. Initial number of clusters
 - c. Initial guess as to cluster centroids
 - d. None

FLIP ROBOC

6. Which of the following is wrong?

- a. k-means clustering is a vector quantization method
- b. k-means clustering tries to group n observations into k clusters
- c. k-nearest neighbour is same as k-means
- d. None

7. Which of the following metrics, do we have for finding dissimilarity between two clusters in hierarchical clustering?

- i. Single-link
- ii. Complete-link
- iii. Average-link

Options:

- a. 1 and 2
- b. 1 and 3
- c. 2 and 3
- d. 1, 2 and 3


8. Which of the following are true?

- i. Clustering analysis is negatively affected by multicollinearity of features
- ii. Clustering analysis is negatively affected by heteroscedasticity

Options:

- a. 1 only
- b. 2 only
- c. 1 and 2
- d. None of them

9. In the figure above, if you draw a horizontal line on y-axis for $y=2$. What will be the number of clusters formed?



- a. 2
- b. 4
- c. 3
- d. 5

10. For which of the following tasks might clustering be a suitable approach?

- a. Given sales data from a large number of products in a supermarket, estimate future sales for each of these products.
- b. Given a database of information about your users, automatically group them into different market segments.
- c. Predicting whether stock price of a company will increase tomorrow.
- d. Given historical weather records, predict if tomorrow's weather will be sunny or rainy.

11. Given, six points with the following attributes:

point	x coordinate	y coordinate
p1	0.4005	0.5306
p2	0.2148	0.3854
p3	0.3457	0.3156
p4	0.2652	0.1875
p5	0.0789	0.4139
p6	0.4548	0.3022

Table : X-Y coordinates of six points.

	p1	p2	p3	p4	p5	p6
p1	0.0000	0.2357	0.2218	0.3688	0.3421	0.2347
p2	0.2357	0.0000	0.1483	0.2042	0.1388	0.2540
p3	0.2218	0.1483	0.0000	0.1513	0.2843	0.1100
p4	0.3688	0.2042	0.1513	0.0000	0.2932	0.2216
p5	0.3421	0.1388	0.2843	0.2932	0.0000	0.3921
p6	0.2347	0.2540	0.1100	0.2216	0.3921	0.0000

Table : Distance Matrix for Six Points

12. Given, six points with the following attributes:

point	x coordinate	y coordinate
p1	0.4005	0.5306
p2	0.2148	0.3854
p3	0.3457	0.3156
p4	0.2652	0.1875
p5	0.0789	0.4139
p6	0.4548	0.3022

Table : X-Y coordinates of six points.

	p1	p2	p3	p4	p5	p6
p1	0.0000	0.2357	0.2218	0.3688	0.3421	0.2347
p2	0.2357	0.0000	0.1483	0.2042	0.1388	0.2540
p3	0.2218	0.1483	0.0000	0.1513	0.2843	0.1100
p4	0.3688	0.2042	0.1513	0.0000	0.2932	0.2216
p5	0.3421	0.1388	0.2843	0.2932	0.0000	0.3921
p6	0.2347	0.2540	0.1100	0.2216	0.3921	0.0000

Table : Distance Matrix for Six Points

13. What is the importance of clustering?

14. How can I improve my clustering performance?

1. Answer: d)

2. Answer: d)

3. Answer: c)

4. Answer: b)

5. Answer: d)

6. Answer: c)

7. Answer: d)

8. Answer: a)

9. Answer: a)

10. Answer: b)

11. Answer: a)

12. Answer: b)

13. Answer: Cluster analysis groups objects (observations, events) based on the information found in the data describing the objects or their relationships. The goal is that the objects in a group will be similar (or related) to one other and different from (or unrelated to) the objects in other groups. The greater the similarity (or homogeneity) within a group, and the greater the difference between groups, the —better|| or more distinct the clustering. Data mining is the process of analysing data from different viewpoints and summerising it into useful information. Data mining is one of the top research areas in recent days. Cluster analysis in data mining is an important research field it has its own unique position in a large number of data analysis and processing.

14. Answer:

- Graph-based clustering performance can easily be improved by applying ICA blind source separation during the graph Laplacian embedding step.
- Applying unsupervised feature learning to input data using either RICA or SFT, improves clustering performance.
- Surprisingly for some cases, high clustering performance can be achieved by simply performing K-means clustering on the ICA components after PCA dimension reduction on the input data. However, the number of PCA and ICA signals/components needs to be limited to the number of unique classes.