

ðŸš‘â€ðŸŒ¸» The Cooking Recipe Hub - Student A (àŸ”àŸ°à•àŸœà•š à•€à•àŸ© àŸšà•œàŸ§à•f)

à¶,à.™ à¶, à·tà¶à·'à¶½à.Š à¶'à¶šà.š à¶à¶à.Šà¶à.š à¶-à·à·fà.Š
10 à¶à¶à."à¶½à¶ à¶"à¶à· (Student A) à¶šà¶½ à¶à."à¶à."
à·à·à¶© à¶šà·à¶šà·fà¶à·'. à¶,à.™ à·„à' à¶à¶à.'
à¶šà¶,à·à¶±à.Šà¶©à·Sà·fà.Š (Commands) Terminal à¶'à¶šà.š
à¶à·„à¶±à.Šà¶±. à¶šà·à¶©à·Š (Code) à¶...à¶-à·à¶½
à·tà¶à·'à¶½à.Š à·à¶½à¶§ Copy-Paste à¶šà¶»à¶±à.Šà¶±.

ðŸ“… Day 2: Navbar à¶à¶š à•,à•à¶à•à¶š

à¶”à¶°à· à¶...à¶ à¶šà¶»à¶±à·Šà¶±à·š
à·€à·TMà¶¶à·Šà·fà¶°à·’à¶šà·Š à¶’à¶šà·š à¶’à¶°à·Šà¶, à¶-
à·’à¶°à·TMà¶± à¶,à·TMà¶±à·– à¶’à¶š (Navbar)
à·,à·¶à¶’à·“à¶,à¶°à·’.

à¶'à'·à¶à·€à¶» 1: Terminal à¶'à¶šà·š à¶...à¶½à·"à¶à·š Branch
à¶'à¶šà¶šà·š à·,à¶-à¶±à·šà¶±:

```
git checkout main
git checkout -b feature-navbar
```

à¶`à·`à¶°à·€à¶» 2: index.html, recipes.html, about.html, à·fà·, contact.html à¶°à¶± à·tà¶°à·`à¶½à·S 4à¶, à·€à·`à·€à·~à¶ à¶sà¶», à¶'à·,à·`à¶±à¶à·` <header id="navbar-placeholder">...</header> à·€à·™à¶±à·`à·€à¶§ à¶'à·,à¶ à¶sà·sà¶à¶° à¶-à¶, à¶±à·Sà¶±:

```
<!-- Bootstrap 5 Navbar -->
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
  <div class="container">
    <a class="navbar-brand fw-bold"
href="index.html">ðŸŒˆ, Cooking Recipe Hub</a>
    <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav">
      <span class="navbar-toggler-icon"></span>
    </button>
```

```

        <div class="collapse navbar-collapse" id="navbarNav">
          <ul class="navbar-nav ms-auto">
            <li class="nav-item"><a class="nav-link"
href="index.html">Home</a></li>
            <li class="nav-item"><a class="nav-link"
href="recipes.html">Recipes</a></li>
            <li class="nav-item"><a class="nav-link"
href="about.html">About Us</a></li>
            <li class="nav-item"><a class="nav-link"
href="contact.html">Contact</a></li>
          </ul>
        </div>
      </div>
    </nav>

```

à¶'à·'à¶à·€à¶» 3: Save à¶šà¶», Commit à¶šà¶»à¶±à·Šà¶±:

```

git add .
git commit -m "Add Bootstrap 5 Navbar across all pages"
git push -u origin feature-navbar

```

(GitHub à¶œà·œà·fà·Š “Compare & Pull Request”
à¶šà·Šà¶½à·'à¶šà·Š à¶šà¶» main à¶'à¶šà¶š Merge
à¶šà¶»à¶±à·Šà¶±).

ðŸ“… Day 3: CSS Colors

à¶...à¶ à¶...à¶'à·' à·€à¶»à·Šà¶« (Colors) à¶šà·'à¶š à¶-à·à¶,à·”.

à¶'à·'à¶à·€à¶» 1:

```

git checkout main
git pull
git checkout -b feature-css-colors

```

à¶'à·'à¶à·€à¶» 2: css à¶šà·'à¶à¶½à·à¶ à¶...à¶½à·”à¶à·Š
à·tà·à¶½à·Šà¶©à¶»à·Š à¶'à¶šà¶šà·Š à·,,à¶-à¶½à·à¶'à¶š à¶à¶-
à·”à¶½à·š style.css à·tà¶à·'à¶½à·Š à¶'à¶š à·,,à¶-à¶±à·Šà¶±.
à¶šà¶š à¶'à·fà·Šà·fà·š à¶,à·š à¶šà·à¶©à·Š à¶'à¶š à¶'à¶šà¶š
à¶-à·à¶±à·Šà¶±:

```

/* style.css - Student A */
:root {
  --primary-color: #2a9d8f; /* Teal */
  --accent-color: #e76f51; /* Orange */
  --bg-color: #f8f9fa;
  --text-color: #333333;
}

body {
  background-color: var(--bg-color);

```

```

    color: var(--text-color);
}

.navbar-custom {
    background-color: var(--primary-color) !important;
}

.btn-primary {
    background-color: var(--primary-color);
    border-color: var(--primary-color);
}

.btn-primary:hover {
    background-color: var(--accent-color);
    border-color: var(--accent-color);
}

```

à¶'à·'à¶à·€à¶» 3: à·†à¶à·'à¶½à·Š 4à·„à·'à¶, <head>
à¶šà·œà¶šà·f à¶‡à¶à·"à¶½à·š à¶,à·š à¶½à·'à¶±à·Šà¶šà·š à¶'à¶š
à¶-à·à¶±à·Šà¶±: <link rel="stylesheet" href="css/style.css">

à¶'à·'à¶à·€à¶» 4: Commit & Push

```

git add .
git commit -m "Setup style.css with primary colors"
git push -u origin feature-css-colors

```

(Merge to main).

ðŸ“… Day 4: Homepage Hero & Carousel (JS Feature 1)

à¶...à¶- à¶...à¶'à· Assignment à¶'à¶šà¶š à¶•à¶±à·š à¶šà¶»à¶±
à¶'à¶½à·€à·™à¶±à· JS feature à¶'à¶š (Image Slider)
à¶-à·à¶±à·€à·.

à¶'à·'à¶à·€à¶» 1:

```

git checkout main
git pull
git checkout -b feature-homepage-carousel

```

à¶'à·'à¶à·€à¶» 2: index.html à¶'à¶šà·š <main> à¶‡à¶-
à·"à¶½à·š à¶à·'à¶à·™à¶± à¶šà·à¶©à·š à¶'à¶š à¶,à¶šà¶½à·
à¶,à·šà¶š à¶-à·à¶±à·šà¶±:

```

<main>
  <!-- Carousel Slider -->
  <div id="recipeCarousel" class="carousel slide" data-bs-
    ride="carousel">
    <div class="carousel-inner">

```

```

        <div class="carousel-item active">
            
            <div class="carousel-caption d-none d-md-block bg-
dark bg-opacity-50 rounded">
                <h5>Delicious Pasta</h5>
                <p>Learn how to make authentic Italian
pasta.</p>
            </div>
        </div>
        <div class="carousel-item">
            
            <div class="carousel-caption d-none d-md-block bg-
dark bg-opacity-50 rounded">
                <h5>Healthy Salads</h5>
                <p>Fresh and crispy salads for a healthy
lifestyle.</p>
            </div>
        </div>
    </div>
    <button class="carousel-control-prev" type="button" data-
bs-target="#recipeCarousel" data-bs-slide="prev">
        <span class="carousel-control-prev-icon"></span>
    </button>
    <button class="carousel-control-next" type="button" data-
bs-target="#recipeCarousel" data-bs-slide="next">
        <span class="carousel-control-next-icon"></span>
    </button>
</div>
</main>

```

à¶'à·'à¶à·€à¶» 3: Commit & Push

```

git add .
git commit -m "Add interactive Bootstrap Carousel to homepage"
git push -u origin feature-homepage-carousel

```

(Merge to main).

ðŸ“… Day 6: About Us Content

à¶'à·'à¶à·€à¶» 1:

```

git checkout main
git pull
git checkout -b feature-about-us

```

à¶'à·'à¶à·€à¶» 2: about.html à¶'à¶šà·š <main> à¶#à¶à·"à¶½à¶š
à¶,à·šà¶š à¶-à·à¶±à·šà¶±:

```
<main class="container mt-5">
  <div class="row align-items-center mb-5">
    <div class="col-md-6">
      <h1 class="mb-4">About The Cooking Recipe Hub</h1>
      <p>Welcome to our culinary community! We believe that
        cooking should be fun, accessible, and delicious. Our
        mission is to share the best recipes from around the
        world.</p>
    </div>
    <div class="col-md-6">
      
    </div>
  </div>
</main>
```

à¶'à·'à¶à·€à¶» 3: Commit & Push

```
git add .
git commit -m "Add content and images to About Us page"
git push -u origin feature-about-us
```

(Merge to main).

ðŸ“… Day 7: JS Form Validation (JS Feature 2)

Assignment à¶'à¶šà·š à¶...à¶±à·'à·€à·à¶»à·šà¶à¶½à·
à¶à·'à¶à·™ à¶± à¶-à·™ à·€à·™ à¶±à·' JS feature à¶'à¶š!

à¶'à·'à¶à·€à¶» 1:

```
git checkout main
git pull
git checkout -b feature-form-validation
```

à¶'à·'à¶à·€à¶» 2: js à¶šà·'à¶à¶½à·à·à·à·à¶½à·šà¶à¶»à·š
à¶'à¶šà¶šà·š à·„à¶-à¶½à·à¶'à¶šà·š script.js à·à¶à·'à¶½à·š
à¶'à¶š à·„à¶-à¶±à·šà¶±. à¶,à·š à¶šà·à¶à¶à·š à¶'à¶š
à¶-à¶±à·šà¶±:

```
// script.js
document.addEventListener('DOMContentLoaded', function() {
  const contactForm = document.getElementById('contactForm');

  if (contactForm) {
    contactForm.addEventListener('submit', function(event) {
```

```

    event.preventDefault();

    let name = document.getElementById('name').value;
    let email = document.getElementById('email').value;

    if (name.trim() === '' || email.trim() === '') {
        alert('Error: Please fill in all required fields!');
    } else if (!email.includes('@')) {
        alert('Error: Please enter a valid email address!');
    } else {
        alert('Success! Your message has been sent. ');
        contactForm.reset();
    }
  });
}
});

```

à¶'à·'à¶à·€à¶» 3: contact.html à¶'à¶šà·š à¶à¶šà¶, </body>
à¶šà·à¶œà·š à¶'à¶šà¶š à¶<à¶©à·'à¶±à·š à¶,à·šà¶š
à¶-à·à¶±à·šà¶±: <script src="js/script.js"></script>

à¶'à·'à¶à·€à¶» 4: Commit & Push

```

git add .
git commit -m "Implement form validation logic in JavaScript"
git push -u origin feature-form-validation

```

(Merge to main).

ðŸ“… Day 9: Recipe Modal (Quick View)

à¶'à·'à¶à·€à¶» 1:

```

git checkout main
git pull
git checkout -b feature-modal

```

à¶'à·'à¶à·€à¶» 2: recipes.html à¶'à¶šà·š à¶à¶šà¶ (Footer
à¶'à¶šà¶š à¶<à¶©à·'à¶±à·š à¶,à·š à¶šà·à¶©à·š à¶'à¶š
à¶-à·à¶±à·šà¶±:

```

<!-- Recipe Modal -->
<div class="modal fade" id="recipeModal" tabindex="-1" aria-
  hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header bg-success text-white">
        <h5 class="modal-title">Recipe Details</h5>

```


(Merge to main).

à¶"à¶à·à¶œà·š à·€à·à¶© à¶šà·œà¶šà·f à·fà¶,à·Šà¶'à·-
à¶»à·Šà¶«à¶à·.™ à¶±à·Šà¶, à¶%à·€à¶»à¶à·'! à·fà·"à¶¶ à¶
'à·à¶à·"à¶,à·Š! ðŸŽ%o